

EXTRACTION AND CHROMATOGRAPHIC ISOLATION OF CERTAIN CHEMICAL CONSTITUENTS OF TWO ALLIUM SPECIES AND THEIR EVALUATION AS ANTIOXIDANT AND CYTOTOXIC AGENTS

Submitted By

Ezzat El-Sayed Abdel-Lateef Researcher Assistant

Theodor Bilharz Research Institute

Thesis

Submitted for the requirement

of PhD degree in Science

(Organic Chemistry)

Supervisors

Professor Dr. Maher A. El-HashashProfessor Dr. Mahfouz M. Abdel-GawadProfessor of Organic Chemistry (D.Sc.)Professor of Medicinal ChemistryFaculty of Science, Ain Shams UniversityTheodor Bilharz Research Institute

Faculty of Science

Ain Shams University 2014

EXTRACTION AND CHROMATOGRAPHIC ISOLATION OF CERTAIN CHEMICAL CONSTITUENTS OF TWO ALLIUM SPECIES AND THEIR EVALUATION AS ANTIOXIDANTAND CYTOTOXIC AGENTS

By

Ezzat El-Sayed Abdel-Lateef

THESIS ADVISORS

APROVAL

1- Prof. Dr. Maher A. El-Hashash

Professor of Organic Chemistry (**D. Sc.**) Faculty of Science, Ain Shams University

2- Prof. Dr. Mahfouz M. Abdel-Gawad

Professor of Medicinal Chemistry Theodor Bilharz Research Institute

Head of Chemistry Department

Prof. Dr. Hamed Ahmed Youns Derbalh



استخلاص وفصل كروماتوجرافي لبعض المكونات الكيميائيه لنباتى الاليم وتقييمهم كمواد مضاده للاكسده والخلايا السرطانيه

رسال قد دكتوراه مقدمة من عرت السيد عبد اللطيف باحث مساعد بمعه د تي ودوربله ارس للابح للحصول على درجة دكتوراه الفلسفة فى العلوم (الكيمي اع العض وية) تحت إشراف

- أ.د / ماهر عبدالعزيز الحشاش أ.د / محفوظ محمد عبدالجواد أستاذ الكيمياء العضوية أستاذ الكيمياء العلاجية
 - كلية العلوم جامعة عين شمس معهد تيودور بلهارس للأبحاث



رسالة دكتوراه عـزت السـيد عبد اللطيف عنوان الرسالة " استخلاص وفصل كروماتوجرافي لبعض المكونات الكيميائيه لنباتي الاليم وتقييمهم كمواد مضاده للاكسده والخلايا السرطانيه" لجنة الاشـ______راف

أ.د / ماهر عبدالعزيز الحشاش أستاذ الكيمياء العضوية - كلية العلوم- جامعة عين شمس

أ.د/ محفوظ محمد عبدالجواد أستاذ الكيمياء العلاجية معهد تيودور بلهارس للأبحاث

لجنة الحكم

الدراسات العليا

ختم الاجازة: اجيزت الرسالة بتاريخ: / 2014

موافقة مجلس الكلية موافقة مجلس الكلية



اسم الطالب: عزت السيد عبد اللطيف الدرجة العلمية: دكتوراه

القسم التابع له: الكيمياء

اسم الكلية: العلوم

2014 / /

الجامعة: جامعة عين شمس

سنة التخرج:

سنة المنح:



شکر

اشكر السادة الاساتذه الذبن قاموا بالاشراف و هم: أ.د / ماهر عبدالعزيز الحشاش أستاذ الكيمياء العضوية-كلية العلوم- جامعة عين شمس

أ.د/ محفوظ محمد عبدالجواد أستاذ الكيمياء العلاجية – معهد تيودور بلهارس للأبحاث

شکر خاص

1- معهد تيودور بلهارس للأبحاث. 2- كلية العلوم- جامعة عين شمس. 3- صندوق العلوم والتنميه التكنولوجيه (STDF) - اكاديمية البحث العلمي. والتكنولوجيا - وزارة التعليم العالى والبحث العلمي. 4- قسم كيمياء الاغذيه - كلية الزراعه - جامعة نابولي - ايطاليا.

LIST OF FIGURES

Figure	Page
Fig. 1: ABTS assay of defatted methanolic extracts of <i>Allium</i> species.	124
Fig. 2: ABTS assay of different fractions of <i>A. cepa</i> (ssp. red onion) <i>and A. porrum</i> .	125
Fig. 3: Correlation between the free radical scavenging activity (DPPH) and total phenolic content of defatted methanolic extracts of <i>Allium</i> species.	125
Fig. 4: Correlation between the total antioxidant capacity and total phenolic content of defatted methanolic extracts of <i>Allium</i> species.	126
Fig. 5: ¹ H-NMR spectrum (DMSO- d_6) of compound 4.	144
Fig. 6: ¹³ C-NMRspectrum (DMSO-d ₆) of compound 4	145
Fig. 7: ¹ H-NMR spectrum (DMSO- d_6) of compound 5	149
Fig. 8: ¹³ C-NMRspectrum (DMSO-d ₆) of compound 5	150
Fig. 9: ¹ H-NMR spectrum (DMSO-d ₆) of compound 6	154
Fig. 10: ¹³ C-NMRspectrum (DMSO-d ₆) of compound 6	155
Fig. 11: HPLC-DAD chromatogram of Fraction IV derived from EtOAc column at 280 nm (A) and 325 (B).	157
Fig. 12: HPLC-ESI- MS/MS Total ion current (TIC) chromatogram of fraction IV derived from EtOAc column	157
Fig. 13: UV spectrum of compound 7 (Peak 1).	160

Fig. 14: HPLC- ESI- MS/MS mass spectra chromatogram	161
Fig. 15: UV spectrum of compound 8 (Peak 2).	163
Fig. 16: HPLC-ESI -MS/MS mass spectra chromatogram of compound 8.	163
Fig. 17: UV spectrum of compound 9 (Peak 3).	165
Fig. 18: HPLC-ESI-MS/MS mass spectra chromatogram of compound 9.	165
Fig. 19: UV spectrum of compound 10 (Peak 4).	167
Fig. 20: HPLC-ESI-MS/MS mass spectra chromatogram of compound 10.	167
Fig. 21: UV spectrum of compound 11 (Peak 6).	169
Fig. 22: HPLC- ESI-MS/MS mass spectra chromatogram of compound 11.	170
Fig. 23: UV spectrum of compound 12 (Peak 5).	173
Fig. 24: LC-ESI-MS/MS mass spectra chromatogram of compound 12.	173
Fig. 25: UV spectrum of compound 13 (Peak 13).	175
Fig. 26: LC-MS/MS mass spectra chromatogram of compound 13.	176
Fig. 27: UV spectrum of compound 14 (Peak 11).	178
Fig. 28: HPLC-ESI-MS/MS mass spectra chromatogram of compound 14.	178
Fig. 29: UV spectrum of compound 15 (Peak 8).	180
Fig. 30: HPLC-ESI -MS/MS mass spectra chromatogram of compound 15	181

Fig. 31: UV spectrum of compound 16 (Peak 12).			
Fig. 32: HPLC- ESI-MS/MS mass spectra chromatogram of compound 16.			
Fig. 33: UV spectrum of compound 17 (Peak 9).	185		
Fig. 34: HPLC-ESI-MS/MS mass spectra chromatogram of compound 17.	186		
Fig. 35: UV chromatogram of compound 18 (Peak 7).	188		
Fig. 36: HPLC-MS/MS mass spectra chromatogram of compound 18.	188		
Fig. 37: UV spectrum of compound 19 (Peak 10).	190		
Fig. 38: HPLC- ESI- MS/MS mass spectra chromatogram of compound 19.	191		
Fig. 39: HPLC-DAD chromatogram of fraction II from butanolic column at 280 nm (A) and 325 nm (B).	193		
Fig. 40: HPLC-ESI-MS/MS total ion current (TIC) chromatogram of fraction II from n-BuOH column.	193		
Fig. 41: UV spectrum of compound 20 (Peak 15).	197		
Fig. 42: HPLC-ESI- MS/MS mass spectra chromatogram of compound 20.	198		
Fig. 43: UV spectrum of compound 21 (Peak 18).	199		
Fig. 44: HPLC- ESI-MS/MS mass spectra chromatogram of compound 21.	200		
Fig. 45: UV spectrum of compound 22 (Peak 17).	202		
Fig. 46: HPLC- ESI-MS/MS chromatogram of compound 22.	202		
Fig. 47: UV spectrum of compound 23 (Peak 16).	204		
Fig. 49: HPLC-ESI- MS/MS mass spectra chromatogram of compound 23.	204		

Fig. 49: UV spectrum of compound 24 (peak 14).	206
Fig. 50: HPLC-ESI- MS/MS mass spectra chromatogram of compound 24.	206
Fig. 51: HPLC-ESI-MS/MS mass spectra chromatogram of compound 25.	208
Fig. 52: HPLC-ESI-MS/MS mass spectra chromatogram of compound 26.	210
Fig. 53: HPLC- ESI-MS/MS mass spectra chromatogram of compound 27.	211
Fig. 54: HPLC-ESI-MS/MS mass spectra chromatogram of compound 28.	213
Fig. 55: HPLC-ESI- MS/MS mass spectra chromatogram of compound 29.	214
Fig. 56: HPLC-ESI- MS/MS mass spectra chromatogram of compound 30.	218
Fig. 57: HPLC-ESI- MS/MS mass spectra chromatogram of compound 31.	220
Fig. 58: HPLC-ESI- MS/MS mass spectra chromatogram of compound 32.	222
Fig. 59: HPLC-ESI- MS/MS mass spectra chromatogram of compound 33.	224
Fig. 60: HPLC-ESI- MS/MS mass spectra chromatogram of compound 34	226
Fig. 61: HPLC- ESI- MS/MS mass spectra chromatogram of compound 35.	228
Fig. 62: HPLC- ESI-MS/MS mass spectra chromatogram of compound 36.	230

LIST OF TABLES

Table

- Table (1): Qualitative phytochemical screening of the120defatted methanol extracts of Allium species.
- **Table (2):** Total phenolic and flavonoid contents of the120defatted methanolic extracts of Allium species.
- Table (3): Total phenolic and flavonoid contents from121different fractions derived from the defattedmethanol extracts of Allium cepa (ssp. redonion) and Allium porrum.
- **Table (4):** DPPH scavenging activity, total antioxidant122capacity and reducing power of the defatted
methanol extracts of *Allium* species.
- **Table (5):** DPPH scavenging activity, total antioxidant123capacity and reducing power of fractions derived
from the defatted methanolic extract of Allium
cepa (ssp. red onion) and Allium porrum123
- **Table (6):** Cytotoxic activity of the defatted methanolic124extracts and fractions derived from Allium cepa
(ssp. red onion) and Allium porrum.124
- **Table (7):** UV spectral data λ_{max} (nm) of compound 1. 136
- **Table (8):** UV spectral data λ_{max} (nm) of compound 2. 138

Table (9): UV spectral data λ_{max} (nm) of compound 3. 140

Table (10): UV spectral data λ_{max} (nm) of compound 4. 142

Table (11): ¹ H and ¹³ C-NMR spectral data of compound 4	143
Tuble (II): If and C I (IIII) spectral data of compound +	

Table (12): ¹H and ¹³C-NMR spectral data of compound 5148

Table (13): ¹H and ¹³C-NMR spectral data of compound 6153

- **Table (14):** Characterization of fraction (IV) derived from158EtOAc column by using HPLC-DAD and
HPLC-ESI-MS/MS.158
- Table (15): Characterization of fraction (II) derived
from n-BuOH column by using HPLC-
DAD and HPLC-ESI-MS/MS.194-
195

CONTENTS

Subject	Page
ACKNOWLEDGMENT	
LIST OF TABLES	
LIST OF FIGURES	
I-SUMMARY	Ι
II-INTRODUCTION	1
III-AIM OF THE WORK	4
IV-LITERATURE REVIEW	
1- Medicinal Plants	6
2- Cancer therapy.	7
3- Natural anticancer	7
4- Natural Antioxidants	8
5- Phenolic Compounds.	9
5 A) Phenolic Acids.	11
5B) Flavonoids.	13
6- Tannins.	21
7- Alkaloids	24
8-Saponins	25
9- Methods used for determination of antioxidant and cytotoxic activities.	28

10-	Chromatographic	separation	and	purification	32
tech	niques				
11- \$	Spectroscopic metho	ods of analys	is		36
12- Chemical constituents of Allium species				41	
13- Biological and pharmacological properties of				87	
Alliı	um species				

V- SPECIAL PART

Material, Apparatus, Equipment and Techniques.	95
Antioxidant and cytotoxic activities of Allium species	72
Extraction, chromatographic separation and identification of <i>Allium cepa</i> (ssp. red onion)	127
Chromatographic Separation of EtOAc Extract	130
Chromatographic Separation of n-BuOH Extract	131
Identification of isolated compound from <i>A. cepa</i> (ssp. red onion).	132
Structure Elucidation of Compounds from ethyl acetate column chromatography	134
Structure Elucidation of Compounds isolated from n- butanol column chromatography.	146
Identification of fraction (IV) derived from ethyl acetate Silica column by using HPLC-DAD and HPLC FSLMS/MS	156
Identification of fraction (II) derived from Butanolic silica gel column using HPLC-DAD and HPLC-ESI- MS/MS.	192

VI- REFERENCES

VII- ARABIC SUMMARY