

**ISOTYPIC ANALYSIS OF HUMORAL IMMUNE
RESPONSE TO CERCARIAL ANTIGENS IN
HUMAN SCHISTOSOMIASIS**

**Thesis
Submitted to**

**Biochemistry Department
Faculty of Science
Ain Shams University**

**In Partial Fulfillment of the Requirements
for the Degree of Master of Science**

By

574.29
M.M

**Mahmoud Mohamed Bahgat
(B.Sc. Biochemistry)**

61276

Supervised By

Prof. Dr. Nadia Mohamed AbdAllah
Professor and Head of Biochemistry Department
Faculty of Science
Ain Shams University

Nadia

Prof. Dr. Ibrahim Mohamed Nabih
Professor of Biochemistry
Medicinal Chemistry Department
National Research center

I. Nabih

Dr. Reda Mohamed Rashad Ramzy
Assistant Professor
Head of Immunology Unit
Nutrition Institute


R. Ramzy

**Department of Biochemistry
Faculty of Science
Ain Shams University**



1996





بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

**"قالوا سبحانك لا علم لنا الا ما علمتنا
انك انت العليم الحكيم"**

صدق الله العظيم

سورة البقرة ، الآية ٣٢

Biography

Name : Mahmoud Mohamed Bahgat.

Degree Awarded : B. Sc. (Biochemistry - Chemistry).

Department : Biochemistry.

Faculty : Science.

University : Ain Shams University.

Date of Graduation : May, 1990.

Occupation : Research Assistant, Medicinal chemistry
Department, National Research Center.

Date of Appointment : March 1992.

Date of Registration for M. SC. Award : March, 1994.

**I declare that this thesis has been composed by myself
and the work of which it is a record has been done by
myself. It has not been submitted for a degree at this
or any other university.**

Mahmoud Mohamed Bahgat

I dedicate this piece of work to the Sake of GOD.

CONTENTS

| | Page |
|--|-------------|
| Abstract..... | v |
| Acknowledgment..... | vi |
| List of abbreviations..... | vii |
| List of figures..... | ix |
| List of tables..... | xii |
| Aim of work..... | xvi |
| Chapter I : Introduction and review of literature..... | |
| Introduction..... | 1 |
| Review of literature..... | 4 |
| 1.1. Life cycle of the parasite..... | 4 |
| 1.2. Control of schistosomiasis..... | 6 |
| 1.2.1. <i>Molluscicides</i> | 6 |
| 1.2.2. Chemotherapy..... | 7 |
| 1.2.3. Vaccine development..... | 8 |
| 1.2.4. Immunization with parasite surface antigens..... | 9 |
| 1.3. IgG Subclasses..... | 10 |
| 1.4. Humoral immuno response in schistosomiasis..... | 12 |
| 1.5. Blocking antibodies and resistance toward schistosomiasis..... | 19 |
| 1.6. Host immune response toward parasite excretory-secretory antigens.... | 20 |
| 1.7. Parasite teguments and host immune response..... | 21 |
| Chapter II : Materials and Methods..... | 29 |
| 2.1. Preparation of crude antigens..... | 29 |
| 2.1.1 Preparation of soluble cercarial antigen (CAP)..... | 29 |
| 2.1.2 Preparation of soluble adult worm antigen (SWAP)..... | 29 |
| 2.2. Measurement of the protein contents of the prepared antigens..... | 29 |

| | Pag |
|---|------------|
| 2.2.1. Macroassay..... | 29 |
| 2.2.2. Microassay..... | 30 |
| 2.3. Lyophilization..... | 30 |
| 2.4. Enzyme linked immunosorbent assay (ELISA)..... | 30 |
| 2.4.1. Reagents..... | 30 |
| 2.4.1.1. Sera..... | 30 |
| 2.4.1.2. Antigens..... | 31 |
| 2.4.1.3. Conjugates..... | 31 |
| 2.4.1.4 Monoclonal Antibodies..... | 31 |
| 2.4.1.5. ELISA Plates..... | 32 |
| 2.4.1.6. Buffers..... | 32 |
| 2.4.2. Standardization of (ELISA) for detecting total IgG against CAP and SWAP..... | 32 |
| 2.4.3. Standardization of ELISA for detecting IgM and IgG subclasses to CAP and SWAP..... | 33 |
| 2.5. Enzyme-linked immunoelectrotransfer blot techniques (EITB) for studying the specificities of the CAP and SWAP fractionated by gel electrophoresis..... | 34 |
| 2.5.1. Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE)..... | 35 |
| 2.5.1.1. Buffers and solutions..... | 35 |
| 2.5.1.2. Gel casting..... | 36 |
| 2.5.1.3. Sample preparation..... | 37 |
| 2.5.2. Western Blotting..... | 37 |
| 2.5.2.1. Solutions..... | 37 |
| 2.5.2.2. EITB Procedure..... | 38 |

| | Page |
|---|-------------|
| 2.5.3. Processing of the nitrocellulose sheets in enzyme immunoassay..... | 40 |
| 2.5.3.1. Reagents | 40 |
| 2.5.3.2. Detection of total IgG specific antigen bands..... | 40 |
| 2.5.3.3. Detection of IgG subclasses specific antigen bands..... | 40 |
| Chapter III : | |
| Results..... | 44 |
| 3.1. The study population..... | 44 |
| 3. 2. Parasitological results..... | 44 |
| 3. 3. Results of total IgG..... | 45 |
| 3. 3. 1. Distribution of IgG among the whole population studied..... | 45 |
| 3. 3. 2. Frequency and prevalence of IgG among individuals from Kafr Shorafa village | 49 |
| 3. 3. 3. Frequency and prevalence rates of IgG among individuals from Kafr Saad village..... | 53 |
| 3. 3. 4. Frequency and prevalence rates of IgG among individuals from KafrTahuria village..... | 56 |
| 3. 4. Results of IgM..... | 60 |
| 3. 4. 1. Distribution and frequency of IgM among individuals from Kafr Saad and Kafr Shorafa villages..... | 60 |
| 3. 4. 2. Frequency and prevalence rates of IgM among individuals from Kafr Shorafa village..... | 65 |
| 3. 4. 3. Frequency and prevalence rates of IgM among individuals from Kafr Saad village..... | 69 |
| 3. 5. Results of IgG subclasses..... | 72 |
| 3. 5. 1. The prevalence rates of anti-CAP and anti-SWAP IgG1 subclass among individuals belonging to different age groups..... | 72 |

| | Pa |
|---|-----------|
| 3. 5. 2. The prevalence rates of anti-CAP and anti-SWAP IgG2 subclass among individuals belonging to different age groups..... | 71 |
| 3. 5. 3. The prevalence rates of anti-CAP and anti-SWAP IgG3 subclass among individuals belonging to different age groups..... | 73 |
| 3. 5. 4. The prevalence rates of anti-CAP and anti-SWAP IgG4 subclass among individuals belonging to different age groups..... | 73 |
| 3. 6. Immunoblotting results..... | 77 |
| 3. 6. 1. Immunoblotting of SDS-PAGE fractionated <i>S. mansoni</i> soluble adult worm antigenic preparation (SWAP) against well characterized sera samples from infected individuals to detect reactivity toward TIgG | 77 |
| 3. 6. 2. Immunoblotting of SDS-PAGE fractionated <i>S. mansoni</i> soluble cercarial antigenic preparation (CAP) against well characterized sera samples from infected individuals to detect reactivity toward TIgG..... | 81 |
| 3. 6. 3. Immunoblotting of SDS-PAGE fractionated <i>S. mansoni</i> soluble cercarial antigenic preparation (CAP) against well characterized sera samples from infected individuals for detection of reactivity toward different IgG subclasses..... | 87 |
| Chapter IV : Discussion & Conclusion..... | 95 |
| Chapter V : 1. Summary..... | 116 |
| 2. References..... | 122 |