

**GENETIC DIFFERENCES OF PRODUCTIVE PERFORMANCE
AND IMMUNOCOMPETENCE IN TWO COMMERCIAL
LAYER STRAIN OF CHICKENS**

By

GAMAL NASSER RAYAN AHMED

B.Sc. Agric. Sc. (Poultry Production), Ain Shams University, 2006

M.Sc. Agric. Sc. (Poultry Breeding), Ain Shams University, 2010

**A thesis submitted in partial fulfillment
of
the requirements for the degree of**

**DOCTOR OF PHILOSOFY
in
Agricultural Science
(Poultry Breeding)**

**Department of Poultry Production
Faculty of Agriculture
Ain Shams University**

2013

Approval Sheet

**GENETIC DIFFERENCES OF PRODUCTIVE PERFORMANCE
AND IMMUNOCOMPETENCE IN TWO COMMERCIAL
LAYER STRAIN OF CHICKENS**

By

GAMAL NASSER RAYAN AHMED

B.Sc. Agric. Sc. (Poultry Production), Ain Shams University, 2006

M.Sc. Agric. Sc. (Poultry Breeding), Ain Shams University, 2010

This thesis for Ph.D. degree has been approved by:

Dr. Tareef Abd-Elaziz Shamma
Prof. Emeritus of Poultry Breeding, Faculty of Agriculture,
Al-Azhar University

Dr. Ali Zein El-Dein Hassan
Prof. Emeritus of Poultry Breeding, Faculty of Agriculture, Ain
Shams University

Dr. Ahmed Galal El-Sayed
Prof. of Poultry Breeding, Faculty of Agriculture, Ain Shams
University

Dr. Ahmed Hatem Ibrahim El-Attar
Prof. Emeritus of Poultry Breeding, Faculty of Agriculture, Ain
Shams University

Date of Examination: 28 / 7 / 2013

GENETIC DIFFERENCES OF PRODUCTIVE PERFORMANCE AND IMMUNOCOMPETENCE IN TWO COMMERCIAL LAYER STRAIN OF CHICKENS

By

GAMAL NASSER RAYAN AHMED

B.Sc. Agric. Sc. (Poultry Production), Ain Shams University, 2006

M.Sc. Agric. Sc. (Poultry Breeding), Ain Shams University, 2010

Under the supervision of:

Dr. Ahmed Hatem Ibrahim El-Attar

Prof. Emeritus of Poultry Breeding, Department of Poultry
Production, Faculty of Agriculture, Ain Shams University
(Principal Supervisor)

Dr. Ahmed Galal El-Sayed

Prof. of Poultry Breeding, Department of Poultry Production,
Faculty of Agriculture, Ain Shams University

Dr. Mahmoud Yousef Mahrous

Lecturer of Poultry Breeding, Department of Poultry Production,
Faculty of Agriculture, Ain Shams University

REFERENCES

- Abanikannda, O.T.F., O. Olutogun, A.O. Leigh and L.A. Ajayi (2007).** Statistical Modeling of Egg Weight and Egg Dimensions in Commercial Layers. *Int. J. Poult. Sci.*, 6 (1): 59-63.
- Abd El-Hamid, E. F. (1988).** Study of some factors affecting growth performance of chicks. M.Sc. Thesis, Fac. of Agric. Ain Shams Univ., Egypt.
- Agoha N.J., Akpavie S. O. and Durojaiye O. F. (1992).** Pathogenecity of two strains of Newcastle disease virus in the grey – breasted helmet guinea fowl. *Vet. quarterly*, 14 (2): 51-53.
- Ahn, D.U., Kim, S.M. and Shu, H. (1997).** Effect of egg size and strain and age of hens on solids content of chicken eggs. *Poultry Sci.* 76:914 –919.
- Akbar, M. K., J. S. Gavora, G. W. Friars, and R. S. Gowe (1983).** Composition of eggs by commercial size categories: Effects of genetic group, age, and diet. *Poultry Sci.*62:925–933.
- Ali, O.H.A., E.A. Elzubeir and H.M. Elhadi (2007).** Effect of residual yolk sac on growth, liver total lipids and serum total lipids in broiler chicks. *Pak. J. Biol. Sci.*, 10: 4559-4562.
- Al-Murrani, W.K., Kassab, A., Al-Sam, H,Z. and Al-Athari, A,M. (1997).** Heterophil/Lymphocyte ratio as a selection criterion for heat resistance in domestic fowls. *Br. Poult. Sci.* 38: 159-163.

- Applegate, T., J. E. Ladwig, L. Weissert and M. S. Lilburn (1999).** Effect of hen age on intestinal development and glucose tolerance of the Pekin duckling. *Poult. Sci.*, 78: 1485-1492.
- Arent, E., Tůmová, E., Ledvinka, Z., Holoubek, J. (1997).** The effect of the plane of nutrition on egg quality in laying hens of different genotypes. *Živočišná výroba* 42: 427-432.
- Badawe, M. I. (2006).** Modeling of prediction of residual feed consumption in egg-type strains of chicken. M.Sc. Thesis, Fac. of Agric. Ain Shams Univ., Egypt.
- Bare, A. and S. V. Striem, (1998).** Effects of age at onset of production, light regime and dietary calcium on performance, eggshell traits, duodenal calbindin and cholecalciferol metabolism. *British Poult. Sci.*, 39: 282–290.
- Baumgartner J, Benková J, Peškovicová D. (2007).** Effect of line, age and individuality on yolk cholesterol content and some other egg quality traits in Leghorn type yolk cholesterol selected hens. XVIII European Symposium on the quality of poultry meat and XII European Symposium on the quality of eggs and egg products, September 2 - 5. Prague, pp. 35-36.
- Bayyari, G.R., Huff, W.E., Rath, N.C., Balog, J.M., Newberry, L.A., Villines, J.D., Skeeles, J.K, Anthony, N.B. and Nestor, K.E. (1997).** Effect of genetic selection of turkeys for increased body weight and egg production on immune and physiological. *Poult. Sci.* 76:289-296.
- Bell, D. (1984).** Egg breakage — from the hen to the consumer. *Calif. Poult. Lett.* (Apr.):2–6.

- Benoist, C. and Mathis, D. (1999).** T lymphocyte differentiation and biology. Pages 367- 409 in fundamental Immunology. W.E. Paul, ed. Lippincott-Raven publishers, Philadelphia, PA.
- Benton, C. E., and J. Brake (1996).** The effect of broiler breeder flock age and length of egg storage on egg albumen during early incubation. *Poult. Sci.* 75:1069–1075.
- Berek, C., Berger, A. and Apel, M. (1991).** Maturation of the immune response in germinal centers. *Cell* 67:1121-1129.
- Boa-Amponsem, K., Dunnington, E.A., Baker, K.S. and Siegel, P.B. (1999).** Diet and immunological memory of lines of White Leghorn chickens divergently selected for antibody response to sheep red blood cells. *Poult. Sci.* 78:165-170.
- Boerjan, M. (2002).** Programs for single stage incubation and chick quality. *Avian Poult. Biol. Rev.* 13: 237-238.
- Bonekamp, R. P. R. T. A., Lemme , P. j. A. Wijtten, and j. K. W. M. Sparla (2010).** Effects of amino acids on egg number and egg mass of brown (heavy breed) and white (light breed) laying hens. *Poult. Sci.* 89: 522–529.
- Bordas, A., and F. Minvielle (1999).** Patterns of growth and feed intake in divergent lines of laying domestic fowl selected for residual feed consumption. *Poult. Sci.* 78:317–323.
- Brand, H.V.D., H.K. Parameter and B. Kemp (2004).** Effects of housing system cout door vs cages and age of laying hens on egg characteristics. *Br. Poult Sci.*, 45: 745-752.
- Burke, W. H. (1992).** Sex differences in incubation length and hatching weights of broiler chicks. *Poult. Sci.* 71:1933–1938.

- Burley, R. W., and D. V. Vadehra (1989).** The Avian Egg: Chemistry and Biology. John Wiley and Sons, New York, NY. Pages 68–71, 372.
- Buss, E.G., Guyer, R.B. (1982).** Genetic differences in avian egg shell formation. *Poult Sci* 61: 2048-2055.
- Campo JL, Gil MG, Dávila SG. (2007).** Differences among white-, tinted-, and brown- egg laying hens for incidence of eggs laid on the floor and for oviposition time. *Arch Geflügelkd* 71: 105-109.
- Carter, T. C. (1968).** The hen egg. A mathematical model with three parameters. *Br. Poult. Sci.* 9: 165-171.
- Carvener, T.L., Roush, W.B. and Mulcahy, M.M. (1992).** Broiler production under varying population densities. *Poult. Sci.* 71:427-433.
- Chao, C.H. and Lee, Y.P. (2001).** Relationship between reproductive performance and immunity in Taiwan country chickens. *Poult. Sci.* 80:535-540.
- Charles, F., and J. R. Strong (1988).** Research note: Relationship between several measures of shell quality and egg-breakage in a commercial processing plant. *Poult. Sci.* 68:1730–1733.
- Cheema, M.A., Qureshi, M.A. and Havenstein, G.B. (2003).** A comparison of the immune response of a 2001 commercial broiler with a 1957 randombred broiler strain when fed representative 1957 and 2001 broiler diets. *Poult. Sci.* 82:1519-1529.

- Cheng, S. and Lamont, S.J. (1988).** Genetic analysis of immunocompetence measures in a white Leghorn chicken line. *Poult. Sci.* 67:989-995.
- Choprakarn, K., I. Salangam and K. Janaka (1998).** Laying performance, egg characteristics and egg composition in Thai indigenous hens. *Journal of National Research Council of Thailand.* 30 (2): 1-17.
- Clark, L.B., Foy, T.M. and Noelle, R.J. (1996).** CD 40 and its ligands. *Adv. Immunol.* 63:43-78.
- Corrier, D.E. (1990).** Comparison of phytohemagglutinin-induced cutaneous hypersensitivity reactions in interdigital skin of broiler and layer chicks. *Avian Dis.* 34:369-373.
- Curtis, P. A., Gardner, F. A. & Mellor, D. B. (1985).** A comparison of selected quality and compositional characteristics of brown and white eggshells; I. shell quality. *Poult. Sci.* 64: 297-301.
- Curtis, P. A., F.A.Gardner, and D. B. Mellor (1986).** A comparison of selected quality and compositional characteristics of brown and white shell eggs. III. Composition and nutritional characteristics. *Poult. Sci.* 65:501–507.
- Danilov, R. V. (2000).** Effect of hen's age on quality of hatching eggs and embryonic development. *Proceedings of 21th world's poultry congress.* Montreal, Canada. CD- Rom (WPSA).
- Darmon, A.J., Nicholson, D.W. and Bleackey, R.C. (1995).** Activation of apoptotic protease CPP32 by Cytotoxic T–cell-derived granzyme B. *Nature* 377: 446-448.

- Davidson, H.W., Reid, P.A., Lanzavecchia, A. and Watts, C. (1991).** Processed antigen binds to newly synthesized MHC class II molecules in antigen specific B Lymphocytes. *Cell* 67:105-116.
- DeFranco, A.L. (1995).** Transmembrane signaling by antigen receptors of B and T lymphocytes. *Curr. Opin. Cell Biol.* 7:163-175.
- DeFranco, A.L. (1997).** The complexity of signaling pathways activated by the BCR. *Curr. Opin. Immunol.* 9:296-308.
- Duncan, A.R. and Winter, G. (1988).** The binding site for C1q on 1gG. *Nature* 332: 738- 740.
- Dunnington, E.A. and Siegel, P.B. (1996).** Long-term divergent selection for eight-week body weight in white Plymouth Rock chickens. *Poult. Sci.* 75:1168-1179.
- Eckersall, P.D., (2008).** Proteins, Proteomics and the Dysproteinemias. In: Kaneko J.J., Harvey J.W. and M. L. Bruss. *Clinical Biochemistry of Domestic Animals*. 6th Ed, San Diego, Academic Press, p: 117-155.
- Edberg J.C., Lin, C.T., Lau, D., Unkeless, J.C. and Kimberly, R.P. (1995).** The Ca²⁺ dependence of human Fc receptor-initiated phagocytosis. *J. Biol. Chem.* 270:22301-22307.
- Edmond, A., L. A. King, S. E. Solomon and M. M. Bain (2005).** Effect of environmental enrichment during the rearing phase on subsequent eggshell quality in broiler breeders. *Br. Poult. Sci.*, 46: 182-189.

- Eerola, E., Veromaa, T. and Toivanen, P. (1987).** Special feature in the structural organization of the avian lymphoid system. pp. 9-22 in: Avian Immunology: Basis and Practice. A. Toivanen and P. Toivanen ed. CRC press. Inc. Boca Raton. FL.
- El-Full, E. A. (1989).** Studies on some economical traits in Fayoumi chickens with its crosses. M.Sc. Thesis, Fac. of Agric., Fayoum, Cairo Univ., Egypt.
- El-Gendy, E.A., A.A. Atallah, F.R. Mohamed, A.M. Atta and N.E. Goher, (1995).** Strain variation in young chickens in response to chronic heat stress conditions. Egypt. J. Anim. Prod., 32: 237-251.
- El-Shabbah, M. F. A. (1990).** Comparison study of broilers production from some foreign and local strains. M.Sc. Thesis, Fac. of Agric. Mansoura Univ., Egypt.
- Elwardany, A.M., Sherif, B.T, Enab, A.A., Abdel-Sami, A.M., Marai, I.F.M. and Metwally, M.K. (1998).** Some performance traits and abdominal fat contents of three Egyptian indigenous laying breeds. First international conference on animal production and health in semi-arid areas, El Aris. September 1-3, 471-481.
- El-Yuguda A. D. (2000).** Effects of material antibodies and vaccine interactions on specific antibody response of Village chickens to single or combined Newcastle disease and infectious bursal disease vaccines. M.V.Sc. dissertation, University of Maiduguri, Nigeria.

- Emara, E.G., Lapierre, R.R., Greene, G.M., Knieriem, M., Rosenberger, J.K., Pollock, D.L., Sadjadi, M., Kim, C.D. and Lillehoj, H.S. (2002).** Phenotypic variation among three broiler pure lines for Marek's disease, coccidiosis and antibody response to sheep red blood cells. *Poult. Sci.* 81:642-648.
- Etches, R.J. (1996).** *Reproduction in Poultry.* CAB International. Wallingford, UK.
- Farooq, M., M.A Mian, M. Ali, F.R. Durrani, A. Asquar and A.K. Muqarrab (2001).** Egg traits of Fayomi bird under subtropical conditions. *Sarad J. Agri.*, 17: 141-145.
- Farooq, M., Mian, M.A., Durrani, F.R. and Syed, M. (2002).** Feed consumption and efficiency of feed utilization by egg type layers for egg production. *Livestock Research for Rural Development* 14 (1).
- Fathi, M. M. and E. A. El-Sahar (1996).** Determining the strength of eggshell by using an appropriate apparatus and an equation to calculate egg surface depending on its dimensions. *Egypt. Poult. Sci.*, 16: 285-303.
- Fathi, M.M., R.A. Ali and M.A. Qureshi, (2003).** Comparison of immune responses of inducible nitric oxide synthase (iNOS) hyper-and hypo responsive genotypes of chickens. *Int. J. Poult. Sci.*, 2: 280-286.
- Fletcher, D. L. W. M. Britton, A. P. Rahn and S. I. Savage (1981).** The influence of layer flock age on egg component yields and solid contents. *Poult. Sci.*, 60: 983-987.
- Flock, D. K. (1994).** Targets for selection, limits to performance and market requirements: Eggs. Pages 27–32 in *Proc. 9th*

European Poultry Conference, Glasgow, UK. Walker and Connell Ltd., Darvel, UK.

Forster, R., Mattis, A.E., Krammer, E., Wolf, E., Bren, G. and Lipp, M.A. (1996). A Putative chemokine receptor, BLRI, directs B cell migration to defined lymphoid organs and specific anatomic compartments of the spleen. *Cell* 87:1037-1047.

Foy, T.M., Aruffo, A., Bajorath, J., Buhlmann, J.E. and Noelle, R.J. (1996). Immune regulation by CD40 and its ligand GP39. *Annu. Rev. Immunol.* 14:591-617.

Frazer, J.K. and Capra, J.D. (1999). Immunoglobulins: Structure and function. Pages 37-44 in *Fundamentals of Immunology*. W.E. Paul, ed. Lippinott-Raven Publishers, Philadelphia, PA.

Fussell, L.M., (1998). Poultry industry strategies for control immunosuppressive diseases. *Poult. Sci.* 77:1193-1196.

Giordani, G., A. Meluzli, C. Cristofori and F. Calini (1993). Study on the performance and adiposity of modern broiler: comparison among strains. *Anim. Breed. Abstr.*, 61: 581-596.

Gogal, R.N.J., Ahmed, S.A. and Larsen, C.T. (1997). Analysis of avian lymphocyte proliferation by a new, simple, nonradioactive assay (Lympho-Pro). *Avian Dis.* 41:714-725.

Gross W.G., P.B. Siegel, R.W. Hall, C.H. Domermuth and R.F. Du Bose (1980). Production and persistence of antibodies in chickens to sheep erythrocytes.2. Resistance to infectious disease. *Poult. Sci.* 59:205-210.

- Gunlu, A., K. Kiriki, O. Cetin and M. Carip (2003).** Some external and internal quality characteristics of partridge (*A. graeca*) eggs. Food Agri. Environ., 1: 197-199.
- Gyles, N.R., Fallah-Moghaddam, H., Patterson, L.L., Skeeles, J.K., Whitfill, C.E. and Johnson, L.W. (1986).** Genetic aspects of the antibody responses in chickens to different classes of antigen. Poult. Sci. 65:223-232.
- Hager, J. E., and W. L. Beane (1983).** Posthatch incubation time and early growth of broiler chickens. Poult. Sci. 62: 247–254.
- Halaj, M., Grofík, R. (1994).** The relationship between egg shell strength and hens features. Živočišná výroba 39: 927-934.
- Hamilton, R.M.G. (1978).** Observations on the changes in physical characteristics that influence eggshell quality in ten strains of white leghorns. Poultry Sci. 57: 1192-1197.
- Hanafi, M. S. (1981).** Egg characteristics as affected by egg weight in New Hampshire and White Leghorn chickens. Egypt. J. Anim. Prod., 21: 135.
- Hartmann, C., Johansson, K., Strandberg, E., Wilhelmson, M. (2000).** One-generation divergent selection on large and small yolk proportions in a white Leghorn line. Br Poult Sci 41: 280-286.
- Hase, H., Kann, Y., Kojima, H., Morimoto, Okumura, K. and Kobata, T. (2002).** CD27 and CD40 inhibit p53-independent mitochondrial pathways in apoptosis of B cells induced by B Cell receptor ligation. J. Biol. Chem., 49:46950-46958.
- Hassan, M.K., M.A. Afify and M.M. Aly (2004).** Genetic Resistance of Egyptian Chickens to Infectious Bursal

Disease and Newcastle Disease. *Tropical Animal Health and Production*, 36 (1): 1-9.

Haugh, R. R. (1937). The Haugh unit for measuring egg quality. *U. S. Egg Poultry Magazine*. 43: 552-555 and 572-573.

Heller, E.D., Leitner, G., Friedman, A., Uni, Z., Gutman, M. and Cahaner, A. (1992). Immunological parameters in meat-type chicken lines divergently selected by antibody response to *Escherichia coli*. *Vet. Immuno. Immunopathol.* 34:159-172.

Herberman, R.B. and Ortaldo, J.R. (1981). Natural Killer Cells: their role in defenses against diseases. *Sci.* 214:24-30.

Hesna Sahin, H. E. Sengor, M. Yardimci and I. S. Cetingul (2009). Relationship between pre-incubation egg parameters from old breeder hens, egg hatchability and chick weight. *J. of Animal and Vet. Advanced* 8 (1): 115-119, 2009.

Hill, A. T., and J. W. Hall (1980). Effects of various combinations of oil spraying, washing, sanitizing, storage time, strain, and age upon albumen quality changes in storage and minimum sample sizes required for their measurement. *Poult. Sci.* 59: 2237–2242.

Hill, D. (2001). Chick length uniformity profiles as a field measurement of chick quality. *Avian Poult. Biol. Rev.* 12:188 (Abstr.).

Hombach, J., Lottspeich, F. and Reth, M. (1990). Identification of the genes encoding the IgM- alpha and Ig-beta components of the IgM antigen receptor complex by amino-terminal sequencing. *Eur. J. Immunol.*, 20: 2796-2799.

- Hudson, B.P., Fairchild, B.D., Wilson, J.L., Dozier, W.A. III and Buhr, R.J., (2004).** Breeder age and zinc source in broiler breeder hen diets on progeny characteristics at hatching. *J. of Applied Poult. Res.*, 13: 55-64.
- Hunton, P. (1982).** Genetic factors affecting egg shell quality. *Worlds Poult. Sci. J.*, 38: 75-84.
- Hunton, P. (1993).** Pages 141–147 in *Understanding the architecture of the eggshell. Proc. 5th Eur. Symp. Qual. Eggs and Egg Prod., Tours, France. World's Poult. Sci. Assoc., Cedex, France.*
- Hy-Line® Brown variety (2005).** Commercial Management Guide. A Publication of Hy-Line International, West Des Moines, Iowa,U.S.A.
- Hy-Line® W-36 variety (2005).** Commercial Management Guide. A Publication of Hy-Line International, West Des Moines, Iowa,U.S.A.
- Ibrahim, M. A. (1991).** Studies on poultry production. Effect of sex linked dwarf gene on productive characters in chickens. M.Sc. Thesis, Fac. of Agric. Mansoura Univ., Egypt.
- Izat, A. L., F. A. Gardner and D. B. Mellor (1986).** The effect of age of bird and season of the year on egg quality. II. Haugh units and compositional attributes. *Poult. Sci.*, 65: 726-728.
- Janeway Jr., C.A., Travers, P., Walport, M. and Shlomchik, M.J. (2001).** *Immunobiology: The immune system in health and disease*, 5th Edition. Garland publishing, New York, NY.
- Jeurissen, S.H., A.G. Boonstra-Blom, S.O. Al-Garib, L. Hartog and G. Koch (2000).** Defense mechanism against viral infection in poultry: a Review. *Vet Q.*, 22(4): 204-8.