Synthesis, Characterization and evaluation of Biological activity of some new pyridopyrimidines and as light stabilizing agents for poly(vinyl chloride)

By

Reham Akram Abdel-monem Mohamed

B. Sc. In Chemistry (2007)

A Thesis Submitted for the M. Sc. Degree in Chemistry

To

Chemistry Department

Faculty of science,

Ain Shams University

2013

Synthesis, Characterization and evaluation of Biological activity of some new pyridopyrimidines and as light stabilizing agents for poly(vinyl chloride)

For

M. Sc. Degree in Chemistry

To

Chemistry Department, Faculty of Science,

Ain Shams University

By

Reham Akram Abdelmenem Mohmed

B . Sc. In Chemistry(2007)

Under the supervision of

Prof. Dr. Ahmed Ismail Hashem

Prof. of Organic Chemistry, Faculty of Science, Ain Shams University.

Prof. Dr. Samira Taha Rabie

Prof. of Photochemistry, National Research Center.

Prof. Dr. Afaf Ali Nada

Prof. of Photochemistry, National Research Center.

Prof. Dr. Maged Shafik Antonious Nakhla

بسم الله الرحمن الرحيم

قالوا سبحانك لا علم لنا الا ما علمتنا انك انت العليم الحكيم "
صدق الله العظيم

Contents

Contents

List of tables	page
List of figures	
Abstract	
Summary	
1.Introduction	1
1.1.Synthesis of pyrimidine derivatives	1
1.2. Reactions of pyrimidines	3
1.3. Synthesis of five membered fused pyrimidines	5
1.3.1. Synthesis of pyrrolopyrimidine derivatives	5
1.3.2. Synthesis of pyrazolopyrimidine derivatives	6
1.4. Synthesis of six membered fused pyrimidines	8
1.4.1. Synthesis of pyridopyrimidine derivatives	8
1.4.2. Synthesis of pyranopyrimidine derivatives	21
1.4.3. Synthesis of pyrazolopyridopyrimidine derivatives	22
1.4.4. Synthesis of pyrazolopyranopyrimidine derivatives	27
1.4.5. Synthesis of pyranopyridopyrimidine derivatives	27

1.5. Bioactivity	32
1.6. Bioactivity and photostablity of poly(vinyl chloride)	35
2. Experimental	. 42
2.1. Synthesis of 4a-e and 7a-e	42
2.2. Synthesis of 5a-e and 8a-e.	. 47
2.3. Synthesis of 11a–d	51
2.4. Synthesis of 13a-f.	54
2.5. Synthesis of 15a-d	56
2.6. Synthesis of 16a-d and 17a-d.	. 58
2.7. Biological activity study	63
2.7.1. Antimicrobial activity	.63
2.7.1.1. Preparation of microbial suspensions	.63
2.7.1.1.1 Determination of antimicrobial activity by Disk-diffumethod	
 2.7.1.1.2. Determination of Minimum Inhibitory Concentration (MIC) 2.7.2. Antitumor activity 2.7.2.1. Cytotoxic effect on human cell lines (HEPG 2 and MCF 7) 	65
2.7.3.Pyridopyrimidines as Photostabilizers for rigid poly(vinyl chloride)	

2.7.3.1. Preparation of PVC films
2.7.3.2.Photodegradation process and light source
2.7.4.Method of evaluation of the stabilizing efficiency
2.7.4.1. Weight loss and Gel content measurements
2.7.4.2.Intrinsic viscosity measurements 69
2.7.4.2.Intrinsic viscosity measurements70
3. Results and Discussion71
3.1.Synthesis of pyridopyrimidine derivatives71
3.2. Biological activity85
3.2.1. Antimicrobial activity85
3.2.2. Antitumor activity89
3.3. Some pyridopyrimidine derivatives as photostabilizers for rigid PVC.94
3.3.1. Weight loss and gel content as criteria for the photostabilizing efficiency of the investigated materials
3.3.2.Intrinsic viscosity measurements as criterion for photostabilizing efficiency
3.4. Antimicrobial activity of PVC/ pyridopyrimidines blend
4.References

Arabic Summary

List of tables

Table (1): derivatives of compound 8625
Table (2): derivatives of compound 88
Table (3): The ADDT Antimicrobial activity of the tested compounds against bacterial and fungal strains isolated from animal origin86
Table (4): The MIC Antimicrobial activity of the tested compounds against bacterial and fungal strains isolated from animal origin
Table (5): Cytotoxic activity of some new pyridopyrimidine derivatives against HEPG2 and MCF790
Table (6): Measurements of weight loss %, gel content %, and intrinsic viscosity [η]for rigid PVC in absence and in presence of some pyridopyrimidine derivatives as photostabilizers compared with the reference UV absorber, phenyl salicylate
Table (7): Antimicrobial activity of PVC in presence of some pyridopyrimidinederivatives

List of figures

Figure (1): Cytotoxic activity of compound (17b) against HEPG29) 2
Figure (2): Cytotoxic activity of compound (17a) against HEPG29)2
Figure (3): Cytotoxic activity of compound (11a) against MCF79)3
Figure (4): Cytotoxic activity of compound (15b) against MCF7	€3
Figure (5): Variation of weight loss % of PVC stabilized with 2% by weig of pyridopyrimidine derivatives	
Figure (6): Variation of gel content % of PVC stabilized with 2% by weight of pyridopyrimidine derivatives	
Figure (7): Variation of intrinsic viscosity of PVC stabilized with 2% tweight of pyridopyrimidine derivatives	•
Figure (8): Changes in discoloration of PVC stabilized with 2% by weight opyridopyrimidine derivatives	
Figure (9): IR spectra of a): the pyridopyrimidine derivative (7b),and b): On	f
PVC/7b, after 8h UV irradiation)6

Acknowledgement