

*Systematic Review of The Available Egyptian
Studies Done on
"Relatives of psychiatric patients"*

Essay

*Submitted for partial fulfillment of Master Degree
in Neuropsychiatry*

By

Mohamed Hossam EL-Din Abd-EL-Moneam
M.B.B.CH

Supervised by:

Prof./ Naglaa Mohamed Nagy El-
Mahallawy

*Professor of Psychiatry
Faculty of Medicine-Ain Shams University*

Dr./ Eman Ibrahim Abo El-Elaa

*Assistant Professor of Psychiatry
Faculty of Medicine-Ain Shams University*

Dr./ Marwa Abd EL-Rahman Sultan

*Lecturer of Psychiatry
Faculty of Medicine-Ain Shams University*

Faculty of Medicine
Ain Shams University
2010

مراجعة منهجية للدراسات المصرية المتاحة التي أجريت على "أقارب المرضى النفسيين"

رسالة

توطئة للحصول على درجة الماجستير فى الأمراض النفسية والعصبية
الطبيب / محمد حسام الدين عبد المنعم
بكالوريوس الطب والجراحة

والرسالة تحت إشراف
الأستاذ الدكتور / نجلاء محمد ناجى المحلاوى
استاذ الأمراض النفسية
كلية الطب - جامعة عين شمس

الدكتور / إيمان إبراهيم أبو العلا
استاذ مساعد الأمراض النفسية
كلية الطب - جامعة عين شمس

الدكتور / مروة عبد الرحمن سلطان
مدرس الأمراض النفسية
كلية الطب - جامعة عين شمس

كلية الطب
جامعة عين شمس
2010

Acknowledgement

- First and foremost I would like to express my thanks and deep appreciation to ***Prof. Naglaa El Mahallawy***, professor of neuropsychiatry, Faculty of Medicine, Ain Shams University for her generous effort, continuous support, wise helpful guidance and motherly attitude. No words could describe my appreciation for her encouragement and support, which made the achievement of this work possible, and I will never be able to thank her sufficiently. It is great honor to work under her guidance and supervision.

- I am also deeply grateful and thankful to ***Dr. Eman Abo El-Elaa***, Assistant Professor of Neuropsychiatry, Faculty of Medicine, Ain Shams University for her helpful contributions, keen support and valuable instructions.

- I would like to express my deep thanks and appreciation to ***Dr. Marwa Abdel Rahman Sultan***, lecturer of neuropsychiatry, Faculty of Medicine, Ain Shams University, for her encouragement and advice throughout the work.

- Also, I would like to thank ***Prof. Afaf Hamed Khalil*** professor of neuropsychiatry, Faculty of Medicine, Ain Shams University and the head of the teamwork of these series of essays.

- Also, I would like to thank **all researchers** who work in the field of "Relatives of psychiatric patients" without their studies this work could not be done.

<i>Table of contents</i>	<i>pages</i>
<i>The web address of MD thesis of faculty of medicine, Ain Shams University</i>	I
<i>List of abbreviations</i>	II
<i>List of tables</i>	V
<i>Introduction</i>	1
<i>Aim of the work</i>	5
<i>Methodology (procedures)</i>	6
<i>Chapter one:</i> List of the available Egyptian studies on "Relatives of psychiatric patients ".	7
<i>Chapter two:</i> Qualitative systematic review of the available Egyptian studies on "Relatives of psychiatric patients".	14
I- Epidemiology.	16
II- Etiology.	38
III-Clinical description.	74
IV-Management.	98
V- Outcome.	107
IV- Knowledge and attitude of families about psychiatric illness.	135
<i>Chapter three:</i> Appraising the available Egyptian studies on "Relatives of psychiatric patients".	143
<i>Discussion</i>	186
<i>Conclusion</i>	203
<i>Summary</i>	206
<i>Recommendations</i>	225
<i>Limitations of the study</i>	226
<i>Appendix</i>	227
<i>References</i>	285
<i>Arabic summary</i>	-

Recently, the information center of Faculty of Medicine-Ain Shams University develops a medical site on the internet which contains every M.Sc (only the protocols) and M.D (the full text) thesis since year (2005), the web address is:

<http://med.shams.edu.eg> – academics – MD thesis (full text).

List of abbreviations

- ADDBD** : Attention Deficit and Disruptive Behavior Disorder.
- AD** : Autistic disorder.
- ADHD** : Attention Deficit Hyperactivity.
- A.F.C.** : Affective Communication.
- BAD** : Bipolar Affective Disorder.
- BAS** : Burden assessment schedule.
- BC** : Behavior Control.
- CARS** : Childhood Autism Rating Scale.
- CAMI** : Community Attitudes toward the Mentally ill.
- CBCL** : Child Behavior Checklist.
- C_mD** : Communication disorders.
- COM** : communication.
- CRS** : Conner's Rating Scale.
- C.R.R.** : Conflict over Childbearing.
- D.M.** : Diabetes Mellitus.
- DSM-III** : Diagnostic and Statistical Manual of Mental Disorders-Third Edition.
- DSM-IV** : Diagnostic and Statistical Manual of Mental Disorders – fourth edition (1994).
- DSC** : Dissatisfaction with Children.
- ECI** : Experience of Caregiving Inventory.
- EPQ** : Eysenk Personality Questionnaire.
- ERP** : Event-Related Potential.
- FABI** : Fear and Behavioral Intentions Inventory.
- FDR** : First-degree relatives.
- FGD** : focal group discussion.
- FHD** : Family History of Distress.

FIN	: disagreement about finances.
GAF	: Global Assessment of Functioning.
GAD	: Generalized Anxiety Disorder.
G.D.S.	: Global Distress.
GF	: General Functioning.
GHQ	: General Health Questionnaire.
G.N.V	: Conventionalization.
HAM-D	: Hamilton Rating Scale for Depression.
HDRS	: Hamilton depression rating scale.
HS	: highly significant.
ICD-10	: International Classification of Diseases -10.
IQ	: Intelligence Quotient.
J-TCI	: Junior Temperament and Character Inventory.
KASI	: Knowledge about Schizophrenia Interview.
K-SADS	: Kiddie Schedule for affective Disorders and Schizophrenia.
LD	: Learning disorders.
LQLI	: Lehman Quality Of Life Interview.
MINI	: Mini International Neuropsychiatric Interview.
MSI	: Marital satisfaction inventory.
NDD	: Neurotic disorders and depressive disorders.
NES	: Neurological Evaluation Scale.
NS	: Non Significant.
OCD	: Obsessive Compulsive Disorder.
PANS	: positive and negative scale.
PD	: Personality Disorder.
PDD	: Pervasive Developmental Disorders.
PE	: Psychomotor epilepsy.
PSI	: Parenting Stress Index.
P.S.C.	: Problem Solving Communication.
PS	: Problem Solving.

QOL	: Quality Of Life.
RRR	: Relative Risk Ratio.
ROR	: role orientation.
S	: significant.
SCID	: Structured Clinical Interview.
SCB	: Screen for Caregiver Burden.
SDQ	: Strengths And Difficulty Questionnaire.
S.E.X.	: Sexual Dissatisfaction.
SRRS	: Social Readjustment Rating Scale.
TCI-R	: Temperament and character inventory-revised.
TDT	: transmission disequilibrium test.
T.T.O.	: Time Together.
WAIS-R	: Wechsler Adult Intelligence Scale-Revised.
WCST	: Wisconsin Card Sorting Test.
WHO	: World Health Organization.
WISC	: Wechsler Intelligence Scale for Children.
Y-BOCS	: Yale-Brown Obsessive Compulsive Scale.

Table No.	Title	Pages No.
1	Prevalence of psychiatric disorders among relative caregivers (mothers and wives) of psychiatric patients.	16
2	Prevalence of psychiatric morbidity in relatives of patients with chronic generalized anxiety disorder.	17
3	Prevalence of psychiatric morbidity in relatives of patients having chronic OCD.	17
4	Prevalence of OCD and its subtypes among 1 st degree relatives of OCD patients.	18
5	Prevalence of personality disorders among 1 st degree relatives of OCD.	18
6	Prevalence of psychiatric morbidity in relatives of chronic schizophrenics.	19
7	Prevalence of psychiatric morbidities among the 1 st degree relatives of schizophrenics and healthy controls.	20
8	Prevalence of psychiatric morbidity in relatives of chronic major affective patients (unipolar depression).	21
9	Prevalence of psychiatric morbidity in relatives of BAD patients	21
10	Prevalence of psychiatric morbidity among 1 st degree relatives of bipolar patients.	22
11	Prevalence of psychiatric disorders among fathers of PDD children.	23
12	Prevalence of psychiatric disorders among mothers of PDD children.	23
13	Prevalence of psychiatric disorders among mothers of autistic children.	24
14	Prevalence of psychiatric disorders among mothers of ADHD children.	24
15	Prevalence of psychiatric disorders among parents of ADHD children	25

Table No.	Title	Pages No.
16	Prevalence of psychiatric disorders among fathers of ADHD children.	25
17	Prevalence of psychiatric disorders among mothers of ADHD children.	26
18	Prevalence of psychiatric disorders among psychiatric ill mother in relation to hyperactivity of their children..	26
19	Prevalence of psychiatric disorders of the mothers in relation to child's psychiatric disorder.	27
20	Prevalence of psychiatric disorders of the mothers in relation to the conduct symptoms of their children.	28
21	Prevalence of psychiatric disorders of the mothers in relation to child's psychiatric disorder.	28
22	Prevalence of anxiety among wives of addicts (Hamilton anxiety scale).	29
23	Prevalence of depression among wives of addicts (Hamilton depression scale).	29
24	Prevalence of psychiatric morbidity among wives of addicts (GHQ-28).	30
25	Prevalence of personality disorders among wives of addicts.	30
26	Prevalence of Psychiatric disorders among wives of addicts.	31
27	Sex distribution among FDR of OCD patients.	32
28	Sex distribution among caregivers of dementia patients.	33
29	Marital status distribution among FDR of OCD patients.	33
30	Marital status distribution among caregivers of dementia patients.	33

Table No.	Title	Pages No.
31	Educational level distribution of the 1 st degree relatives of schizophrenics.	34
32	Occupation distribution among the 1 st degree relatives of schizophrenics.	35
33	Occupation distribution among caregivers of dementia patients.	36
34	Occupational level distribution among wives of addicts.	36
35	Socioeconomic status distribution among FDR of OCD patients.	37
36	Age of the children and its relation to mental health of the mothers (GHQ-28).	38
37	Age group of the children and its relation to psychiatric disorders of the mothers (GHQ 28).	39
38	Age group of the children and its relation to psychiatric diagnosis of the mothers.	39
39	Age of the children and its relation to mother's and family's burden (SDQ).	39
40	Age of the children and its relation to mother's stress (PSI).	40
41	Age of the children and its relation to mother quality of life (WHO QOL-100).	40
42	Mental health of the mothers (GHQ-28) in relation to the mother's age group.	41
43	Psychiatric disorders of the mothers in relation to the mother's age group.	41
44	Psychiatric diagnosis of the mothers in relation to the mother's age group.	42
45	Mother's and family burden in relation to the mother's age group.	42
46	Mother's stress in relation to the mother's age group.	42
47	Mother quality of life (WHO QOL-100) in relation to the mother's age group.	43

Table No.	Title	Pages No.
48	Gender difference in relation to mental health of the mothers (GHQ-28).	44
49	Gender difference in relation to psychiatric disorders of the mothers (GHQ 28).	44
50	Age group of the children and its relation to psychiatric diagnosis of the mothers.	45
51	Gender difference in relation to mother's & family's burden (SDQ).	45
52	Gender difference in relation to mother's stress.	46
53	Gender difference in relation to mother's quality of life (WHO QOL-100).	46
54	Gender difference of the child in relation to psychiatric disorders in fathers.	46
55	Gender difference of the child in relation to psychiatric diagnosis in fathers.	46
56	Gender difference of the child in relation to psychiatric disorders in mothers.	47
57	Gender difference of the child in relation to psychiatric diagnosis of mothers.	47
58	Gender difference in children of depressed mothers as regards results of CDI, Child Anxiety Scale, and Neurotic Subscale of J-EPQ.	48
59	Gender difference in children of depressed mothers as regards results of Intellectual Processing Subscale of Luria Nebraska Scale.	48
60	Mental health of the mothers (GHQ 28) in relation to their religion.	49
61	Psychiatric disorders of the mothers (GHQ 28) in relation to their religion.	49
62	Psychiatric diagnosis of the mothers in relation to their religion.	49
63	Marital satisfaction inventory (MSI) among educated parents of single schizophrenics.	50

Table No.	Title	Pages No.
64	Mental health of the mothers (GHQ 28) in relation to their level of education.	51
65	Psychiatric disorders of the mothers (GHQ 28) in relation to their level of education.	51
66	Psychiatric diagnosis of the mothers in relation to their level of education.	52
67	Mental health of the mothers (GHQ 28) in relation to their occupation.	53
68	Psychiatric disorders of the mothers (GHQ 28) in relation to their occupation.	53
69	Psychiatric diagnosis of the mothers in relation to their occupation.	54
70	Marital status in different groups.	54
71	Mental health of the mothers (GHQ 28) in relation to their marital status.	55
72	Mental health of the mothers (GHQ 28) in relation to their number of children.	56
73	Psychiatric disorders of the mothers (GHQ 28) in relation to their number of children.	56
74	Psychiatric diagnosis of the mothers in relation to their number of children.	56
75	Age of onset of BAD among parents and behavioral problems in their children (CRS).	57
76	Age of onset of bipolar disorder among parents and behavioral problems in their children (CBCL).	58
77	Psychiatric disorders among children of bipolar patients.	59
78	Mental health of the mothers in relation to the child's psychiatric disorders.	59
79	psychiatric disorders among fathers in relation to IQ of their PDD children.	61
80	Psychiatric diagnosis in fathers in relation to IQ of their PDD children.	61

Table No.	Title	Pages No.
81	Psychiatric disorders in mothers in relation to IQ of their children.	62
82	Allele frequencies and genotypes of the families of schizophrenics.	63
83	Transmission disequilibrium test (TDT) (alleles from heterozygous parents).	63
84	B-allele from heterozygous parents.	63
85	D-allele from heterozygous parents.	64
86	The 11 alleles of the tryptophan hydroxylase gene from heterozygous parents.	64
87	Alleles 1, 2, and 3 of dopamine transporter gene from heterozygous parents.	64
88	The 4 alleles of serotonin transporter gene from heterozygous parents.	65
89	Family history of Psychiatric disorders in first degree relatives of schizophrenics.	65
90	Personality traits of relatives of OCD patients (EPQ).	66
91	Personality traits of parents of single schizophrenics.	66
92	Personality disorders among 1 st degree relatives of schizophrenics and healthy controls.	67
93	Evoked potential in FDR of schizophrenics.	68
94	Evoked potential in FDR of schizophrenics.	69
95	Frequent stimuli of auditory evoked potential in offspring of schizophrenics.	69
96	P ₃₀₀ amplitude and latency in first degree relatives of schizophrenics.	70
97	Auditory Evoked Potential in schizophrenics compared to their first degree relatives.	70
98	Results of P300 wave.	71
99	Auditory evoked potential among offsprings of depressed mothers.	71

Table No.	Title	Pages No.
100	Attention among FDR of schizophrenics (cancellation tests).	72
101	Presence of neurological soft signs in the first degree relatives of BAD patients.	73
102	Anxiety symptoms among relatives of chronic OCD patients.	74
103	OCD symptoms among first degree relatives of chronic OCD patients.	75
104	Psychological and physical symptoms among the caregiver family members of relapsed schizophrenics.	76
105	The feelings of the caregiver family members of relapsed schizophrenics.	77
106	E.P.Q. of parents of single schizophrenics.	78
107	Results of CDI, Child Anxiety Scale, and J-EPQ among children of depressed, diabetic and healthy mothers.	78
108	Comparison of results of Intellectual Processing Subscale of Luria Nebraska Scale.	79
109	Comparison between male and female children of depressed mothers as regards results of CDI, Child Anxiety Scale, Neurotic Subscale of J-EPQ, and Intellectual Processing Subscale of Luria Nebraska Scale.	80
110	Behavioral problems in children of BAD patients (Child Behavior Checklist).	80
111	Behavioral problems in children of BAD patients.	81
112	Gender difference in behavioral problems of children (Conner's rating scale).	82
113	Block design and similarities subtests scores of the patients, first degree relatives and control subjects.	83
114	Gender difference among 1 st degree healthy	83