CALCIUM ION DIFFUSION AND PH CHANGES FOLLOWING ROOT CANAL DRESSING WITH DIFFERENT CALCIUM HYDROXIDE FORMS

(In vitro study)

Thesis

Submitted to the faculty of dentistry, Ain Shams University in Partial Fulfillment of the Requirements for **Master Degree** (ENDODONTICS)

Ву

Mohammed Ahmed M. Ghanem

(B.D.S,)

(AIN Shams University)


Faculty of Dentistry Ain Shams University 2010



Supervisor

Prof. Dr. Hossam Mohamed Essam El-Din Tawfik

Professor of Endodontics
Chairman of Endodontic Department
Faculty of Dentistry
Ain Shams University





List of Contents

Title		Page
	Introduction	. 1
	Review of Literature	. 3
	Aim of the Study	40
	Materials and Methods	. 41
	Results	52
	Discussion	96
	Summary and conclusions	104
	References	.108
-	Arabic Summary	

List of Tables

	Title Page
1.	Classification of samples43
2.	Mean value of pH for the three forms of calcium hydroxide in
	presence and absence of smear layer after one hour57
3.	Mean value of pH for the three forms of calcium hydroxide in
	presence and absence of smear layer after twenty four
	hour 58
4.	Mean value of pH for the three forms of calcium hydroxide in
	presence and absence of smear layer after one
	week
5.	Mean value of pH for the three forms of calcium hydroxide in
	presennce and absence of smear layer after one
	month 60
6.	Mean value of pH for the three forms of calcium hydroxide in
	presence and absence of cementum defects after one
	hour
7.	Mean value of pH for the three forms of calcium hydroxide in
•	presence and absence of cementum defects after twenty four
	hours67
8.	Mean value of pH for the three forms of calcium hydroxide in
	presence and absence of cementum defects after one
	week

9.	Mean value of pH for the three forms of calcium hydroxide in
	presence and absence of cementum defects after one
	month
10	Mean value of pH for the three forms of calcium hydroxide at
	different time periods71
11	Mean value of calcium concentration for the three forms of
	calcium hydroxide in presence and absence of smear layer after
	one hour in ug/ml79
12	Mean value of calcium concentration for the three forms of
12.	
	calcium hydroxide in presence and absence of smear layer after
	twenty four hours in ug/ml80
13.	Mean value of calcium concentration for the three forms of
	calcium hydroxide in presence and absence of smear layer after
	one week in ug/ml81
14.	Mean value of calcium concentration for the three forms of
	calcium hydroxide in presence and absence of smear layer after
	one month in ug/ml82
15.	Mean value of calcium concentration for the three forms of
	calcium hydroxide in presence and absence of cementum
	defects after one hour in ug/ml89
16.	Mean value of calcium concentration for the three forms of
	calcium hydroxide in presence and absence of cementum
	defects after twenty four hours in ug/ml90
17.	Mean value of calcium concentration for the three forms of
	calcium hydroxide in presence and absence of cementum
	defects after one week in ug/ml91

18. Mean value of calcium concentration for the three forms of
calcium hydroxide in presence and absence of cementum
defects after one month in ug/ml91
19. Mean value calcium concentration for the three forms of calcium
hydroxide at different time periods in ug/ml94

List of Figures

Fig.No	Subjects Page	ļ
1.	Photograph for the 18% EDTA file-eze46	;
2.	Photograph showing cenentum defects46	
3.	Photograph for the calcium hydroxide paste47	,
4.	Photoradiograph of a sample dressed with Ca(OH) ₂ paste	
5.	Photoradiograph of a sample dressed with Ca(OH) ₂ powder	,
6.	Photoradiograph of a sample dressed with Ca(OH) ₂ points	,
7.	Photograph showing vials used for sample storage48	}
8.	Photograph showing the pH meter51	
9.	Photograph showing Varian spectra atomic absorption spectrometry51	l
10.	Histogram showing mean pH for the forms of calcium hydroxide in presence and absence of smear layer after one hour	,
11.	Histogram showing mean pH for the forms of calcium hydroxide in presence and absence of smear layer after twenty four hours	r

12.	Histogram showing mean pH for the forms of calcium
	hydroxide in presence and absence of smear layer after one
	week59
13.	Histogram showing mean pH for the forms of calcium
	hydroxide in presence and absence of smear layer after one
	month 60.
14.	Histogram showing mean pH for the forms of calcium
	hydroxide in presence and absence of cementum defects after
	one hour 66
15.	Histogram showing mean pH for the forms of calcium
	hydroxide in presence and absence of cementum defects after
	twenty four hours67
16.	Histogram showing mean pH for the forms of calcium
	hydroxide in presence and absence of cementum defects after
	one week
17.	Histogram showing mean pH for the forms of calcium
	hydroxide in presence and absence of cementum defects after
	one month69
18	Line graph showing the mean value of pH for the calcium
	hydroxide paste at different time periods 71
	Trydroxide paste at amerent time periods
19.	Line graph showing the mean value of pH for the calcium
	hydroxide powder at different time periods72
20	Line graph showing the mean value of pH for the calcium
20.	
	hydroxide points at different time periods72

21.	Histogram showing mean calcium concentration for the three
	forms of calcium hydroxide in presence and absence of smear
	layer after one hour in ug/ml79
22	Histogram showing many coloium concentration for the three
22.	Histogram showing mean calcium concentration for the three
	forms of calcium hydroxide in presence and absence of smear
	layer after twenty four one hours in ug/ml80
23.	Histogram showing mean calcium concentration for the three
	forms of calcium hydroxide in presence and absence of smear
	layer after one week in ug/ml81
24.	Histogram showing mean calcium concentration for the three
	forms of calcium hydroxide in presence and absence of smear
	layer after one month in ug/ml82
25.	Histogram showing mean calcium concentration for the three
	forms of calcium hydroxide in presence and absence of
	cementum defects after one hour in ug/ml89
26.	Histogram showing mean calcium concentration for the three
	forms of calcium hydroxide in presence and absence of
	cementum defects after twenty four hours in ug/ml90
27.	Histogram showing mean calcium concentration for the three
	forms of calcium hydroxide in presence and absence of
	cementumm defects after week in ug/ml91
00	Historian abouting many calcium assessments for the first
28.	Histogram showing mean calcium concentration for the three
	forms of calcium hydroxide in presence and absence of
	cementum defects after one month in ug/ml92.

29.	Line graph showing the mean value of calcium concentration
	for the calcium hydroxide paste at different time periods in
	ug/m .94
30.	Line graph showing the mean value of calcium concentration
	for the calcium hydroxide powder at different time periods in
	ug/ml95
31.	Line graph showing the mean value of calcium concentration
	for the calcium hydroxide points at different time periods in
	ug/ml 95

أنتشار أيونات الكالسيوم و تغيرات التركيز الأيوني الهيدروجيني بعد معالجة الأقنية الجذرية بأشكال مختلفة من هيدروكسيد الكالسيوم (دراسة معملية)

رسالة مقدمه الى كلية طب الأسنان – جامعة عين شمس تمهيدا للحصول على درجة الماجستير في العلاج التحفظي (علاج الجذور)

مقدمه من الطبيب/ محمد أحمد محمود غائم الطبيب/ محمد أحمد محمود غائم بكالوريوس طب وجراحة الفم والأسنان (جامعة عين شمس)

كلية طب الأسنان جامعة عين شمس ٢٠١٠

تحت اشراف أد/ حسام محمد عصام الدين توفيق

أستاذ ورئيس قسم علاج الجذور كلية طب الفم والأسنان – جامعة عين شمس

> كلية طب الأسنان جامعة عين شمس ٢٠١٠