

**Physics Department
Faculty of Science
Ain Shams University**



PHYSICAL AND DIELECTRIC PROPERTIES OF SOME SUBSTITUTED FERRITES

**Thesis in Partial Fulfillment of the Requirements for the
Master of Science Degree in Physics**

**Submitted by
IBRAHIM HASAN AFIFY
Bachelor of Science, Physics, Ain Shams University, 1998**

Supervisors

Prof. Dr. Adel Abd El-Sattar

Professor of Solid State Physics
Physics Department, Faculty of Science
Ain Shams University

Prof. Dr. Kamel Mohamed El-Shokrofy

Professor of Engineering Physics
Basic Engineering Science Department, Faculty of Engineering
Minufiya University

Asst. Prof. Dr. Amany Mahmoud Samy

Assistant Professor of Physics
Physics Department, Faculty of Science
Ain Shams University

2011

Physics Department
Faculty of Science
Ain Shams University



Title: PHYSICAL AND DIELECTRIC PROPERTIES OF SOME
SUBSTITUTED FERRITES

Name: IBRAHIM HASAN AFIFY

Degree: Master of Science in Physics

Supervisors:

1-Prof. Dr. Adel Abd El-Sattar

Professor of Solid State Physics
Physics Department, Faculty of Science
Ain Shams University

2-Prof. Dr. Kamel Mohamed El-Shokrofy

Professor of Engineering Physics
Basic Engineering Science Department, Faculty of Engineering
Minufiya University

3-Asst. Prof. Dr. Amany Mahmoud Samy

Assistant Professor of Physics
Physics Department, Faculty of Science
Ain Shams University

Contents

Contents

List of figures.....	iii
List of tables.....	vii
Abstract.....	1
Chapter 1. Theoretical background	
I. Magnetic part.....	3
1.1. Classification of magnetism.....	3
1.2. Ferrites.....	5
1.3. Spinel ferrite.....	5
1.4. Magnetic interactions in ferrites.....	8
1.5. Néel theory of ferrimagnetism.....	11
II. Dielectric part.....	18
1.6. Polarization.....	18
1.7. Classification of polarization.....	20
1.8. Dielectric resonance.....	22
1.9. Dielectric relaxation.....	26
1.10. Dielectric loss.....	28
Chapter 2. Literature survey	
2.1. Li-substituted ferrites.....	33
2.2. Cr-substituted ferrites.....	37
2.3. Cr-Li ferrite.....	42
2.4. Compensation in ferrites.....	43
Chapter 3. Experimental techniques	
3.1. Preparation of the samples.....	45
3.2. Physical measurements.....	47
3.3. Magnetization measurements.....	49
3.4. Electrical measurements.....	51
Chapter 4. Results and discussion	
I. Physical results.....	57
4.1. X-ray diffraction analysis.....	57
4.2. Composition dependence of the density and porosity.....	60

II. Magnetic results.....	64
4.3. Temperature dependence of the magnetization.....	64
4.4. Composition dependence of the magnetization.....	65
4.5. Composition dependence of the compensation and Curie temperatures.....	68
III. Electrical results.....	71
4.6. Temperature dependence of the dc resistivity.....	71
4.7. Composition dependence of the dc resistivity.....	76
4.8. Composition dependence of the dc activation energy.....	80
4.9. Frequency dependence of the total resistivity.....	80
4.10. Temperature dependence of the total resistivity.....	89
4.11. Composition dependence of the total resistivity.....	96
4.12. Composition dependence of the total activation energy....	100
4.13. Frequency exponent factor.....	103
4.14. Temperature dependence of the frequency exponent factor.....	109
IV. Dielectric results.....	122
4.15. Frequency dependence of the dielectric constant.....	122
4.16. Temperature dependence of the dielectric constant.....	125
4.17. Composition dependence of the dielectric constant.....	132
4.18. Frequency dependence of the dielectric loss.....	134
4.19. Temperature dependence of the dielectric loss.....	137
4.20. Composition dependence of the dielectric loss.....	142
Conclusion.....	145
References.....	147
Published paper.....	157
Arabic summary.....	

List of figures

List of figures

Figure (1.1): The unit cell of the spinel structure.....	6
Figure (1.2): The superexchange interaction in MnO.....	9
Figure (1.3): The double exchange interaction.....	11
Figure (1.4): $1/\chi - T$ curve of ferrimagnetism.....	13
Figure (1.5): $\alpha\beta$ plane.....	14
Figure (1.6): The various kinds of the temperature dependence of the spontaneous magnetization of ferrites.....	16
Figure (1.7): The polarization produces surface bound charge which reduces the total electric field within the dielectric.....	19
Figure (1.8): The oscillation of an electron cloud in an alternating electric field.....	23
Figure (1.9): The frequency dependence of the: (a) displacement amplitude, (b) moment amplitude, (c) lag angle, (d) dielectric constant and (e) loss factor in dielectric resonance.....	25
Figure (1.10): The frequency dependence of the: (a) dielectric constant and (b) loss factor in dielectric relaxation.....	28
Figure (1.11): Dielectric within a parallel plate capacitor.....	29
Figure (1.12): Dielectric: (a) vector diagram and (b) power triangle.....	30
Figure (1.13): The dispersion curve of the dissipation factor.....	31
Figure (1.14): The vector diagram and power triangle of dielectric far from absorption.....	32
Figure (3.1): The presintering process.....	46
Figure (3.2): The final sintering process.....	46
Figure (3.3): The circuit used to measure the magnetization....	49
Figure (3.4): The toroidal sample.....	50
Figure (3.5): The circuit used to measure the dc resistivity.....	52

Figure (3.6): The circuit used to measure the dielectric constant, dissipation factor and ac resistivity.....	54
Figure (4.1): The x-ray diffraction patterns of the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$ attached to the diffraction lines of the JCPDS card of $\text{Li}_{0.5}\text{Cr}_{1.25}\text{Fe}_{1.25}\text{O}_4$ ferrite....	58
Figure (4.2): The relation between the lattice parameters and the values of Nelson-Riley function for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	59
Figure (4.3): The composition dependence of the lattice parameter and x-ray density.....	61
Figure (4.4): The composition dependence of the bulk density and porosity.....	62
Figure (4.5): The temperature variation of the magnetization for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	64
Figure (4.6): The composition dependence of the magnetization at 223 and 423 K, below and above the compensation temperatures respectively.....	66
Figure (4.7): The composition dependence of the compensation and Curie temperatures.....	69
Figure (4.8): The temperature variation of the dc resistivity for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	72
Figure (4.9): The composition dependence of the dc resistivity at 250, 420 and 600 K, in the regions before and after compensation and paramagnetism in order..	77
Figure (4.10): The composition dependence of the dc activation energies E_1 , E_2 and E_3 , in the regions before and after compensation and paramagnetism respectively.....	79
Figure (4.11): The frequency variation of the total resistivity at	

	various temperatures for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	81
Figure (4.12):	The grain boundary is a frequency dependent gate.....	86
Figure (4.13):	The grain boundary is a barrier with two tunnels.	88
Figure (4.14):	The temperature variation of the total resistivity at different frequencies for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	90
Figure (4.15):	Typical curves show the division of the temperature variation of the total resistivity into three lines intersecting at two transition temperatures.....	94
Figure (4.16):	The composition dependence of the total resistivity at different frequencies at 265, 453 and 563 K, in the regions before and after compensation and paramagnetism in order.....	97
Figure (4.17):	The composition dependence of the total activation energies E_1 , E_2 and E_3 , in the regions before and after compensation and paramagnetism respectively.....	100
Figure (4.18):	The properties of the: (a) small and (b) large polarons.....	104
Figure (4.19):	Typical curves show the linear part of the frequency variation of the ac conductivity.....	107
Figure (4.20):	The temperature variation of the frequency exponent factor for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	110
Figure (4.21):	The frequency variation of the dielectric constant at various temperatures for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	123
Figure (4.22):	The temperature variation of the dielectric constant at different frequencies for the system	

$\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	126
Figure (4.23): The total polarization is superimposed from two processes, Koops and cluster recharging.....	129
Figure (4.24): The composition dependence of the dielectric constant at different frequencies at the room temperature 303 K.....	133
Figure (4.25): The frequency variation of the dielectric loss at various temperatures for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	134
Figure (4.26): The temperature variation of the dielectric loss at different frequencies for the system $\text{Li}_{0.5}\text{Cr}_x\text{Fe}_{2.5-x}\text{O}_4$	138
Figure (4.27): The composition dependence of the dielectric loss at different frequencies at the room temperature 303 K.....	142

List of tables

List of tables

Table (3.1):The masses of the starting materials for 0.05 mol....	45
Table (3.2):Miller indices and the interplaner spacings for all samples.....	47
Table (3.3):The molecular weights, masses and average diameters and thicknesses of the disc shaped samples.....	48
Table (3.4):The mean values of the outer and inner radii and thicknesses of the toroidal samples.....	51
Table (4.1):Miller indices and the interplaner spacings of the more intense seven diffraction lines for all samples.....	57
Table (4.2):The compensation and Curie temperatures for all samples.....	65
Table (4.3):The transition temperatures of the dc resistivity and the compensation and Curie temperatures for all samples.....	74
Table (4.4):The transition temperatures of the total resistivity and the compensation and Curie temperatures for all samples.....	96
Table (4.5):The transition temperatures of the frequency exponent factor and the compensation temperatures for all samples.....	112