IMPROVEMENT OF PRODUCTIVITY AND QUALITY OF CASSAVA (Manihot esculenta-Crantz) IN NEWLY RECLAIMED LANDS USING SOME MINERAL AND BIO-FERTILIZATION TREATMENTS IN RELATION TO PLANT DENSITY

BY

NAGWA HASSAN MOHAMED KAMAL

B.Sc. Agric. Sc. (Horticulture), Ain Shams University, 1995 M.Sc. Agric. Sc. (Vegetable Crops), Ain Shams University, 7001

A thesis submitted in partial fulfillment of the requirements for the degree of

DOCTOR OF PHILOSOPHY

In

Agricultural Science (Vegetable Crops)

Department of Horticulture Faculty of Agriculture Ain Shams University

IMPROVEMENT OF PRODUCTIVITY AND QUALITY OF CASSAVA (Manihot esculenta-Crantz) IN NEWLY RECLAIMED LANDS USING SOME MINERAL AND BIO-FERTILIZATION TREATMENTS IN RELATION TO PLANT DENSITY

BY

NAGWA HASSAN MOHAMED KAMAL

B.Sc. Agric. Sc. (Horticulture), Ain Shams University, 1995 M.Sc. Agric. Sc. (Vegetable Crops), Ain Shams University, 7001

Under the supervision of :-

Prof. Dr. KHALIFA ATTIA OKASHA

Late Prof. of Horticulture, Dept. of Hort., Faculty of Agriculture, Ain Shams University

Prof. Dr. MOHAMED EMAM RAGAB

Prof. of Vegetable Crops, Dept. of Hort., Faculty of Agriculture, Ain Shams University

Dr. SAFAA ALY AHMED MANSOUR

Senior Researcher of Potato and Vegetative Propagated Vegetables, Dept., Hort. Res. Inst., Agric. Res. Center, Giza

Approval Sheet

IMPROVEMENT OF PRODUCTIVITY AND QUALITY OF CASSAVA (Manihot esculenta-Crantz) IN NEWLY RECLAIMED LANDS USING SOME MINERAL AND BIO-FERTILIZATION TREATMENTS IN RELATION TO PLANT DENSITY

BY

NAGWA HASSAN MOHAMED KAMAL

B.Sc. Agric. Sc. (Horticulture), Ain Shams University, 1995 M.Sc. Agric. Sc. (Vegetable Crops), Ain Shams University, 7001

This thesis for Ph. D. degree has been approved by:

Prof. Dr. Abd Alla Bardisi Ahmed Ismail	
Prof. Dr. Ahmed Mahmoud El-Gizawy Prof. of Vegetable Crops, Faculty of Agriculture, Ain Sham University	
Prof. Dr. Mohamed Emam Ragab	

Date of Examination: ۲٦ / ۲۲ / ۲۰۰۷

تحسين إنتاجية و جودة الكاسافا في الأراضي حديثة الاستصلاح باستعمال بعض معاملات التسميد المعدني والحيوي وعلاقتها بالكثافة النباتية

رسالة مقدمة من

نجوى حسن محمد كمال

بكالوريوس علوم زراعية (بساتين) ، جامعة عين شمس ، ١٩٩٤ ماجستير علوم زراعية (خضر) ، جامعة عين شمس ، ٢٠٠١

للحصول على درجة دكتور فلسفة في العلوم الزراعية (خضر)

قسم البساتين كلية الزراعة – جامعة عين شمس

جامعة عين شمس كلية الزراعة

رسالة دكتوراة

اسم الطالبة: نجوى حسن محمد كمال

عنوان الرسالة: تحسين إنتاجية و جودة الكاسافا في الأراضي حديثة الاستصلاح باستعمال بعض معاملات التسميد المعدني و الحيوي وعلاقتها بالكثافة النباتية

اسم الدرجة : دكتور فلسفة في العلوم الزراعية (خضر)

لجنة الاشراف

أستاذ البساتين ،بكلية الزراعة ، جامعة عين شمس أستاذ الخضر ، بكلية الزراعة ، جامعة عين شمس باحث اول ،قسم البطاطس و التكاثر الخضرى،معهد بحوث البساتين ،مركز البحوث الزراعية

المرحوم ا.د. خليفة عطية عكاشة ا.د. محمد إمام رجب د. صفاء على احمد منصور

تاريخ البحث ١٦ / ٩ / ٢٠٠٢

الدراسات العليا

أجيزت الرسالة بتاريخ / ٢٠٠٨

ختم الإجازة

موافقة مجلس الجامعة

موافقة مجلس الكلية / / ۲۰۰۸

صفحة الموافقة على الرسالة

تحسين إنتاجية و جودة الكاسافا في الأراضي حديثة الاستصلاح باستعمال بعض معاملات التسميد المعدني والحيوي وعلاقتها بالكثافة النباتية

رسالة مقدمة من

نجوى حسن محمد كمال

بكالوريوس علوم زراعية (بساتين) ، جامعة عين شمس، ١٩٩٤ ماجستير علوم زراعية (خضر) ، جامعة عين شمس، ٢٠٠١

للحصول على درجة دكتور فلسفة في العلوم الزراعية (خضر)

و قد تمت مناقشة الرسالة و الموافقة عليها

اللجنة

د. عبد الله برديسي أحمد إسماعيل
أستاذ الخضر، كلية الزراعة ، جامعة الزقازيق
د. أحمد محمود الجيزاوى أستاذ الخضر ،كلية الزراعة ، جامعة عين شمس
د. محمد إمام رجب
أستاذ الخضر ،كلية الزراعة ، حامعة عين شمس

تاريخ المناقشة: ٢٠٠٧/١٢ /٢٦

ACKNOWLEDGMENT

Mainly, all my deepest gratitude, thanks, and praise to "ALLAH" for every thing in my life.

I'm also indubted to late **Prof. Dr. Khalifa Attia Okasha**, Professor of Horticulture, Department of Horticulture, Faculty of Agriculture, Ain Shams University, for his supervision, kind help and valuable guidance throughout the course of my studies.

Very special thanks and deepest gratitude as well as my greatest appreciation to **Prof. Dr. Mohamed Emam Ragab,** Professor of Vegetable Crops, Department of Horticulture, Faculty of Agriculture, valuable advices Ain Shams University, for his supervision, great support and immense efforts in preparation of this thesis. I will always appreciate his continuous encouragement during carrying out this thesis.

My sincere thanks to **Dr. Safaa Aly Ahmed Mansour**, Senior Researcher, Potato and Vegetative Propagated Vegetable Department, Horticulture Research Institute, Agriculture Research Center, for suggesting the problem, her faithful supervision, offering great available facilities, guidance and constructive criticism throughout the present study.

Sincere thanks are also expressed to **Dr. Mina Georg Zaki**, Assistant Professor of Microbiology Department, Faculty of Agriculture, Ain Shams University for suggesting the bio-part of the present investigation, his supervision, great efforts in preparation of this work.

My deeply thankful to **Prof. Dr. Abd-El-Mouty Shaheen** and **Prof. Dr. Fatma Ahmad Rizk**, Professor Researchers, Vegetable Research Department, National Research Center, for their continued interest, guidance and stimulating criticism during carrying out the present thesis and throughout my work.

My great love to all members of, Vegetative Research Department, National Research Center, and Potato and Vegetative Propagated Vegetable Department, Horticulture Research Institute, Agricultural Research Center, for their love, support and willing cooperation.

By all means and words in the world, summarize as "my true love" to all my family especially my parents for their precious love, faithful advice and great support in my life.

CONTENTS

No. \color=1.INTRODUCTION	Page
	'
Y.REVIEW OF LITERATURE	٤
۲.۱. First experiment	٤
۲,۱,۱. Plant density (spaces)	ź
۲,۱,۱,۱.Vegetative growth	٤
۲,۱,۱,۲.Total yield	٥
Y,\Yield quality	٧
۲,۱,۱,٤. Chemical components	٨
Y, Y. Potassium fertilization	٩
۲,۱,۲,۱. Vegetative growth	١.
۲,۱,۲,۲ Total yield	11
۲,۱,۲,۳. Yield quality ۲,۱,۲,٤. Chemical components	1 £
The state of the s	١٦
۲٫۲. Second experiment ۲٫۲٫۱. Plant growth promoting rhizobacteria	۲.
(PGPR)	۲.
Y,Y,Y. Effect of biofertilization	۲١
۲,۲,۲,۱. Effect of N _Y –fixers	Y £
(A) Biological nitrogen fixation	7 £
(B) Azotobacter sp. and their role as N₁-fixers	* *
(a) Characteristics of Azotobacter sp	* *
(b) The role of N _Y -fixing bacteria	47
۲,۲,۲,۱,۱. Effect on vegetative growth	47
۲,۲,۲,۱,۲. Effect on total yield	۳.
۲,۲,۲,۱,۳. Effect on yield quality	٣1
7,7,7,1,£. Effect of on chemical components	٣ ٢
۲,۲,۲,۲. Effect of rock phosphate and P-solubilizers	٣ ٤
(A) The situation of phosphorus	٣ ٤
(B) Rock phosphate as a natural P mineral	40
(C) Phosphate solubilizing bacteria and the mecha-	
nisms of phosphate solubilization	47
(D) The importance of PSB as P-solubilizers	٣٨
۲,۲,۲,۲. Effect on total yield	۳ q
۲,۲,۲,۳. Effect on yield quality	۳٩
۲,۲,۲,٤. Effect on chemical components	٤.
۲,۲,۲,۳. Effect of rock silicate and K-mobilizers	٤١
The state of the s	٤١

(A) Rock silicates and feldspar as a natural K mineral	٤١
(B) Silicate bacteria and their role in K-mobilization	£ Y
	20
۲,۲,۲,۳,۱. Effect on vegetative growth	£ 0
Y,Y,Y,T,Y. Effect on total yield	٤٦
7,7,7,7, Effect on yield quality	٤٧
۲,۲,۲,۳,٤. Effect on chemical components	Z V
۲,۲,۲,٤. Effect of inoculants combinations	٤٧
۲,۲,۲,٤,١. Effect on vegetative growth	٤٧
۲,۲,۲,٤,۲. Effect on total yield	٤٨
۲,۲,۲,٤,۳. Effect on yield quality	٥,
۲,۲,۲,٤,٤. Effect on chemical components	٥,
۲,۲,۲,۰. Effect on microbiological activity	٥١
". MATERIALS AND METHODS	٥٤
۳٫۱. Plant materials	٥٤
۳.۲. The first experiment	٥٤
۳,۲,۱. Cultural practices of the first experiment	0 \$
۳,۲,۲. Experimental design of the first experiment	٥٦
۳,۲,۳. Sampling and determinations of the first	• (
experiment	٥٦
۳,۲,۳,۱. Vegetative growth parameters	٥٦
۳٫۲٫۳٫۲. Total yield and its quality characters	٥٧
۳٫۲٫۳.۳. Chemical components	٥٧
Vivivi Onemical componento	• (
۳٫۴. The second experiment	٥٧
۳,۳,۱. Cultural practices of the second experiment	٥٨
۳,۳,۲. Preparation of biological fertilizers	٥٩
۳,۳,۳. Experimental design of the second experim-	
ent	77
۳,۳,٤. Sampling and determinations of the second	
experiment	77
۳٫۳٫٤٫۱. Microbiological determinations	77
۳٫۳٫٤٫۱٫۱. Densities of total microbial counts	٦٣
۳,۳,٤,١,٢. Densities of cell number of <i>Azotobacter</i>	
SpSp.	74
۳,۳,٤,١,۳. Densities of PSB	7 £
۳,۳,٤,١,٤. Densities of KMB	7 2

۳,۳,٤,۱,۰. Determination of corbon dioxide evolution rate	٦ ٤
۳.٤. Statistical analysis	٦٥
4. RESULTS AND DISCUSSION 4. N. First experiment (A) Effect of plant densities (B) Effect of K fertilization rates (C) Effect of the interaction	11 11 11 14 V·
(A) Effect of plant densities (B) Effect of K fertilization rates (C) Effect of the interaction	V 7 V 7 V 9
£,1,٣,1 Some macro nutrient percentages in leaves. (A) Effect of plant densities. (B) Effect of K fertilization rates. (C) Effect of the interaction. £,1,٣,٢ Some macro nutrient percentages of cassava tuber roots. (A) Effect of plant densities. (B) Effect of K fertilization rates. (C) Effect of the interaction.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
(A) Effect of plant densities (B) Effect of K fertilization rates (C) Effect of the interaction	7
ن ۲. Second experiment ن ۲. ۱. Effect of various combinations of bio – and mineral fertilization on vegetative growth	٩ ٢
parameters	97
٤,٢,١,١. Plant height (cm)	9 4
£,Y,Y. Number of leaves	97
£,۲,۱,۳. Number of main branches	٩ ٨
£,Y,£. Number of lateral branches	٩ ٨
٤,٢,١,٥. Diameter of main branches	٩ ٨

٤٫٢٫٢. Effect on total yield and its quality characters	1.1
٤,٢,٢,١. Total yield of tuber roots	1.1
٤٫٢٫٢٫٢. Average fresh weight of tuber root	1.1
٤,٢,٢,٣. Dry matter of tuber roots	١٠٧
٤,٢,٢,٤. Average number of tuber roots	1.1
٤,٢,٢,٥. Average length of tuber root	1 . 9
٤,٢,٢,٦. Average diameter of tuber root	1.9
۶٫۲٫۳. Plant nutrient composition	١١.
٤,٢,٣,١.Some macro nutrient percentages in leaves.	١١.
٤,٢,٣,٢.Some macro nutrient percentages of	
cassava tuber roots	۱۱۶
٤٫٢٫٤. Chemical components	111
٤,٢,٤,١. Starch % and its total yield (g)	111
٤,٢,٤,٢. Total sugars%	١٢.
٤,٢,٤,٣. Total protein%	1 7 7
٤,٢,٤,٤. Hydrocyanic acid concentration (HCN)	1 7 7
٤٫٢٫٥. Microbial determinations	١٢٦
٤,٢,٥,١. Total microbial counts (cfu/g dry soil-١)	1 7 7
٤,٢,٥,٢. CO _۲ evolution (mg CO _۲ /g dry soil ⁻¹)	1 7 9
٤,٢,٥,٣. <i>Azotobacter chroococcum</i> counts (cells/g	
dry soil ⁻¹)	1 7 9
٤,٢,٥,٤. Phosphate solubilizing bacteria counts (cfu/	רוו
g dry soil-1)	۱۳۱
و مام عرب عن المستقبل عن ا	
dry soil-1)	۱۳٤
ury 3011 /	
SUMMARY AND CONCLUSION	۱۳۸
٦. REFERENCES	١٤٨
V. ARABIC SUMMARY	

LIST OF TABLES

Table	Pa	age
Table (A):	Chemical and physical analysis of the soil at the experimental site	٥٥
Table (¹):	Effect of plant density on vegetative growth parameters of cassava plants during the two successive seasons of ۲۰۰۳/۲۰۰۶ and ۲۰۰۶/۲۰۰۰	٦٧
Table (۲):	Effect of different levels of potassium fertilization on vegetative growth parameters of cassava plants during the two successive seasons of ۲۰۰۳/۲۰۰۶ and ۲۰۰٤/۲۰۰۰	٦ ٩
Table (*)	Effect of the interaction within plant densities and potassium fertilization levels on vegetative growth parameters of cassava plants during the two successive seasons of ۲۰۰۳/۲۰۰۶ and ۲۰۰٤/۲۰۰۰	٧١
Table (ધ):	Effect of plant density on total yield and its quality characters of cassava tuber roots during the two successive seasons of ۲۰۰۳/۲۰۰۶ and ۲۰۰۶/۲۰۰۰	٧٣
Table (°):	Effect of different levels of potassium fertilization on total yield and its quality characters of cassava tube roots during the two successive seasons of ۲۰۰۳/ ۲۰۰۰ and ۲۰۰ ٤/۲۰۰۰	r Vl
Table (་)	Effect of the interaction within plant densities and potassium fertilization levels on total yield and its quality characters of cassava tuber roots during the two successive seasons of *\cdot\tau'/\tau\cdot\tau'.\cdot\tau'	٧٨
Table (^v):	Effect of plant density on N, P and K percentages of cassava leaves and tuber roots during the two successive seasons of ۲۰۰۳/۲۰۰۶ and ۲۰۰۶/۲۰۰۰	

Table(^): Effect of different levels of potassium fertilization levels on N, P and K percentages of cassava leaves and tuber roots during the two successive seasons of Y · · Y/Y · · ٤ of and Y · · ٤/Y · · · ·	
Table (4): Effect of the interaction within plant densities and potassium fertilization levels on N, P and K percentages of cassava leaves and tuber roots during the two successive seasons of Y · · Y/Y · · ½ and Y · · ½/Y · · · 2	ŧ
Table (1.): Effect of plant density on chemical components of cassava tuber roots during the two successive seasons of ۲.۰۳/۲.۰٤ and ۲.۰٤/۲.۰۰	ı
Table (۱۱): Effect of different levels of potassium fertilization on chemical components of cassava tuber roots during the two successive seasons of ۲۰۰۳/۲۰۰۶ and ۲۰۰٤/۲۰۰۰	•
Table (۱۲): Effect of the interaction within plant densities and potassium fertilization levels on chemical components of cassava tuber roots during the two successive seasons of ۲۰۰۳/۲۰۰۶ and ۲۰۰٤/۲۰۰۰	٣
Table (۱۳): Effect of various combinations of bio-and mineral fertilization on vegetative growth parameters of cassava plants during the season of ۲۰۰۳/۲۰۰٤.	۹ ٤
Table (14): Effect of various combinations of bio-and mineral fertilization on vegetative growth parameters of cassava plants during the season of Y · · ٤/Y · · · ·	90
Table (۱°): Effect of various combinations of bio-and mineral fertilization on total yield and its quality characters of cassava tuber roots during the season of ۲۰۰۳	١.٢

Table (۱٦): Effect of various combinations of bio-and mineral fertilization on total yield and its quality characters of cassava tuber roots during the season of ۲۰۰٤	•
Table (۱۷): Effect of various combinations of bio-and mineral fertilization on N, P and K percentages in cassava leaves tissue and tuber roots during the season of	١
Table (۱۸): Effect of various combinations of bio-and mineral fertilization on N,P and K percentages in cassava leaves tissue and tuber roots during the season of	۲
Table (۱۹): Effect of various combinations of bio-and mineral fertilization on chemical components of cassava tuber roots during the season of ۲۰۰۳/۲۰۰٤	٨
Table (۲۰): Effect of various combinations of bio-and mineral fertilization on chemical components of cassava tuber roots during the season of ۲۰۰٤/۲۰۰۰	١
Table (۲۱): Effect of various combinations of bio-and mineral fertilization on total microbial counts, Co _Υ evolution, Azotobacter chroococcum number, PSB and KMB counts in cassava rhizosphere after different periods of the inoculation in season Υ··Υ/Υ··٤	