N-Terminal PRO B-Type Natriuretic Peptide Levels in Neonates with Patent Ductus Arteriosus and Their Modulation by Treatment

Thesis

Submitted for Partial Fulfillment of Master Degree in Pediatrics

> By Ali Elsayed Ahmed M.B.B.Ch.

Under the Supervision of Professor Dr. Tarek Ahmed Abd Elgawad Professor of Pediatrics Faculty of Medicine – Ain Shams University

Dr.

Ola Abd Elaziz Elmasry Assistant Professor of Pediatrics Faculty of Medicine – Ain Shams University

Dr.

Eman Saleh Elhadidi Assistant Professor of Clinical Pathology Faculty of Medicine – Ain Shams University

> Faculty of Medicine Ain Shams University 2010



Acknowledgement

Firstly, I wish to express my deep thanks to *ALLAH*, by the grace of whom the progress and completion of the present work was made possible.

I am greatly indebted to **Prof. Tarek Ahmed Abd Elgawad** Professor of Pediatric, Faculty of Medicine, Ain Shams University for his unfailing encouragement, sincere guidance, valuable suggestion, constructive opinions throughout the whole work and his everlasting patience.

I would like to express my deep gratitude and appreciation to **Dr. Ola Abd Elaziz Elmasry** Assistant Professor of Pediatric, Faculty of Medicine, Ain Shams University for her scientific insight, kind supervision, precious advice, and unlimited help to accomplish this work.

Special thanks are owed to **Dr. Eman Saleh Elhadidi** Assistant Professor of Biochemistry, Faculty of Medicine, Ain Shams University for his help regarding the laboratory part of the work. I am also grateful to him for graciously lending a hand whenever needed all over the stages of the work.

Ali Elsayed

List of Contents

Title	
Introduction	1
Aim of the work	3
Review of literature:	
$\circ~$ Patent ductus arteriosus (PDA)	4
 Review of literature NTerminal-pro B-Type Brain Natreuritic Peptidep(NT-proBNP) 	65
Patients and Methods	81
Results	91
Discussion	139
Summary	
Conclusion	150
Recommendation	151
References	152
Arabic Summary	

List of Figures

Figure No.	Name	Page
1	Patent ductus arteriosus	4
2	Development of aortic arches	6
3	Cross-section of term PDA	7
4	Fetal circulation	12
5	X ray of a baby with a large duct	33
6	M mode view showing the left atrial: aortic root ratio	35
7	The "3-legged stool" echo view of the ductus	36
8	Widely patent ductal arch in fetal life .	37
9	Parasternal long axis view with left atrial and ventricular dilation	37
10	Continuous Doppler with diastolic flow from ductus in pulmonary artery	38
11	Pulsed Doppler in the duct with different types	38
12	Color Doppler ductus flow	40
13	Large patent arterial duct in left ventriculogram	43

14	Tornado-like ductus in MRI	44
15	MRI of PDA	44
16	The Amplatzer duct occluder	62
17	Photograph of Gianturco coil	63
18	The devices used for transcatheter closure of PDA	63
19	The Botallooccluder	64
20	Structure of NPs	65
21	The structures of proBNP, NT-proBNP and BNP	66
22	Action of BNP at Target Cells	69
23	The details of the progress of the study	89
24	Comparison between patients and controls regarding gestational age, age, birth weight and maternal age	92
25	Distribution of the studied group according to gender and mode of delivery	94
26	Comparison between patients and controls regarding APGAR score at I minute and 5 minute	96
27	Comparison between patients and controls regarding heart rate, systolic	
	blood pressure	98

28	Comparison between patients and controls regarding diastolic blood pressure, pulse pressure and capillary refill time	98
29	Comparison between patients and controls regarding platelets and sodium	100
30	Comparison between patients and controls regarding urea and creatinin	100
31	Comparison between patients and controls regarding pH, PCO2 and HCO3	102
32	Comparison between patients and controls regarding NT-proBNP	104
33	Comparison between patients and controls regarding LA/AO ratio	104
34	Comparison between patients before treatment and patients after treatment regarding systolic BP,DBP and pulse pressure	108
35	Comparison between patients before treatment and patients after treatment regarding NT-proBNP	110
36	Comparison between patients before treatment and patients after treatment regarding LA/AO ratio and	111
37	auct size Effect of indomethacin on ductal	111
	closure in patients	113

38	Comparison between patients before treatment and patients after treatment regarding NT-proBNP	115
39	Comparison between patients before treatment and patients after treatment regarding ductal size	117
40	Comparison between patients before treatment and patients after treatment regarding platelets, urea, Na and K	119
41	Comparison between patients before treatment and patients after treatment regarding hematocrite and creatinin	120
42	Comparison between patients before treatment and patients after treatment regarding pH, PCO ₂ and HCO ₃	122
43	Percentage of patients with sPDA which complicated with sepsis and those with no sepsis	125
44	Comparison between patients with sepsis and patients with no sepsis regarding heart rate and platelets	127
45	Comparison between patients with sepsis and patients with no sepsis regarding gestational age, birth weight	
	SBP,DBP and pulse pressure	128

46	Comparison between patients with sepsis and patients with no sepsis regarding NT-proBNP	128
47	Comparison between patients with sepsis and patients with no sepsis regarding LA/AO raio and duct size	129
48	Percentage of deaths and survivors in patients with PDA	131
49	Comparison between deaths and survivors regarding age, birth weigh and creatinin	133
50	Comparison between deaths and survivors regarding gestational age SBP and DBP	134
51	Comparison between deaths and survivors regarding NT-proBNP	136
52	Comparison between deaths and survivors regarding LA/AO ratio and duct size	136
53	ROC for determination of NT-proBNP cutoff value	137

List of Tables

Table No.	Name	Page
1	Doses of digoxin in neonates	54
2	Indomethacin dosage	55
3	Characteristics of B-type natriuretic peptide (BNP) and NT-proBNP	67
4	Number of patients with different clinical signs of BDA	86
5	Gestational age,age and weight in patients and controls	91
6	Gender and mode of delivery in studied groups	93
7	Comparison between patients and controls as regard APGAR score at 1 minute and 5 minute	95
8	Comparison between patients and controls as regard heart rate, systolic blood pressure, diastolic blood pressure, pulse pressure and capillary refill time	97
9	Comparison between patients and controls as regard Haematocrit, platelet count, urea, creatinin, sodium and potassium	99

10	Comparison between patients and controls as regard pH, PCO3 and bicarbonate levels in capillary blood gases	101
11	Comparison between patients and controls as regard NT-proBNP and LA/AO ratio	103
12	Relation between gestational age and NT- proBNP before treatment with Indomethacin	105
13	Relation between LA/AO and Nt-proBNP before treatment wit indomethcin	105
14	Relation between ductus arteriosus size and Nt-proBNP before treatment with indomethcin	105
15	Relation between urea levels and Nt- proBNP before treatment with indomethcin	106
16	Relation between LA/AO ratio and ductal size	106
17	Comparison between patients before treatment with indomethacin and after treatment as regard heart rate, systolic blood pressure, diastolic blood pressure and pulse pressure	107
18	Comparison between patients before and after treatment with indomethacin as regard NT-proBNP level, LA/AO ratio and	
	duct size	109

19	Effects of one dose of indomethacin on ductal closure	112
20	Comparison between patients with successful closure and patients with failed closure regarding mean values of NT-pro BNP	114
21	Comparison between patients with successful closure and patients with failed closure regarding mean values of ductal size	116
22	Comparison between patients before and after treatment with indomathacin as regard Haematocrit, platelet count, urea, creatinin, Na and potassium levels	118
23	Comparison between patients before and after treatment with indomethacin as regard PH, PCO_2 and HCO_3 in capillary blood gases	121
24	Correlation between NT-proBNP and birth weight, systolic blood pressure and pulse pressure	123
25	Percentage of patients with PDA complicated with sepsis and those not complicated with sepsis	124
26	Comparison between patients with sepsis and patients with no sepsis	126

27	Distribution of death and survival in patients with PDA	130
28	Comparison between deaths and survivors as regard mean values of gestational age, age, birth weight, systolic and diastolic blood pressure and creatinine	132
29	Comparison between deaths and survivors as regarding mean values on NT-proBNP, / LA/AO and duct size	135
30	Sensitivity, Specificity, PPV, NPV and diagnostic ability of NT-proBNP	138

List of Abbreviations

ADO	Amplatzer duct occluder
ANP	Atrial natriuretic peptide
AO	Aorta
ASD	Atrial septal defect
AUC	Area under curve
BNP	Brain natriuretic peptide
BPD	Brochopulmona981+ry dysplasia
CBF	Cerebral blood flow
cGMP	Cyclic guanine monophosphate
CHF	Congestive heart failure
CNP	C type natriuretic peptide
СРАР	Continuous positive airway pressure
DA	Ductus arteriosus
DNA	Deoxyribonucleic acid
DNP	Dendroaspis natriuretic peptide
ECG	Electro-cardiogram
EDV	End diastolic volume
EEG	Electro-encephalogram
EF	Ejection fraction
EIA	Enzyme immunoassay
ELBW	Extremely low birth weight