

Evaluation of Resin Nanoceramic Material Surface Roughness, Translucency, Color Stability, and Bacterial Adhesion after Using Different Scaling Methods

A Thesis submitted to Fixed Prosthodontics department, Faculty of dentistry, Ain Shams University for the partial fulfillment of the Doctor Degree in Fixed Prosthodontics

By

ENGY ADEL AHMED ALY FARAG

BDS Ain-Shams University (2003),

MSc Cairo University (2010),

Assistant Lecturer of Fixed Prosthodontics

Faculty of Dentistry, British University in Egypt

**Faculty of Dentistry
Ain Shams University**

2018

Supervisors

Dr. Tarek Salah Morsi

Professor of Fixed Prosthodontics, Faculty of
Dentistry, Ain Shams University

Dr. Marwa Mohamed Wahsh

Associate Professor of Fixed Prosthodontics, Faculty
of Dentistry, Ain Shams University

Dr. Amr Saleh El-Etreby

Associate Professor of Fixed Prosthodontics, Faculty
of Dentistry, Ain Shams University

Dedicated to

*My father and Mother, ALLAH rest their
soul in peace*

*Whom I really wished to
share me these unforgettable
moments*

& to my sister Pakinam

Acknowledgement

First and forever thanks and gratitude to AllAH

It is a great honor to express my sincere gratitude and appreciation to Dr. Tarek Salah Morsi, Professor of Fixed Prosthodontics, Faculty of Dentistry, Ain Shams University for his valuable guidance, expert assistance and powerful support.

I wish to express my deep gratitude and sincere thanks to Dr. Marwa Mohamed Wahsh, Associate Professor of Fixed Prosthodontics, Faculty of Dentistry, Ain Shams University, for her valuable advices, cooperation and assistance she gave me to make the research study possible.

I am greatly thankful to Dr. Amr Saleh El-Etreby, Associate Professor of Fixed Prosthodontics, Faculty of Dentistry, Ain Shams University, for his encouragement, patience & support during the work. I am very grateful and thankful for all the effort, time he gave me .

I would most like to thank all staff members of fixed prosthodontics department of Ain Shams University who always supported me

I would most like to thank all the British University staff members especially my brother Mahmoud El Ankily and all my colleagues in fixed prosthodontics department who participated in making this work possible.

List of contents

List of tables.....	ii
List of figures.....	v
Introduction.....	1
Review of literature.....	3
Statement of Problem.....	41
Aim of the study.....	42
Materials and Methods.....	43
Results.....	74
Discussion.....	94
Summary.....	105
Conclusion.....	107
References.....	108

List of Tables

Table 1: List of materials used.....	41
Table 2: Samples grouping.....	47
Table 3: Samples subgrouping.....	47
Table 4: Descriptive statistics of Ra values (μm).....	77
Table 5: The mean, standard deviation (SD) and P-values for the effect of scaling method on surface roughness (Ra).....	78
Table 6: The mean, standard deviation (SD) and P-values for the effect of tip material on surface roughness (Ra).....	80
Table 7: The mean, standard deviation (SD) and P-values for comparison between Ra (μm) of different tip materials within ultrasonic and manual groups.....	81
Table 8: Multiple comparisons between the roughness (Ra) mean values of the different study groups.	82
Table 9: Comparative table of surface roughness difference before and after different scaling procedure of lava ultimate.....	89

Table 10: The mean, standard deviation (SD) and P-values for comparison between (ΔE) of different tip materials within ultrasonic and manual groups90

Table 11: Multiple comparisons between ΔE mean values of the different study groups91

Table 12: Results of Dunnett’s test for comparing scaling methods groups with control group regarding color change92

Table 13: Descriptive statistics of bacterial counts (CFU/mL).....93

Table 14: The mean, standard deviation (SD) and P-values for comparison between bacterial counts (CFU/mL) of different tip materials within ultrasonic and manual groups.....94

Table 15: Multiple comparisons between the bacterial count mean values (CFU/mL) of the different study groups96

Table 16: Results of Dunnett’s test for comparing scaling methods groups with control group regarding bacterial count97

List of Figures

Figure 1: Nanoceramic Lava™ Ultimate CAD/CAM restorative material.....	44
Figure 2: Acid Etchant, Bonding agent, Adhesive resin Cement.....	44
Figure 3: Digital Caliper measuring the enamel thickness of a bovine tooth.....	45
Figure 4: Grinding an area on labial surface using the side of a flat end diamond stone	46
Figure 5: Polishing the flattened area on labial surface using the Soflix disc	46
Figure 6: Labial surface with flattened area	47
Figure 7: Checking the flatness of the labial surface on a glass slab	48
Figure 8: Thin layer of Gypsum poured around the tooth	48
Figure 9: The tooth bonded to the base of auto polymerizing resin.....	48
Figure 10: A block mounted in a milling machine.....	50
Figure 11: The machine's blade grinding a block.....	51
Figure 12: Caliper checking the block diameter	51

Figure 13: The Precision saw Iso Met 4000.....	52
Figure 14: The blade cutting the cylinder into discs...	52
Figure 15: The Lava Ultimate Disc	53
Figure 16: Digital Caliper checking thickness of disc of 0.5mm	53
Figure 17: Caliper measuring wheel stone diameter....	54
Figure 18: The depth limiter ring attached to head of the hand piece.....	54
Figure 19: Digital Caliper measuring the internal depth of the depth limiter metal tool	54
Figure 20: Calibrating metal tool	55
Figure 21: Calibrating metal tool resting over the depth limiter.....	55
Figure 22: adjusted exposed cutting end of wheel stone.....	55