## Microbiological and molecular studies on Fusarium rot disease of maize plants

#### **Thesis**

Submitted in partial fulfillment of the requirements of the degree of Ph.D. in Microbiology (Microbiology)

## BY Peter Farag Fouad Aziz

(B.Sc. Microbiology, 2008) (M.Sc. Microbiology, 2013)

#### **Supervisors**

#### Dr. Khyreia Abd El-Ghany Youssef

Professor of Microbiology, Microbiology Department, Faculty of Science, Ain Shams University

#### Dr. Naziha Mohamed Hassanein

Professor of Mycology and Plant pathology, Microbiology Department, Faculty of Science, Ain Shams University.

#### Dr. Lobna Abd El-Aziz Ahmed Moussa

Professor of Microbiology, Microbiology Department, Agriculture Research Center.

> Department of Microbiology Faculty of Science Ain Shams University (2016)

## ACKNOWLEDGEMENT

# First and foremost, I feel always indebted to Allah, the most beneficent and merciful. I can do nothing without Him

I would like to express my deep gratitude and thanks to my dear supervisor Dr. Naziha Mohamed Hassanein, Professor of Mycology and Plant pathology, Department of Microbiology, Ain shams university, for her help, encouragement, continuous advice and her expert supervision to bring this thesis to more than satisfactory finish. She always patient, perfect in work organization and the best advisor. Iam proud to be one of her students and I hope that she is satisfied with me.

A great thanks to Dr. **Khairia Abd El-Ghany Youssef**, professor of Microbiology, Department of Microbiology, Faculty of Science, Ain shams university for her supervision, support, encouragement, valuable advices and constant help.

A great thanks to Dr. Lobna Abd El-Aziz Ahmed Moussa, professor of Microbiology, Agriculture research center for her supervision, support, encouragement, valuable advices and constant help.

A deep thank to **Microbiology Department** and all **my Colleagues** in microbiology department for their assistance, support and for providing a suitable environment during my work.



## **Approval sheet**

#### Microbiological and molecular studies on Fusarium rot disease of maize plants By

## Peter Farag Fouad Aziz

M.Sc. Microbiology, Faculty of Science, Ain Shams University, 2013

#### **Supervisors**

#### **Approved**

#### Prof. Dr. Khayreia Abd El-Ghany

Professor of Microbiology, Faculty of Science, Ain Shams University.

#### Prof. Dr. Naziha Mohamed Hassanein

Professor of Microbiology, Faculty of Science, Ain Shams University.

#### Prof. Dr. Lobna abd El-Aziz Moussa

Professor of Microbiology, Agriculture Research Center.

#### **Examination committee**

#### Prof. Dr. Ahmed Ibrahim El-Dewany

Professor of nature products of chemisty National Research Center.

#### Prof. Dr. Nahed Samy Youssef

Professor of food Microbiology Faculty of Home Economics, Azhar University.

#### Prof. Dr. Naziha Mohamed Hassanein

Professor of Microbiology, Microbiology Department, Faculty of Science, Ain Shams University.

Date of examination 22 / 10/2016

Approval date / /

**University Council approved** /

## This dissertation has not been previously submitted for any degree at this or at any other university

**Peter Farag Fouad Aziz** 

## **List of Contents**

Acknowledgement List of Tables List of Figures List of Abbreviations	Page
Abstract	
Chapter I: Introduction	1
Chapter II: Review of literature	
1. Maize	6
1.1 Introduction	6
1.2 Maize in Egypt	7
1.2.1 Cultivation of Egyptian maize	8
1.2.2 Varieties of Egyptian maize	9
1.3 Taxonomy	9
1.4 Description of maize plant	10
1.5 Economic importance	11
2. Fusarium spp	12
2.1 Introduction	12
2.2 Growth of <i>Fusarium</i> species	13
2.3 Morphological characters	15 16
2.4 Taxonomy of <i>Fusarium</i>	16
2.4.2 Molecular Taxonomy of <i>Fusarium</i>	17
3. Fusarium infections of maize	20
3.1 Introduction	20
3.2 Factors affecting the infection of maize by <i>Fusarium</i> species	21
3.3 Symptoms and epidemiology of <i>Fusarium</i> diseases in maize	22
3.3.1 Fusarium ear rot	22
3.3.2 <i>Fusarium</i> stalk rot	23
3.3.3 Fusarium root rot	24
4. Fusarium virulence factors (Pathogenesis)	25
4.1 Infection structures of phytopathogenic fungi	25
4.2 Infection structures of <i>Fusarium</i>	27
4.3 Cell wall degrading enzymes (CWDE)	28

4.3.1 Cellulose-Degrading Enzymes	
4.3.2 Hemicellulose-degrading enzymes	
4.3.3 Pectin-degrading enzymes	
4.3.4 Lignin-degrading enzymes	
4.3.5 Other degrading enzymes	
4.3.5.1 Amylases	
4.3.5.2 Proteases	
4.3.5.3 Esterases	
4.4 Mycotoxins produced by <i>Fusarium</i> spp	
4.4.1 Fumonisins (FUM)	
4.4.2 Zearalenone (ZEA)	
4.4.3 Trichothecenes (TRI)	
4.4.4 Beauvericin (BEA)	
4.4.5 Moniliformin (MON)	
5. Techniques used for pathogenicity detection	
5.1 Electron microscope	
5.2 Green fluorescent protein (GFP)	
Chapter III: Materials and Methods	
1. Analytical properties of soil	
2. Isolation and identification of <i>Fusarium</i> spp. from maize plants.	
2.1 Isolation of <i>Fusarium</i> from maize plants	
2.2 Identification of <i>Fusarium</i> spp. isolated from maize plants	
2.2.1 Morphological identification	
2.2.2 Molecular identification	
2.2.2.1 DNA extraction	
2.2.2.2 Determination of DNA yield and purity	•••
2.2.2.3 PCR amplification and sequencing of the translation	
elongation factor 1 alpha (TEF1α) region	
3. Pathogenicity tests	
3.1 Preparation of fungal inoculum for cultivation	
3.2 Preparation of seeds and pot treatments	
3.3 Disease assessment, data collection and analysis	
3.3.1 Disease incidence rating	
3.3.2 Maize growth assessment	
3.3.3 Scoring of disease severity	
3.3.4 Isolation and identification of <i>Fusarium</i> spp. from maize	
plants	
3.4 Petri-dish test	••
4. <i>In vitro</i> qualitative and quantitative analysis of cell wall	
degrading enzymes (CWDE)	

4.1 Qualitative analysis of cellulase, xylanase, pectinase, lipase,	
amylase and protease	
4.1.1 Plate assay method	
4.1.2 Well diffusion method	
4.2 Quantitative estimation of cellulase, xylanase and pectinase	
activity of the tested Fusarium spp	
5. <i>In vitro</i> quantitative analysis of <i>Fusarium</i> mycotoxins by HPLC	
5.1 Culturing of <i>Fusarium</i> isolates for toxin production	
5.2 Toxin extraction from <i>Fusarium</i> solid culture	
5.3 HPLC analysis	
6. Scanning electron microscopy of invasion process	
6.1 Inocula preparation	
6.2 Seed inoculation	
6.3 Scanning electron microscope observations	
7. Analysis of endoglucanase gene $(EG)$ and fumonisin gene $(FUM)$	
of F. verticillioides using green flourecence protein (GFP)	
marker gene marker gene	
7.1 plasmid used for transformation	
7.2 FUM gene and EG gene amplification from F. verticillioides	
7.2.1 RNA isolation from <i>F. verticillioides</i>	
7.2.2 Preparation of cDNA from isolated RNA	
7.3 Restriction digestion of DNA	
7.4 Ligation of the genes into plasmid	
7.5 Transformation of recombinant plasmid into <i>F. verticillioides</i>	
7.6 Maize kernels inoculation by mutant-type <i>F. verticillioides</i>	
8. Media used	
8.1 Isolation media.	
8.2 Identification media	
8.3 Media used in enzymes assay	
9. Statistical analysis	
Chapter IV: Results	
1. Analytical properties of soil	
2. Isolation and identification of <i>Fusarium</i> spp. from maize plants	
2.1 Isolation of <i>Fusarium</i> from maize plants	
2.2 Identification of <i>Fusarium</i> spp. isolated from maize plants	
2.2.1 Morphological identification	
2.2.2 Molecular identification	
3. Pathogenicity tests	
3.1 Pathogenicity of <i>Fusarium</i> species on root rot of maize	•
seedlings	
2	•

3.2 Pathogenicity of <i>Fusarium</i> species on stalk rot of maize plant	96
1	00
3.4 Pathogenicity of Fusarium species on kernels (ear) rot of	04
3.5 Effect of <i>Fusarium</i> species on some growth parameters of	09
4. <i>In vitro</i> qualitative and quantitative analysis of cell wall degrading enzymes (CWDE)	23
	23
, and the second se	23
	30
4.2 Quantitative estimation of cellulase, xylanase and pectinase	
J 1	37
	45
6. Scanning electron microscopy of invasion process by the <i>Fusarium</i> species	49
7. Analysis of endoglucanase (EG gene) and fumonisin (FUM gene)	
of F. verticillioides using green fluorescence protein (GFP)	
	59
	59
7.2 Colonization of maize kernels by mutant-type of <i>F</i> .	
	61
Chapter V: Discussion 16	65
Chapter VI: Summary 18	84
Chapter VII: References	88
Arabic summary	

## **List of Tables**

		Page
Table 1:	Mechanical, physical and Chemical analysis of rhizosphere soil samples collected from El-Kanater	77
Table 2:	Isolation frequency of <i>Fusarium</i> species recovered from maize plants	80
Table 3:	Identification based on morphological and sequencing of the translation elongation factor 1- $\alpha$ gene region.	84
Table 4:	Percentage of disease incidence (DI) and disease severity index (DSI) of maize roots at 14 and 21 DAI	93
Table 5:	Percentage of disease incidence (DI) and disease severity index (DSI) of maize stalks at 7 and 14 DAI	97
Table 6:	Percentage of disease incidence (DI) and disease severity index (DSI) of maize leaves at 7 and 14 DAI	101

## List of Tables

Table 7:	Percentages of disease incidence (DI), disease severity index (DSI), Fusarium damage kernels (FDK) and AUDPCstand of maize ears at 20 DAI.	105
Table 8:	Effect of <i>Fusarium</i> species on some growth parameters of maize plants at seedling stage	111
Table 9:	Effect of <i>Fusarium</i> spp on some growth parameters of maize plants after 45 days of sowing	115
Table 10:	Effect of <i>Fusarium</i> spp on some growth parameters of maize plants after 100 days of sowing	119
Table 11:	Enzymatic index (EI) of the tested CWDE produced by <i>Fusarium</i> species	128
Table 12:	Halo Zone diameter (cm) of the tested CWDE produced by <i>Fusarium</i> species	135
Table 13:	Concentration and absorbance of the glucose standards	139

## List of Tables

Table 14:	Carboxymethyl cellulase activity of the tested <i>Fusarium</i> spp at 1, 3, 5, 7, 9 and 11 days	140
Table 15:	Xylanase activity of the tested <i>Fusarium</i> spp at 1, 3, 5, 7, 9 and 11 days	141
Table 16:	Pectinase activity of the tested <i>Fusarium</i> spp at 1, 3, 5, 7, 9 and 11 days	142
Table 17:	Comparison between CMCase, xylanase and pectinase activity of the tested <i>Fusarium</i> spp. at 7 days	143
Table 18:	Concentrations of mycotoxins produced by <i>F. verticillioides</i> and <i>F. proliferatum</i>	146
Table 19:	Infection stages I-III on maize kernels and their omnipresent characteristics caused by <i>F. verticillioides</i>	152
Table 20:	Infection stages I-III on maize kernels and their omnipresent characteristics caused by <i>F. proliferatum</i>	152

## **List of Figures**

		Page
Fig. 1:	Pie chart illustrates the percentage of total isolates of each part of maize to the total isolates of all maize parts	81
Fig. 2:	Fusarium andiyazi (A) Colony on PDA; (B) Colony reverse; (C) Macroconidia in situ on CLA; (D) Microconidia in chain in situ on CLA; (E) Microconidia and monophialide and (F) Pseudochlamydospore	85
Fig. 3:	Fusarium equiseti (A) Colony on PDA; (B) Colony reverse; (C) Macroconidia in situ on CLA and (D) Macroconia	86
Fig. 4:	Fusarium oxysporum (A) Colony on PDA; (B) Colony reverse; (C) Macroconidia; (D) Microconidia in small aggregates; (E) Terminal chlamydospores in pairs and (F) Microconidia in false head <i>in situ</i> on CLA.	87
Fig. 5:	Fusarium proliferatum (A) Colony on PDA; (B) Colony reverse; (C) Macroconidia in situ on CLA; (D) Microconidia in chain on polyphialide in situ on CLA; (E) Microconidia in small aggregates and (F) Microconidia in false head in situ on CLA	88
Fig. 6:	Fusarium sporotrichioides (A) Colony on PDA; (B) Colony reverse; (C) Macroconidia in situ on CLA; (D) Microconidia in chain in situ on CLA; (E) Mesoconidia in situ on CLA and (F) Microconidia in	
	small aggregates	89