

Protective Role of Some Traditional Herbs on Trichloroacetic Acid Induced-Toxicity in Experimental Animals

Thesis Submitted for PhD Degree in Science In Biochemistry and Nutrition By

Eman Hassan Abd El-Aziz Sharaf

(M. Sc., in Biochemistry and Nutrition, 2008) Assistant Lecturer of Biochemistry and Nutrition Women's College – Ain Sham University

Supervisors

Prof. Dr. Tahany El Sayed Kholief

Professor of Biochemistry Biochemistry and Nutrition Department Women's College – Ain Sham University

Prof. Dr. Fatma Hassan Abd El-Razek

Professor of Nutrition Biochemistry and Nutrition Department Women's College – Ain Sham University

Dr. Hanaa Mostafa Abd El-Fattah

Assistant professor of Nutrition Biochemistry and Nutrition Department Women's College – Ain Sham University

(2015)

Aim of the work

The study was planned to investigate the effect of sage leaves and fennel seeds water extracts when administered each alone or in a combination on the amelioration of the toxic effects induced by trichloroacetic acid (TCA) in rats and to evaluate the protective effect of sage and fennel on the biochemical and histopathological changes in rats.

Acknowledgment

My deepest gratitude and sincere appreciations goes to **Prof. Dr. Tahani El sayed Kholeif,** Professor of Biochemistry, Department of Biochemistry and Nutrition, Women's College, Ain Shams University for her valuable supervision, great help, and guidance and for continuous encouragement. No words seem to be sufficient to describe, to her owe much.

I gratefully acknowledge the sincere advice and guidance of **Prof. Dr. Fatma Hassan Abd-Razek**, Professor of Nutrition, Department of Biochemistry and Nutrition, Women's College, Ain Shams University.

I acknowledge deeply the help and support of **Dr**. **Hanaa Mostafa Abd El-Fattah**, Assistant Professor of Nutrition, Department of Biochemistry and Nutrition, Women's College, Ain Shams University.

Deep thanks were offered to **Dr. Kawkab A. Ahmed,** professor of pathology, Veterinary Medicine Faculty, Cairo University for her faithful help in the histopathological examination.

With great pleasure, I would like to express my sincere gratitude to the staff members of Biochemistry and Nutrition Dept., Women's College, Ain Shams University for their sincere help and support.

List of abbreviations

ACP	Acid phosphatase
ALP	Alkaline phosphatase
ALT	Alanine aminotransferase
Αβ	Amyloid β
AST	Aspartate aminotransferase
BHT	Butylated hydroxytoluene
CA	Chromosomal aberration
CAT	Catalase
CCl ₄	Carbon tetrachloride
СР	Cyclophosphamide
СРК	Creatine phosphokinase
СҮР	Cytochrome P450
DCA	Dichloroacetic acid
DTNB	5, 5-dithiobis -2-nitrobenzoic acid
EDTA	Ethylene diaminetetraacetic acid
EPA	Environmental protection agency
EO	Essential oil
ESR	Electron spin resonance
FEO	Foeniculum vulgare (fennel) essential oil
FER	Feed efficiency ratio
FVE	foeniculum vulgare

GSH	Reduced glutathione
GSSG	Oxidized glutathione
GR	glutathione reductase
HDL-C	High density lipoprotein-cholesterol
HE	Hydroalcoholic extract
H_2O_2	Hydrogen peroxide
LDH	Lactate dehydrogenase
LDL-C	Low-density lipoprotein cholesterol
MCA	Monochloroacetic acid
MDA	Malondialdehyde
5-MoP	5-methoxypsoralen
O_2	Molecular oxygen
O ₂	Superoxide anion radical
OH-	Hydroxyl radical
ORAC	Oxygen radical absorbance capacity
PCEs	Polychromatic erythrocytes
PCOS	Polycystic ovary syndrome
ROS	Reactive oxygen species
SO	Salvia officinalis
SOD	Superoxide dismutase
TAG	Triacylglycerols
TBA	Tertiary butyl alcohol
TBARS	Thiobarbituric acid reactive substance

ТС	Total cholesterol
TCA	Trichloroacetic acid
TCE	Trichloroethylene
TOC	Total organic carbon
UNEP	United Nations Environment Programme
VLDL-C	Very low-density lipoprotein cholesterol

List of figures

Figure no.	Title	Page no.
1	Salvia officinalis L. plant (sage).	12
2	Chemical formula of rosmarinic acid	16
3	Foeniculum vulgare (fennel).	25
4	Chemical formula of anethole (1-methoxy-4-(1- propenyl) benzene.	25
5	Food intake (g/day) of healthy and TCA toxicated rats treated with sage and/or fennel.	67
6	Body weight change (g) of healthy and TCA toxicated rats treated with sage and/or fennel.	67
7	Feed efficiency ratio (FER) of healthy and TCA toxicated rats treated with sage and/or fennel.	68
8	Serum AST (U/l) activity of healthy and TCA toxicated rats treated with sage and/or fennel.	72
9	Serum ALT (U/l) activity of healthy and TCA toxicated rats treated with sage and/or fennel.	72
10	Serum ALP (U/l) activity of healthy and TCA toxicated rats treated with sage and/or fennel.	73
11	Serum ACP (U/l) activity of healthy and TCA toxicated rats treated with sage and/or fennel.	73
12	Serum urea concentration (mg/dl) of healthy and TCA toxicated rats treated with sage and/or fennel.	76
13	Serum creatinine concentration (mg/dl) of healthy and TCA toxicated rats treated with sage and/or fennel.	76

14	Serum TC (mg/dl) of healthy and TCA toxicated rats treated with sage and/or fennel.	81
15	Serum TAG (mg/dl) and of healthy and TCA toxicated rats treated with sage and/or fennel.	81
16	Serum VLDL-C (mg/dl) of healthy and TCA toxicated rats treated with sage and/or fennel.	82
17	Serum HDL-C (mg/dl) and LDL-C (mg/dl) of healthy and TCA toxicated rats treated with sage and/or fennel.	82
18-A	Scatter plot showing the correlation between serum total cholesterol and serum AST activity.	83
18-B	Scatter plot showing the correlation between serum total cholesterol and serum ALT activity.	83
18-C	Scatter plot showing the correlation between serum total cholesterol and serum ALP activity.	84
18-D	Scatter plot showing the correlation between serum total cholesterol and serum ACP activity.	84
18-E	Scatter plot showing the correlation between serum total cholesterol and serum urea concentration.	85
18-F	Scatter plot showing the correlation between serum total cholesterol and serum creatinine concentration.	85
19-A	Scatter plot showing the correlation between serum LDL-C and serum AST activity.	86
19-B	Scatter plot showing the correlation between serum LDL-C and serum ALT activity.	86
19-C	Scatter plot showing the correlation between serum LDL-C and serum ALP activity.	87
19-D	Scatter plot showing the correlation between serum LDL-C and serum ACP activity.	87

19-E	Scatter plot showing the correlation between serum LDL- C and serum urea.	88
19-F	Scatter plot showing the correlation between serum LDL- C and serum creatinine.	88
20	Serum MDA (µmol/l) of healthy and TCA toxicated rats treated with sage and/or fennel.	92
21	Brain MDA (nmol/g) of healthy and TCA toxicated rats treated with sage and/or fennel.	92
22	Kidney MDA (nmol/g) of healthy and TCA toxicated rats treated with sage and/or fennel.	93
23-A	Scatter plot showing the correlation between serum MDA and serum total cholesterol.	93
23-В	Scatter plot showing the correlation between serum MDA and serum triacylglycerols.	94
23-С	Scatter plot showing the correlation between serum MDA and serum LDL-C.	94
24-A	Scatter plot showing the correlation between serum MDA and serum LDL-C.	95
24-B	Scatter plot showing the correlation between kidneyMDA and serum creatinine concentration.	95
25	Blood GSH (mg/dl) of healthy and TCA toxicated rats treated with sage and/or fennel.	99
26	Brain GSH (mg/g) of healthy and TCA toxicated rats treated with sage and/or fennel.	99
27	Kidney GSH (mg/g) of healthy and TCA toxicated rats treated with sage and/or fennel.	100

28-A	Scatter plot showing the correlation between blood GSH and serum total cholesterol.	100
28-B	Scatter plot showing the correlation between blood GSH and serum triacylglycerols.	101
28-C	Scatter plot showing the correlation between blood GSH and serum LDL-C.	101
28-D	Scatter plot showing the correlation between blood GSH and serum MDA.	102
29-A	Scatter plot showing the correlation between kidney GSH and serum urea concentration.	102
29-В	Scatter plot showing the correlation between kidney GSH and serum creatinine concentration.	103
29-С	Scatter plot showing the correlation between kidney MDA and kidney GSH.	103
30	Scatter plot showing the correlation between brain MDA and brain GSH.	104
31	Serum CAT activity (U/l) of healthy and TCA toxicated rats treated with sage and/or fennel.	108
32	Brain CAT activity (U/g tissue) of healthy and TCA toxicated rats treated with sage and/or fennel.	108
33	Kidney CAT activity (U/g) of healthy and TCA toxicated rats treated with sage and/or fennel.	109
34-A	Scatter plot showing the correlation between serum catalase activity and serum total cholesterol.	109
34-B	Scatter plot showing the correlation between serum catalase activity and serum triacylglycerols.	110

34-C	Scatter plot showing the correlation between serum catalase activity and serum LDL-C.	110
34-D	Scatter plot showing the correlation between serum catalase activity and serum MDA.	111
34-E	Scatter plot showing the correlation between serum catalase activity and blood GSH.	111
35-A	Scatter plot showing the correlation between kidney catalase activity and serum urea concentration.	112
35-В	Scatter plot showing the correlation between kidney catalase activity and serum creatinine concentration.	112
35-C	Scatter plot showing the correlation between kidney catalase activity and kidney MDA.	113
35-D	Scatter plot showing the correlation between kidney catalase activity and kidney GSH.	113
36-A	Scatter plot showing the correlation between brain catalase activity and brain MDA.	114
36-B	Scatter plot showing the correlation between brain catalase activity and brain GSH.	114
37	Liver section of rat from healthy control group showing the normal histology of hepatic lobule which consists of central vein and hepatocytes arranged around it in hepatic cords (H and E \times 200).	116
38	Liver section of rat from TCA treated group (+ve control) showing Kupffer cells activation and hepatocellular vacuolization (H and $E \times 200$).	116
39	Liver section of rat from TCA treated group (+ve control) showing activation of epithelial lining (small arrow) bile duct, portal edema and portal infiltration with few leucocytic cells (large arrow) (H and $E \times 200$).	117

40	Liver section of rat from sage group showing no histopathological changes (H and E \times 200).	117
41	Liver section of rat from fennel-fed group showing no histopathological changes (H and $E \times 200$).	118
42	Liver section of rat from sage plus fennel-fed group showing no histopathological changes (H and E \times 200).	118
43	Liver section of rat from TCA plus sage-fed group showing vacuolization of hepatocytes (H and E \times 200).	119
44	Liver section of rat from TCA plus fennel-fed group showing Kupffer cells activation (H and $E \times 200$).	119
45	Liver section of rat from TCA plus sage and fennel-fed group showing small vacuoles in the cytoplasm of hepatocytes (H and E \times 200).	120

List of tables

Table no.	Title	Page no.
1	Composition of the experimental diet (g/100 g diet).	36
2	Composition of vitamin mixture (AIN-93- VX).	37
3	Composition of mineral mixture (AIN-93- VX).	38
4	Food intake, body weight change and feed efficiency ratio (FER) (mean ±SD) of healthy and TCA toxicated rats treated with sage and/or fennel.	66
5	Serum AST, ALT, ALP and ACP enzyme activities of healthy and TCA toxicated rats treated with sage and/or fennel.	71
6	Serum urea and creatinine levels of healthy and TCA toxicated rats treated with sage and/or fennel.	75
7	Serum lipids profile in different experimental groups.	80
8	Serum, brain and kidney MDA of healthy and TCA toxicated rats treated with sage and/or fennel.	91
9	Blood reduced GSH (mg/dl), brain and kidney GSH (mg/g tissue) of healthy and TCA toxicataed rats treated with sage and/or fennel.	98
10	Serum, brain and kidney catalase activities of healthy and TCA toxicataed rats treated with sage and/or fennel.	107

List of Contents

Subject	Page
Abstract Introduction	1
Aim of the work	5
Review of literature	6
A- Trichloroacetic acid	
I- Sources of TCA	6
II- Toxic effects of TCA	10
<u>B- Salvia officinalis (sage)</u>	
1- Bioactive compounds of sage	12
2 - Biological and pharmacological activities	14
3- Antioxidant activities of sage	17
4- Sage and mental performance	20
5- Sage and lipid metabolism	22
6- Hepatoprotective effects of sage	23
7- Antidiabetic effects of sage	23
<u>C- Foeniculum vulgare (fennel)</u>	
1. Antioxidant activities of fennel	24
2. Hepatoprotective effects of fennel	27
5. Anti-cancer activities of fennel	28
5 Miscellaneous activities	2: 20

Materials and Methods	35
A- Materials	
• Trichloroacetic acid (TCA)	35
• The tested Herbal plants	35
• Animals	36
• Diet	36
B- Methods	
• Experimental design	39
Biological measurements	40
• Sample preparation	40
Biochemical analyses	41
Results	65
Discussion	121
Summary	146
Conclusion	153
Recommendation	154
References	155
Arabic summary	