



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

Ain Shams University Information Network
جامعة عين شمس

شبكة المعلومات الجامعية

@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%


To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة



بالرسالة صفحات نم ترد بالاصل

2015
CP



**ECOLOGICAL AND BIOLOGICAL
STUDIES ON THE BENTHIC MOLLUSCA
OF CERTAIN SEGMENTS ALONG THE
RIVER NILE WITH SPECIAL REFERENCE
TO POLLUTION**

By

MEDHAT MANSOUR MENSRAWY

B. Sc. 1989

A Thesis

submitted in partial fulfillment of
The requirements

for

The Degree of M.Sc.

in Zoology

Supervised by

Prof. Abdalla M. Ibrahim,
Professor of Invertebrates and
head of
Zoology Department, Faculty of
Science, Ain Shams University

Dr. Magdy T. Khalil *Magdy*
Assist. Prof. of Aquatic Ecology
Zoology Department, Faculty of
Science, Ain Shams University

Dr. Mahmoud N. Abu Gabal
Lecturer of Invertebrates
Zoology Department, Faculty of Science
Ain Shams University *Mah*

**Department of Zoology Faculty of Science
Ain Shams University
1998**




ACKNOWLEDGMENT

I'm greatly indebted to professor Dr. Abdalla M. Ibrahim, Head of the Zoology Department, Faculty of Science, Ain Shams University for his continuous guidance and helpful suggestions concerning the plan of work and its execution till being presented into the present thesis.

My deep thanks are also due to Dr. Magdy T. Khalil, Assistant Professor of Zoology, in the same faculty for his direct supervision, kind help and instructive tuition throughout the whole work.

I would like to express my thanks and gratitude to Dr. Mahmoud N. Abo Gabal, Lecturer of Invertebrates in the same faculty for his sharing in the plan of the work and his encouragement.

Finally a word of gratitude is due to the Department of Zoology, Faculty of Science, Ain Shams University, for providing the research facilities needed to achieve this work.



CONTENTS

	Page
- Acknowledgment	
- List of tables	I
- List of figures	II-VII
- Abstract	1
- Introduction	2
- Literature Review	4
- Material And Methods	8
Study area	8
Description of stations	11
Sampling and field techniques	18
Growth rate curves	19
Treatment of data	19
Physico- Chemical Analysis of the Nile Water	21
- Results And Discussion	23
- Composition of the molluscan fauna in the River Nile	23
- Freshwater gastropods in Egypt	24
- Identification key for Gastropoda families	25
- Freshwater bivalves (pelecypods) in Egypt	88
- Identification key for Bivalvia (Pelecypoda) families	89
- Effect of ecological parameters and pollution on density and distribution of molluscan species	172
- Molluscan species diversity	175
- SUMMARY	190
- REFERENCES	193
- ARABIC SUMMARY	



List of Tables

	Page
Table 1: Location of the study sites in the different governorates.	10
Table 2: Freshwater gastropods along the River Nile in Egypt.	24
Table 3: List of gastropods, along the River Nile which have been recorded by different authors in comparison with those collected during the present study.	87
Table 4: Freshwater pelecypods along the River Nile in Egypt.	93
Table 5a: Seasonal water chemistry profile of the River Nile at the different sampling sites.	178
Table 5b: Seasonal water chemistry profile of the River Nile at the different sampling sites.	179
Table 5c: Seasonal water chemistry profile of the River Nile at the different sampling sites.	180
Table 5d: Seasonal water chemistry profile of the River Nile at the different sampling sites.	181
Table 6: Average seasonal values of diversity, evenness and richness indices of gastropod species at the different sites along the River Nile during 1993 - 1994..	182
Table 7: Average seasonal values of diversity, evenness and richness of pelecypod species at the different sites along the River Nile during 1993 - 1994.	186



List of Figures

		Page
Fig. (1):	A map for the River Nile in Egypt, showing the samples collection sites.	9
Fig. (2):	<i>Theodoxus (Neritaea) niloticus</i> . D. and V. view of the shell.	28
Fig. (3):	Natural growth rate of <i>Theodoxus niloticus</i> in the River Nile throughout 1993 and 1994.	28
Fig. (4):	<i>Bellamya unicolor</i> shell.	31
Fig. (5):	Natural growth rate of <i>Bellamya unicolor</i> in the River Nile throughout 1993 and 1994.	31
Fig. (6):	<i>Lanistes carinatus</i> shells. a. Carinated form. b. Bolteni form.	35
Fig. (7):	Natural growth rate of <i>Lanistes carinatus</i> in the River Nile throughout 1993 and 1994.	35
Fig. (8):	<i>Lanistes varicus</i> shell.	39
Fig. (9):	<i>Valvata nilotica</i> shell.	41
Fig. (10):	Natural growth rate of <i>Valvata nilotica</i> in the River Nile throughout 1993 and 1994.	41
Fig. (11):	<i>Gabbiella senaariensis</i> shell.	44
Fig. (12):	Natural growth rate of <i>Gabbiella senaariensis</i> in the River Nile throughout 1993 and 1994.	44
Fig. (13):	<i>Melanoides tuberculata</i> shell.	47
Fig. (14):	Natural growth rate of <i>Melanoides tuberculata</i> in the River Nile throughout 1993 and 1994.	47

	Page
Fig. (15): <i>Cleopatra bulimoides</i> shells.	51
Fig. (16): Natural growth rate of <i>Cleopatra bulimoides</i> in the River Nile throughout 1993 and 1994.	51
Fig. (17): <u><i>Lymnaea natalensis</i></u> shell.	54
Fig. (18): Natural growth rate of <i>Lymnaea natalensis</i> in the River Nile throughout 1993 and 1994.	54
Fig. (19): <u><i>Lymnaea columella</i></u> shell.	58
Fig. (20): <i>Succinea cleopatra</i> shell.	60
Fig. (21): Natural growth rate of <i>Succinea cleopatra</i> shell.	60
Fig. (22): <i>Planorbis planorbis</i> shells.	60
Fig. (23): <i>Gyraulus ehrenbergi</i> shells	64
Fig. (24): <i>Segmentorbis angustus</i> shells.	64
Fig. (25): <i>Helisoma duryi</i> shells.	69
Fig. (26): <i>Biomphalaria alexandrina</i> shells.	74
Fig. (27): Natural growth rate of <i>Biomphalaria alexandrina</i> in the River Nile throughout 1993 and 1994.	74
Fig. (28): <i>Biomphalaria pfeifferi</i> shells.	77
Fig. (29): <i>Biomphalaria glabrata</i> shells.	77
Fig. (30): Different forms of <i>Bulinus truncatus</i> shells.	81
Fig. (31): Natural growth rate of <i>Bulinus truncatus</i> in the River Nile throughout 1993 and 1994.	81
Fig. (32): <i>Physa acuta</i> shell.	85