



Improvement of Antimicrobial Efficiency of Some Microorganisms through Synthesizing Nanoparticles

Ph.D. Thesis

Submitted By

Shimaa Abd Elaziz Ahmed Attya

B.Sc., in Microbiology (2006) Faculty of Science, Ain Shams University

M.Sc., in Microbiology (2013) Faculty of Science, Ain Shams University

Supervisors

Dr. Nagwa Ahmed Abd-Allah

Professor of Microbiology, Microbiology Department,
Faculty of Science, Ain Shams University.

Dr. Nevin Ahmed Ibrahim

Lecturer Doctor of Microbiology, Microbiology Department,
Faculty of Science, Ain Shams University.

Dr. Amr Abd Elmoneim El-Waseif

Lecturer Doctor of Microbiology, Microbiology Department,
Faculty of Science (Boys), Al-Azhar University, Cairo

Microbiology Department

Faculty of Science

Ain Shams University

(2018)



Improvement of Antimicrobial Efficiency of Some Microorganisms through Synthesizing Nanoparticles

**Protocol of Ph.D. Thesis submitted by
Shimaa Abd Elaziz Ahmed Attya**

**B.Sc., in Microbiology (2006) Faculty of Science, Ain Shams University
M.Sc., in Microbiology (2013) Faculty of Science, Ain Shams University**

Supervisors

Prof. Dr. Nagwa Ahmed Abd-Allah

Professor of Microbiology,
Microbiology Department,
Faculty of Science,
Ain Shams University

Dr. Nevin Ahmed Ibrahim

Lecturer Doctor of Microbiology,
Microbiology Department,
Faculty of Science,
Ain Shams University.

Dr. Amr Abd Elmoneim El-Waseif

Lecturer Doctor of Microbiology,
Microbiology Department,
Faculty of Science,
Al-Azhar University (Boys), Cairo

Examination committee

Prof. Dr. Nagwa Ahmed Abd-Allah

Professor of Microbiology, Microbiology Department,
Faculty of Science, Ain Shams University

Prof. Dr. Hoda Hassan Abo-Ghalia

Professor of Microbiology, Botany Department,
Faculty of Science (Girls), Ain Shams University

Prof. Dr. Essam Mohammed Ahmed Abd El-Rahman

Professor of Microbiology, Chemistry of Natural and Microbial
Products Department, National Research Center.

Date / / Approval Date / /
University Council Approved / /

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



صدق الله العظيم

سورة طه الآية رقم (114)

ACKNOWLEDGEMENT

Firstly and sincere thanks should be submitted to **Allah**, who gave me everything in my life and his kind continuous support to me, surpassing all the obstacles I faced, and gave me the strength to worship. By the grace of **Allah**, this research work has been accomplished.

I would also like to acknowledge and express my gratitude to the following people for their great support and contributions to finish up of this research:

The words cannot express enough my deepest thanks to my second mother *Dr. Nagwa Ahmed Abdallah* Professor of Microbiology, Microbiology Department, Faculty of Science, Ain Shams University, for her supervision, encouragement, valuable advices and unlimited support during this work. She always has time for questions and discussions. I am really lucky being one of her students.

I wish to express my greatest thanks and respect to *Dr. Nevin Ahmed Ibrahim* Lecturer of microbiology, Microbiology Departement, Faculty of Science, Ain Shams University, for her supervision, support, helpful manner and honest advices throughout this work.

I would like to express my deepest thanks, gratitude and appreciation to *Dr. Amr Abd Elmoneim El-Waseif* Lecturer of microbiology, Microbiology Departement, Faculty of Science (Boys), Al-Azhar University (Cairo), who suggested the topic of this work, Honestly, He did not spare any effort or time to guide and helps me with his valuable advices and precious suggestions especially during his supervision on the practical part to finish this study.

I am obliged and thankful to my colleagues for their sincere help and cooperation and their pleasant fellowship. I am also deeply grateful to faculty of Science, Ain Shams University for providing the facilities necessary for carrying out this study.

My great thanks to *Dr. Dina Hatem Riad* at microbiology Department, faculty of science, Ain shams university especially for her kind help and providing me with the actinomycete strains used in this thesis.

Also, thanks to all my sincere colleagues of Chemistry Administration especially **Trace Element Lab** for their kind dealings and sincere cooperation.

I cannot find the words that express my appreciation and gratitude to my family, especially my mother. her love, care and believe in me were my strong motive for finishing this work.

With the deepest gratitude I wish to thank every person who has come into my life and support me through their presence.

Shimaa Abd Elaziz

Dedication

*A special Dedication to the
soul of my father and very
special dedication to my great
" Mother " for her Care,
Support and believe in me*

*"Dad, I wish you could be with me and Mom, without you I
would be nothing "*

This thesis has not been previously submitted for any degree at this or any other university

Signed

Shimaa Abd Elaziz Ahmed Attya

CONTENTS

	page
ABSTRACT	1
INTRODUCTION	2
AIM OF THE WORK	5
REVIEW OF LITERATURE	6
1- Microbial production of secondary metabolites	6
2- Antibiotics	7
2-1- Definitions of antibiotics	7
2-2- Background on antibiotics	7
3- Fungi	9
4- Actinomycetes	11
5- Clavulanic acid	15
6- Holomycin	18
7- Growth conditions and Nutritional requirements for secondary metabolites Production	18
8- Antibiotic action and resistance	24
9- Importance of Nanotechnology	26
10- Metallic nanoparticles	29
10-1- Industrial origin of metallic nanoparticles	30
11- Synthesis of nanoparticles	31
12- Biological nanoparticles	32
13- Silver nanoparticles	34
13-1- Silver nanoparticles and antimicrobial activity	35
MATERIALS AND METHODS	39
1- Materials	39
1-1- Microbiological media	39
1-2- Reagents	43
1-2-1- Reagents used for Gram stain	43
1-2-2- Reagents for molecular techniques	43
1-2-2-1- Stock solutions and buffers of molecular techniques	43
1-2-2-2-Gels and stains	43
1-2-3-Reagents for Thin Layer Chromatography (TLC) plate	44
2-Method	44

2-1--Microorganisms	44
2-1-1- Screening the antimicrobial activities of Actionmycete and fungal isolates	45
2-2-Test microorganisms	45
2-2-1- Agar well diffusion methods	46
2-3- Synthesis of silver nanoparticles	47
2-3-1- Synthesis of silver nanoparticles using the selected Actinomycete isolates	47
2-3-2- Synthesis of silver nanoparticles using the most potent fungal isolate	48
2-4-Identification of the selected Actinomycetes isolate	49
2-4-1-Conventional identification	49
2-4-1-1-Morphological and cultural characteristics	49
2-4-1-2-Cell wall analysis	49
2-4-1-2-1-Detection and determination of DAP-isomers	49
2-4-2-Molecular identification	50
2-4-2-1-Extraction of genomic DNA	50
2-4-2-2- PCR amplification of partial 16S rDNA	51
2-4-2-3- DNA sequencing, Blast identity and phylogenetic tree	51
2-5- Characteriazation of the silver nanoparticles produced by <i>Streptomyces clavuligerus</i> and <i>Trichoderma harzianum</i>	52
2-6- Effect of some cultural and environmental conditions of the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i>	53
2-6-1- Fermentation media	53
2-6-2- Nitrogen sources	54
2-6-3 Different concentrations of urea	54
2-6-4- Carbon sources	55
2-6-5- Different starch concentrations	55
2-6-6- Incubation periods	56
2-6-7- Inoculum sizes	56
2-6-8- Incubation temperatures	56
2-6-9- Different agitation speeds	57
2-6-10- Varying the initial pH values	57

2-7- Improvement of antimicrobial activity of <i>Streptomyces clavuligerus</i> through synthesized nanoparticles	58
2-8- Production, Extraction and purification of the antimicrobial fraction(s) produced by <i>streptomyces clavuligerus</i>	59
2-8-1- Production	59
2-8-2- Extraction	59
2-8-2-1- Paper-disc diffusion method for detection of the antimicrobial activity of the extract	60
2-8-3- Thin Layer Chromatography (TLC) Bio autography	60
2-8-4- Purification of the antimicrobial fraction(s)	61
2-8-5- Characterization of the pure antimicrobial compound produced by locally isolated strain	63
2-8-5-1- Ultraviolet spectrum (UV) of the antimicrobial compound	63
2-8-5-2- Infrared spectrum (IR) of the antimicrobial compound	63
2-8-5-3- Mass Spectrum of the antimicrobial compound	63
2-8-5-4- Preparative TLC was performed to compare the sample extracted with standard clavulanic acid or clavulanate potassium (Eipico)	64
RESULTS	65
1- Screening of the antimicrobial activity of some actinomycete isolates	65
2- Synthesis of silver nanoparticles by actinomycete isolates	68
3- Screening for the antimicrobial activity of some fungal isolates	71
4- Synthesis of silver nanoparticles by Fungal isolate	73
5- Conventional identification of the actinomycete isolates 2	75
5-1- Morphological characteristics	75
6- Cell wall hydrolysis	77
7- Molecular identification of the <i>Streptomyces spp.</i>	77
7-1- PCR and DNA sequencing of genomic DNA	77
7-2- Blast identity and phylogenetic tree construction	77

8- Characterization of the silver nanoparticles produced by <i>Streptomyces clavuligerus</i>	81
8-1 Ultraviolet (UV) spectrum of the silver nanoparticles	81
8-2- FTIR spectrum of the silver nanoparticles	83
8-3- Transmission Electron Microscopy (TEM) of the silver nanoparticles	85
9- Characterization of silver nanoparticles produced by <i>Trichoderma harzianum</i> AUMC 5408	88
9-1- Ultraviolet (UV) spectrum of silver nanoparticles	88
9-2- FTIR spectrum measurements of silver nanoparticles	90
9-3- Transmission Electron Microscopy of silver nanoparticles	92
10- Effect of some cultural and environmental conditions on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i>	95
10-1- Fermentation media	95
10-2- Nitrogen sources	98
10-3- Different concentrations of urea	103
10-4- Carbon sources	106
10-5- Different starch concentrations	110
10-6- Incubation periods	113
10-7- Inoculum sizes	116
10-8 Incubation temperatures	119
10-9- Different agitation speeds	122
10-10- Varying the initial pH values	125
11- Improvement of antimicrobial activity of <i>Streptomyces clavuligerus</i> through synthesized nanoparticles	128
12-Production, extraction and purification of the antimicrobial fraction(s) produced by <i>streptomyces clavuligerus</i>	131
12-1- Production	131
12-2-Extraction using different solvents	131
12-3- Extraction using ethyl acetate	134
12-4- Bio autography of Thin Layer Chromatography (TIC)	134
12-5-Purification of the antimicrobial fraction(s)	136
12-6- Prediction of chemical formula of the purified antimicrobial fraction(s)	136

12-6-1- Ultraviolet Spectrum (UV) of the antimicrobial compound(s)	136
12-6-2- Infrared Spectrum (IR) of the antimicrobial compound(s)	138
12-6-3- Mass Spectrum of the antimicrobial compound(s)	140
12-6-4- Preparative Thin Layer Chromatography (TLC) was performed to compare the sample extracted with standard	142
DISCUSSION.	144
SUMMARY.	164
REFERENCES.	168
ARABIC SUMMARY	
ARABIC ABSTRACT	

List of Tables

Table number	Titles	Page
Table (1)	Antimicrobial activity of Actinomycete isolates	67
Table (2)	Antimicrobial activity of the synthesized silver nanoparticles produced by the actinomycete isolate no.2 and actinomycete isolate no.3	70
Table (3)	Antimicrobial activity of fungal isolates	72
Table (4)	Effect of using different fermentation media on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	96
Table (5)	Effect of different nitrogen sources on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	101
Table (6)	Effect of different concentrations of urea on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	104
Table (7)	Effect of different carbon sources on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	108
Table (8)	Effect of different starch concentrations on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	111
Table (9)	Effect of different incubation periods on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	114
Table (10)	Effect of different inoculum sizes on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	117
Table (11)	Effect of different incubation temperatures on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	120
Table (12)	Effect of different agitation speeds on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	123

Table (13)	Effect of different initial pH values on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> .	126
Table (14)	Antimicrobial activity of the antimicrobial compound separated and mixed with different concentrations of AgNPs obtained from <i>Streptomyces clavuligerus</i>	129
Table (15)	Extraction of antimicrobial compound(s) produced by <i>Streptomyces clavuligerus</i> using different organic solvents.	132
Table (16)	Bio autography of TLC sheets using extracted solution of <i>streptomyces clavuligerus</i>	135

List of Figures

Figure number	Titles	page
Figure (1)	Phylogenetic tree of isolate no.2	80
Figure (2)	UV-Vis Spectra absorbance of synthesis AgNPs by supernatant of <i>Streptomyces clavuligerus</i> .	82
Figure (3)	FTIR analysis of silver nano-particles synthesized by supernatant of <i>Streptomyces clavuligerus</i>	84
Figure (4)	UV-Vis Spectra absorbance of synthesis AgNPs by mycelium of <i>Trichoderma harzianum</i>	89
Figure (5)	FTIR analysis of AgNPs synthesized by mycelium of <i>Trichoderma harzianum</i>	91
Figure (6)	Effect of different fermentation media on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> against <i>E. coli</i> , <i>S. aureus</i> and <i>C. albicans</i> .	97
Figure (7)	Effect of different nitrogen sources on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> against <i>E. coli</i> , <i>S. aureus</i> and <i>C. albicans</i> .	102
Figure (8)	Effect of different concentration of urea on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> against <i>E. coli</i> , <i>S. aureus</i> and <i>C. albicans</i> .	105
Figure (9)	Effect of different carbon sources on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> . against <i>E. coli</i> , <i>S. aureus</i> and <i>C. albicans</i> .	109
Figure (10)	Effect of different starch concentration on the activity of the antimicrobial agent(s) produced by <i>Streptomyces clavuligerus</i> against <i>E. coli</i> , <i>S. aureus</i> and <i>C. albicans</i> .	112