



بسم الله الرحمن الرحيم

∞∞∞∞

تم رفع هذه الرسالة بواسطة / مني مغربي أحمد

بقسم التوثيق الإلكتروني بمركز الشبكات وتكنولوجيا المعلومات دون أدنى

مسئولية عن محتوى هذه الرسالة.

ملاحظات: لا يوجد



Ain Shams University
Faculty of Pharmacy
Pharmaceutics & Industrial Pharmacy Department

Preparation and evaluation of topical nanoformulations for treatment of melasma

A Thesis Submitted By

Shymaa Hatem Abd El-Azeem Saleh

*MSc of Pharmaceutical Sciences (Pharmaceutics) from Faculty of
Pharmacy, Ain shams University*

*Assistant lecturer at Dept. of Pharmaceutics & Pharmaceutical
Technology,*

Faculty of Pharmacy, Future University in Egypt

*For the Partial Fulfillment of the PhD Degree in Pharmaceutical
Sciences*

(Pharmaceutics)

Under the supervision of

Prof. Dr. Seham Abd El-Khalek ElKheshen

*Professor of Pharmaceutics and
Industrial Pharmacy, Faculty of Pharmacy,
Cairo University*

Prof. Dr. Amany Osama Kamel

*Professor of Pharmaceutics & Industrial
Pharmacy and Dean of Faculty of
Pharmacy, Ain shams University*

Prof. Dr. Maha Nasr Sayed

*Professor of Pharmaceutics and
Industrial Pharmacy, Faculty of Pharmacy, Ain shams University*

Dr. Nada Mohamed El Hoffy

*Lecturer of Pharmaceutics and
Pharmaceutical technology, Faculty of
Pharmacy, Future University in Egypt*

Dr. Reham Samir Atia

*Lecturer of Pharmaceutics and
Industrial Pharmacy, Faculty of Pharmacy,
Ain shams University*

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ
وَلْيُذَكِّرُوا الْقَادِرِينَ
أَبْنَاءَ اللَّهِ



Dedicated to

My Lovely Parents

My Beloved Husband

My Lovely Daughters

My Dearest Supervisors

Acknowledgment

First and foremost thanks to **ALLAH** the Most Gracious, the Most Merciful for helping me to complete this work.

To my dear supervisors, these written words are a small token of appreciation for all of the hard work that you did to keep things in perspective.

I would like to express my deepest appreciation to **Prof. Dr. Seham Abd ElKhalek El-Kheshen**, Professor of Pharmaceutics and Industrial Pharmacy, Faculty of Pharmacy, Cairo University for her indispensable advice, continuous support and encouragement, generous scientific instruction and supervision, enthusiasm in reading and support that enabled me to prepare this work in its present form. Her continuous encouragement will always inspire me.

No words would ever express my sincerest appreciation and gratitude to **Prof. Dr. Amany Osama Kamel**, Professor of Pharmaceutics & Industrial Pharmacy and the Dean of Faculty of Pharmacy, Ain Shams University for her scientific adoption for me, valuable guidance, continuous supervision and great support.

I feel much pleasure to express my sincere gratitude and thanks to my supervisor **Prof. Dr. Maha Nasr Sayed**, Professor of Pharmaceutics and Industrial Pharmacy, Faculty of Pharmacy, Ain shams University for her effort that she exerted all over this work, enthusiasm in reading and criticizing the thesis, and support that enabled me to prepare this work as it is now. I can never pay her back for all the help she has provided me, the scientific experience she has helped me gain and the precious time she spent making sure my thesis is always in the right track.

My sincere thankfulness and great gratitude to **Dr. Nada Mohamed El Hoffy**, Lecturer of Pharmaceutics and Pharmaceutical technology, Faculty of Pharmacy, Future university in Egypt and **Dr. Reham Samir Atia**, Lecturer of Pharmaceutics and Industrial Pharmacy, Faculty of Pharmacy, Ain shams University for their kind supervision, precious ideas, suggestions, fascinating advice, endless effort and guidance; they generously gave me.

Special thanks to *Dr. Noha Moftah* and *Dr. Maha Hussein*, Professors of Dermatology, STDs & Andrology, Faculty of Medicine, Al-Minya University for their kind help in the clinical study part in this thesis. I would also like to thank *Prof. Dr. Mohammed Abdel-Kawy*, *Prof. Dr. Hayam Lotfy*, Professors of Analytical Chemistry, Faculty of Pharmaceutical Sciences and Pharmaceutical Industries, Future university in Egypt and *Chemist Sherif Gamal* for their sincere help during my work in the UPLC analysis.

I am deeply thankful to *Gattefosse*, *Cargill Texturizing Solutions* and *EIPICO* Pharmaceutical Companies for supplying some of the pharmaceutical ingredients and chemicals used in this work.

Special thanks to *Faculty of Pharmacy, Future University in Egypt* where I am affiliated to, that supported my work in its fully-equipped research labs and provided all the funding required for completing this work.

Finally, I would like to express my love to all my *Professors* and *Colleagues* in the department of Pharmaceutics and Pharmaceutical technology for helping and encouraging me throughout the whole thesis.

Shymaa Hatem

List of Contents

Item	Page
List of tables	I
List of figures	VI
List of abbreviations	XVI
Abstract	XIX
Introduction.....	1
Scope of work.....	48
Chapter I: Preparation and characterization of chitosan nanoparticle-formulations loaded with alpha-arbutin	
Introduction.....	50
Experimental	58
Materials	58
Equipment	59
Methodology	61
1-Spectrophotometric assay of α-arbutin	61
1-1. UV scanning of α -arbutin in distilled water (pH 5.77) and phosphate buffer saline (PBS, pH 7.4)	61
1-2. Construction of calibration curve of α -arbutin in distilled water (pH 5.77) and phosphate buffer saline (PBS, pH 7.4) .	61
2-Preparation of plain and α-arbutin-CSNPs	61
2-1. Preliminary study for optimization of the preparation conditions of plain and α -arbutin-CSNPs.....	61
2-2. Preparation of α -arbutin-CSNPs by ionic gelation method.....	64
2-3. Experimental design and data analysis.....	64
2-4. Checkpoint analysis for the produced factorial model.....	66

3- Characterization of the prepared CSNPs.....	67
3-1.Determination of the P.S, PDI and ζ -potential of CSNPs.....	67
3-2. Determination of α -arbutin EE% in CSNPs	
.....	67
3-3. Physical stability study of α -arbutin-CSNPs.....	68
3-4.Selecting the optimized formulation(s) exhibiting the most appropriate characteristics (Desirability study).....	68
3-5. <i>In-vitro</i> release study of the selected α -arbutin-CSNPs formulae...	69
4. Preparation of the optimized CSNPs in hydrogel-based formulations	
.....	72
5. Characterization of the CSNPs-hydrogel formulations	
.....	73
5-1. Organoleptic Characteristics.....	73
5-2. Spreadability.....	73
5-3. pH Values.....	73
5-4. Viscosity Measurement.....	73
5-5. Physical stability.....	74
5-6. <i>In-Vitro</i> release.....	74
6. <i>Ex-vivo</i> deposition/permeation study of the selected α-arbutin-CSNPs formulae.....	75
6-1. Ultra-performance liquid chromatography (UPLC) analysis of α-arbutin for <i>ex-vivo</i> deposition/ permeation study.....	75
6-1-1. Chromatographic conditions.....	75
6-1-2. Construction of standard calibration curves of α -arbutin.....	75
6-1-3. Assay validation.....	76
a) Selectivity.....	76
b) Linearity.....	77
c) Precision.....	77
d) Accuracy.....	77

e) Sensitivity.....	78
6-2. <i>Ex-vivo</i> deposition/permeation study design.....	78
7. Determination of the morphological characteristics of the selected CSNPs formulation using transmission electron microscope (TEM)	
.....	80
8. Differential scanning calorimetric (DSC) analysis.....	80
9. Fourier Transform Infrared (FT-IR) spectroscopy.....	81
10-Statistical analysis.....	81
Results and Discussion....	82
1- Spectrophotometric assay of α-arbutin.....	82
1-1. UV scanning of α -arbutin in distilled water (pH 5.77) and phosphate buffer saline (PBS, pH 7.4).....	82
1-2. Construction of calibration curve of α -arbutin in distilled water (pH 5.77) and phosphate buffer saline (PBS, pH 7.4).....	82
2- Preparation of plain and α-arbutin loaded-CSNPs.....	85
2-1. Preliminary study for optimization of the preparation conditions of plain and α-arbutin loaded-CSNPs.....	85
2-2. Preparation of α-arbutin-CSNPs by ionic gelation method	
.....	97
2-3. Experimental design and data analysis.....	99
I- Effect of formulation factors on the P.S of the obtained CSNPs	
.....	99
Check point analysis for the P.S model.....	107
II- Effect of formulation factors on the PDI of the obtained CSNPs	
.....	110
Check Point Analysis for the PDI model.....	117
III-Effect of formulation factors on the ζ-potential of the obtained CSNPs	
.....	120

IV- Effect of formulation factors on the EE% of the obtained CSNPs	
.....	123
Check point analysis for the EE% model.....	130
3-Characterization of the prepared CSNPs.....	133
3-1. Physical stability study of α -arbutin loaded-CSNPs.....	133
3-2. Selection of the optimized formulation(s) exhibiting the most appropriate characteristics (Desirability study).....	138
3-3. <i>In-vitro</i> release study of the selected α -arbutin loaded-CSNPs formulae.....	140
4- Preparation of the optimized α-arbutin loaded-CSNPs in hydrogel-based formulations.....	144
5- Characterization of the CSNPs-hydrogel formulations	
.....	145
6. <i>Ex-vivo</i> deposition/permeation study of the selected α-arbutin loaded-CSNPs formulae.....	154
6-1. Ultra-performance liquid chromatography (UPLC) analysis of α-arbutin for <i>ex-vivo</i> deposition/ permeation study.....	154
6-1-1. Optimization of chromatographic conditions.....	154
6-1-2. Assay validation.....	157
(a) Selectivity.....	157
(b) Linearity.....	161
(c) Precision.....	163
(d) Accuracy.....	165
(e) Sensitivity.....	166
6-2. <i>Ex-vivo</i> deposition/permeation study design.....	167
7-Determination of the morphological characteristics of the selected CSNPs formulation using transmission electron microscope (TEM)	
.....	172
8-Differential scanning calorimetry (DSC) analysis.....	173
9-Fourier Transform Infrared (FT-IR) spectroscopy.....	176
Conclusions.....	183

Chapter II: Preparation and characterization of different vesicular dispersion-formulations loaded with alpha-arbutin

Introduction.....	185
Experimental.....	192
Materials.....	192
Equipment.....	193
Methodology.....	194
1-Preparation of α-arbutin-liposomes	
1-1. Preliminary study for optimization of the preparation conditions of α -arbutin-liposomes	194
1-2. Preparation of α -arbutin-liposomes using REV method	195
1-3. Experimental design and data analysis.....	196
1-4. Checkpoint analysis for the produced factorial model	198
2-Characterization of the prepared α-arbutin-liposomes	
2-1. Determination of the P.S, PDI and ζ -potential of the liposomes	199
2-2. Determination of α -arbutin EE% in liposomes	199
2-3. Physical stability of α -arbutin-liposomes.....	199
2-4. Choosing the optimized formulation(s) exhibiting the most appropriate characteristics (Desirability study).....	199
2-5. <i>In vitro</i> release of the selected α -arbutin liposomal formulations.....	200
3. Preparation of the optimized liposomes in hydrogel-based formulations	
	200

4. Characterization of the liposomal hydrogel formulations

..... 200

5. *Ex vivo* deposition/permeation of the selected α -arbutin-liposomes

.....201

5-1. Ultra-performance liquid chromatography (UPLC) analysis of α -arbutin for *ex-vivo* deposition/ permeation study..... 201

5-2. *Ex-vivo* deposition/permeation study design.....201

6- Selection of the optimized liposomal formulations

..... 201

7- Preparation of α -arbutin-PEVs using REV method

..... 202

8-Preparation of α -arbutin-invasomes using REV method

..... 203

9- Characterization of the prepared PEVs and invasomes

..... 205

9-1. Determination of the P.S, PDI and ζ -potential of PEVs and invasomes..... 205

9-2. Determination of α -arbutin EE% in PEVs and invasomes
..... 205

9-3. Physical stability of α -arbutin vesicles..... 205

9-4. In vitro release of α -arbutin vesicular formulae
..... 205

10- Preparation of PEVs and invasomes in hydrogel-based formulations.....206

11- Characterization of PEVs and invasomes hydrogel formulations

..... 206

12- <i>Ex vivo</i> deposition/permeation of α-arbutin-PEVs and invasomes formulations	206
13-Determination of the morphological characteristics of the selected vesicular systems using transmission electron microscope (TEM)	206
14-Differential scanning calorimetric (DSC) analysis	206
15- Fourier Transform Infrared Radiation (FT-IR) spectroscopy	207
16- Statistical analysis	207
Results and Discussion	208
1-Preparation of α-arbutin-liposomes	208
1-1.Preliminary study for optimization of the preparation conditions of α-arbutin loaded-liposomes	208
1-2. Preparation of α-arbutin-liposomes using REV technique	211
1-3. Experimental design and data analysis	212
I- Effect of formulation factors on P.S of the obtained liposomes	212
Checkpoint Analysis for the P.S model	219
II-Effect of formulation factors on PDI of the obtained liposomes	222
III- Effect of formulation factors on ζ-potential of the obtained Liposomes	224
IV- Effect of formulation factors on EE% of the obtained liposomes	227
Checkpoint Analysis for the EE% model	233

2-Characterization of the prepared α-arbutin-liposomes...	235
2-1. Physical stability of α -arbutin loaded-liposomes.....	235
2-2.Choosing the optimized formulation(s) exhibiting the most appropriate characteristics (Desirability study).....	240
2-3. <i>In vitro</i> release of the selected α -arbutin loaded-liposomal formulations	241
3- Preparation of the optimized liposomes in hydrogel-based formulations	243
4- Characterization of the liposomal hydrogel formulations	244
5- <i>Ex vivo</i> deposition/permeation of the selected α-arbutin-liposomes	252
6-Selection of the optimized liposomal formulations.....	257
7-Preparation of α-arbutin-PEVs using REV method....	259
8-Preparation of α-arbutin-invasomes using REV method	262
9- Characterization of the prepared PEVs and invasomes	262
9-1. Determination of P.S and PDI of the prepared PEVs and invasomes	262
9-1-1. Effect of types and concentrations of penetration enhancers on the P.S of the prepared PEVs and invasomes.....	265

9-2. Determination of ζ -potential of the prepared PEVs and invasomes	268
9-3. Determination of α -arbutin EE% in the prepared PEVs and invasomes.....	269
9-3-1. Effect of types and concentrations of penetration enhancers on EE% of the prepared PEVs and invasomes.....	269
9-4. Physical stability of α -arbutin-loaded vesicles.....	273
9-5. <i>In vitro</i> release of α -arbutin from vesicular formulae	278
10- Preparation of PEVs and invasomes in hydrogel-based formulations.....	283
11- Characterization of PEVs and invasomes hydrogel formulations.....	283
12- <i>Ex vivo</i> deposition/permeation of α-arbutin-PEVs and invasomes	297
13- Determination of the morphological characteristics of the selected vesicular systems using transmission electron microscope (TEM)	302
14- Differential scanning calorimetric (DSC) analysis	305
15-Fourier Transform Infrared Radiation (FT-IR) spectroscopy	309
Conclusions	315