



**Efficiency of Micro-osteoperforations for
Accelerating Posterior Intrusion Using Skeletal
Anchorage Unit**

A thesis

submitted to the Faculty of Dentistry,

Ain Shams University,

in partial fulfillment of the requirements for

Doctor's degree in Orthodontics.

By

Lobna Adel Aly Elmy Shalaby

B.D.S, 2001

M.D.S, 2010

Faculty of Dentistry,

Ain Shams University

2020

Supervisors

Dr. Khaled Mostafa Fawzy

Professor of Orthodontics
Faculty of Dentistry, Ain Shams University

Dr. Islam Tarek Hassan

Professor of Orthodontics
Faculty of Dentistry, Ain Shams University

Dr. Ibrahim Mazen Negm

Assistant Professor of Orthodontics
Faculty of Dentistry, Ain Shams University

Dr. Ashraf Mohamed Abd El Rahman Abu-Seida

Professor of Surgery, Anesthesiology & Radiology
Faculty of Veterinary, Cairo University

Dedication

**To my dear husband, for his
patience, support and
encouragement.**

&

**my beloved family for their endless
help and support.**

Acknowledgment

I would like to express my gratitude to **Dr. Khaled Mostafa Fawzy**, Professor of Orthodontics, Faculty of Dentistry, Ain Shams University for his valuable guidance, and faithful supervision, which made the completion of this work possible.

I would like to express my deepest gratitude and thanks to **Dr. Islam Tarek Hassan**, Professor of Orthodontics and Head of Orthodontics Department, Faculty of Dentistry, Ain Shams University, for his continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Dr. Ibrahim Mazen Negm**, Assistant Professor of Orthodontics, Faculty of Dentistry, Ain Shams University, for his great effort and guidance throughout the study.

I would like to present my deep respect and thanks to **Dr. Ashraf Mohamed Abd El Rahman Abu-Seida**, Professor of Surgery, Anesthesiology & Radiology Faculty of Veterinary, Cairo University, for his effort, supervision, and cooperation in this work.

I would like to express my sincere thanks and gratitude to **Dr. Yasser El Hadidy**, Lecturer of Oral and Maxillofacial Surgery and **Dr. Ahmed Nabil**, PhD student, Department of Oral and Maxillofacial Surgery, Faculty of Dentistry, Ain Shams University, for their great help in the surgical part of zygomatic miniscrew implant insertion.

Finally, I would like to express my deep thanks to all my colleagues and staff members of the Orthodontic Department for their support, encouragement, and cooperation.

List of Contents

Title	Page No.
Dedication	
Acknowledgment	
List of Tables	i
List of Figures	xi
List of Diagrams	xxi
List of Abbreviations	xxii
Introduction	1
Review of Literature	5
Aim of the Study	81
Material and Methods	82
Results	150
Discussion	225
Summary	252
Conclusion	249
Recommendations	250
References	251
Appendices	
Appendix I	267
Appendix II	295
Appendix III	296
Appendix V	301
Appendix VI	304
Appendix VII	306
Arabic Summary	

List of Tables

Table No.	Title	Page No.
Table 1:	Skeletal landmarks abbreviations and definitions	119
Table 2:	Dental landmarks abbreviations and definitions	120
Table 3:	Soft tissue landmarks abbreviations and definitions	121
Table 4:	Reference Planes used in the 3 D analysis as presented in Figure 30	123
Table 5:	Reference lines used in the 3 D analysis	125
Table 6:	Linear and angular skeletal measurements in the vertical plane	127
Table 7:	Linear and angular measurements in anteroposterior and transverse planes	128
Table 8:	Linear and angular dental measurements in three planes of space	132
Table 9:	Linear and angular soft tissue measurements in all planes.....	137
Table 10:	Measurements performed by direct measurements in successive digital models.....	146
Table 11:	Concordance Correlation Coefficients (CCC) for the intra-observer reliability of the skeletal measurements	151
Table 12:	Concordance Correlation Coefficients (CCC) for the intra-observer reliability of dental measurements	152

Table 13: Concordance Correlation Coefficients (CCC) for the intra-observer reliability of soft tissue measurements	153
Table 14: Concordance Correlation Coefficients (CCC) for the inter-observer reliability of skeletal measurements	154
Table 15: Concordance Correlation Coefficients (CCC) for the inter-observer reliability of dental measurements	155
Table 16: Concordance Correlation Coefficients (CCC) for the inter-observer reliability of soft tissue measurements	156
Table 17: Table showing pre- and post-intrusion changes in posterior facial height, total anterior facial height, upper anterior facial height and lower anterior facial height in group I.	157
Table 18: Table showing pre- and post-intrusion changes in mandibular plane angle, maxillo-mandibular plane angle and palatal plane inclination in group I.....	159
Table 19: Table showing pre- and post-intrusion changes in SNA, SNB, ANB, and Pog-Coronal plane in group I.	160
Table 20: Table showing pre- and post-intrusion changes in mandibular lateral deviation in group I.....	161
Table 21: Table showing pre- and post-intrusion changes in maxillary premolars (Rt-Lt) and molars (Rt-Lt) heights in group I.....	162
Table 22: Table showing pre- and post-intrusion changes in the linear distances between mandibular first and second molars (Rt-Lt) and the mandibular plane in group I.....	164
Table 23: Comparison of changes in overbite and posterior occlusal plane inclination in group I.	165
Table 24: Comparison of changes in mesiodistal tip of maxillary premolars and molars in group I.	166

Table 25: Comparison of changes in linear measurements of anteroposterior position of maxillary first molar (Rt-Lt) at crown and root levels as well as changes in overjet (Rt-Lt) in group I.	168
Table 26: Comparison of change in angular measurements of maxillary premolars, molars bucco-lingual torque and intermolar width in group I.	169
Table 27: Comparison of change in soft tissue measurements in group I.	171
Table 28: Comparison of changes in posterior facial height, total anterior facial height, upper anterior facial height and lower anterior facial height in group II.	172
Table 29: Table showing changes in Mandibular plane angle, Maxillo-mandibular plane angle and Palatal plane inclination in group II.	173
Table 30: Table showing pre- and post-intrusion changes in SNA, SNB, ANB angles, and Pog to Coronal plane in group II.	174
Table 31: Table showing pre- and post-intrusion change in mandibular lateral deviation in group II.	175
Table 32: Table showing pre- and post-intrusion changes in maxillary premolars (Rt-Lt) and molars (Rt-Lt) heights in group II.	176
Table 33: Table showing pre- and post-intrusion changes in mandibular molar heights in group II.	177
Table 34: Comparison of change in overbite and posterior occlusal plane inclination in group II.	178
Table 35: Comparison of changes in mesiodistal tip of maxillary premolars and molars in group II.	180

Table 36: Comparison of changes in linear measurements of anteroposterior position of maxillary first molar (Rt-Lt) at crown and root levels as well as changes in overjet (Rt-Lt) in group II.....	182
Table 37: Comparison of changes in angular measurements of maxillary premolars, molars bucco-lingual torque and intermolar width in group II.	183
Table 38: Comparison of change in soft tissue measurements in group II.	185
Table 39: Table showing comparison between groups I and II for values of PFH, TAFH, UFH, and LAFH.	186
Table 40: Table showing comparison between groups I and II for values of mandibular plane angle, maxillo-mandibular plane angle and palatal plane inclination.....	187
Table 41: Table showing comparison between groups I and II for values of SNA, SNB, ANB, and Pog-Coronal plane.	189
Table 42: Table showing comparison between groups I and II for changes in mandibular lateral deviation	190
Table 43: Table showing comparison between groups I and II for changes in premolars (Rt-Lt) and molars (Rt-Lt) heights.	191
Table 44: Table showing comparison between groups I and II for changes in mandibular molar heights bilaterally	192
Table 45: Table showing comparison between groups I and II for changes in overbite (Rt-Lt) and posterior occlusal plane inclination.	193
Table 46: Table showing comparison between groups I and II for changes in mesiodistal tip of maxillary premolars and molars.	195

Table 47: Table showing comparison between groups I and II for changes in anteroposterior displacement of maxillary first molar (Rt-Lt) and overjet (Rt-Lt).....	196
Table 48: Table showing comparison between groups I and II for changes in bucco-lingual torque of maxillary molars, premolars and intermolar width.	198
Table 49: Table showing comparison between groups I and II for changes in soft tissue measurements	200
Table 50: Concordance Correlation Coefficients (CCC) for the intra-observer reliability for linear measurement on virtual models.....	202
Table 51: Concordance Correlation Coefficients (CCC) for the intra-observer reliability for linear measurement on virtual models.....	203
Table 52: Table showing the duration of treatment for patients in group I	204
Table 53: Table showing the duration of intrusion for patients in group II	205
Table 54: Table showing comparison of consecutive measurements obtained from mesiobuccal cusp tip of maxillary right first molar in group I.....	208
Table 55: Table showing comparison of consecutive measurements obtained from mesiobuccal cusp tip of maxillary left first molar in group I	209
Table 56: Table showing comparison of consecutive measurements obtained from mesioplalatal cusp tip of maxillary right first molar in group I.....	210
Table 57: Table showing comparison of consecutive measurements obtained from mesioplalatal cusp tip of maxillary left first molar in group I	211

Table 58: Table showing comparison of consecutive measurements obtained from mesiobuccal cusp tip of maxillary right first molar in group II..... 212

Table 59: Table showing comparison for consecutive measurements obtained from mesiobuccal cusp tip of maxillary left first molar in group II..... 213

Table 60: Table showing comparison of consecutive measurements obtained from mesiopalatal cusp tip of maxillary right first molar in group II..... 214

Table 61: Table showing comparison of consecutive measurements obtained from mesiopalatal cusp tip of maxillary left first molar in group II..... 215

Table 62: Table showing comparison of rate of movement of mesiobuccal cusp tip of maxillary right first molar in both groups. 217

Table 63: Table showing comparison of rate of movement of mesiobuccal cusp tip of maxillary left first molar in both groups..... 219

Table 64: Table showing comparison of rate of movement of mesiopalatal cusp tip of maxillary right first molar in both groups..... 221

Table 65: Table showing comparison of rate of movement of mesiopalatal cusp tip of maxillary left first molar in both groups..... 223

Table 66: Concordance Correlation Coefficient (CCC) for the intra-observer reliability of linear measurements on virtual models..... 304

Table 67: Concordance Correlation Coefficient (CCC) for the inter-observer reliability of linear measurements on virtual models 305

Table 68: Table showing comparison of consecutive measurements obtained from buccal cusp tip of maxillary right first premolar in group I. 306

Table 69: Table showing comparison of consecutive measurements obtained from buccal cusp tip of maxillary left first premolar in group I. 307

Table 70: Table showing comparison of consecutive measurements obtained from palatal cusp tip of maxillary right first premolar in group I. 307

Table 71: Table showing comparison of consecutive measurements obtained from palatal cusp tip of maxillary left first premolar in group I. 308

Table 72: Table showing comparison of consecutive measurements obtained from buccal cusp tip of maxillary right first premolar in group II. 308

Table 73: Table showing comparison for consecutive measurements obtained from buccal cusp tip of maxillary left first premolar in group II. 309

Table 74: Table showing comparison of consecutive measurements obtained from palatal cusp tip of maxillary right first premolar in group II. 309

Table 75: Table showing comparison of consecutive measurements obtained from palatal cusp tip of maxillary left first premolar in group II. 310

Table 76: Table showing comparison of rate of movement of buccal cusp tip of maxillary right first premolar in both groups. 310

Table 77: Table showing comparison of rate of movement of buccal cusp tip of maxillary left first premolar in both groups. 311

Table 78: Table showing comparison of rate of movement of palatal cusp tip of maxillary right first premolar in both groups. 311

Table 79: Table showing comparison of rate of movement of palatal cusp tip of maxillary left first premolar in both groups. 312

Table 80: Table showing comparison of consecutive measurements obtained from buccal cusp tip of maxillary right second premolar in group I. 313

Table 81: Table showing comparison of consecutive measurements obtained from buccal cusp tip of maxillary left second premolar in group I. 314

Table 82: Table showing comparison of consecutive measurements obtained from palatal cusp tip of maxillary right second premolar in group I. 314

Table 83: Table showing comparison of consecutive measurements obtained from palatal cusp tip of maxillary left second premolar in group I. 315

Table 84: Table showing comparison of consecutive measurements obtained from buccal cusp tip of maxillary right second premolar in group II. 316

Table 85: Table showing comparison of consecutive measurements obtained from buccal cusp tip of maxillary left second premolar in group II. 316

Table 86: Table showing comparison of consecutive measurements obtained from palatal cusp tip of maxillary right second premolar in group II. 317

Table 87: Table showing comparison of consecutive measurements obtained from buccal cusp tip of maxillary left second premolar in group II. 317

Table 88: Table showing comparison of rate of movement of buccal cusp tip of maxillary right second premolar in both groups. 318

Table 89: Table showing comparison of rate of movement of buccal cusp tip of maxillary left second premolar in both groups.	318
Table 90: Table showing comparison of rate of movement of palatal cusp tip of maxillary right second premolar in both groups	319
Table 91: Table showing comparison of rate of movement of palatal cusp tip of maxillary left first premolar in both groups.	319
Table 92: Table showing comparison of consecutive measurements obtained from mesiobuccal cusp tip of maxillary right second molar in group I.....	320
Table 93: Table showing comparison of consecutive measurements obtained from mesiobuccal cusp tip of maxillary left second molar in group I.....	321
Table 94: Table showing comparison of consecutive measurements obtained from mesiopalatal cusp tip of maxillary right second molar in group I.....	322
Table 95: Table showing comparison of consecutive measurements obtained from mesiopalatal cusp tip of maxillary left second molar in group I.....	323
Table 96: Table showing comparison of consecutive measurements obtained from mesiobuccal cusp tip of maxillary right second molar in group II.	324
Table 97: Table showing comparison for consecutive measurements obtained from mesiobuccal cusp tip of maxillary left second molar in group II.	325
Table 98: Table showing comparison of consecutive measurements obtained from mesiopalatal cusp tip of maxillary right second molar in group II.	326