Role of Technetium Scan and Thyroid Ultrasound in diagnosing the etiology of Thyroid Dysgenesis

Thesis

Submitted for the partial fulfillment of Master Degree
In Pediatrics

By:

Dina Mohamed Abd El Raouf El Dahshan

(M.B.B.Ch)
Ain Shams University

Under supervision of:

Prof. Mohamed Salah El Din El Kholy

Professor of Pediatrics
Faculty of Medicine - Ain Shams University

Prof. Heba Hassan Elsedfy

Professor of Pediatrics
Faculty of Medicine - Ain Shams University

Dr. Mohamed El Gharib Abo El Maaty

Lecturer of Radiology
Faculty of Medicine - Ain Shams University

Faculty of Medicine Ain Shams University 2011

List of Contents

	Page
Acknowledgment	
List of abbreviations	III
List of figures	V
List of tables	VI
Introduction	1
Aim of the work	3
Review of Literature	4
Function of thyroid hormones	4
Embryology	4
Pathophysiology: Genetics	8
Thyroid transcription factor 1 (TTF-1)	13
Thyroid transcription factor 2 (TTF-2)	14
Pax8	14
Foxe1	15
Hhex	15
Tshr	15
Clinical Expression of Molecular Defects in Thyroid	
Dysgenesis:	16
TITF1	17
PAX8	18
FOXE 1	19
TSHR	19
Molecular and Biochemical Aspects	20
Hormonogenesis defects	22
Summary of the genetic disorders found in patients	
with congenital hypothyroidism	24
Clinical description	26
Genetic mutations	27
Genetic counseling	28

List of Contents

	Page
Diagnostic studies to determine underlying etiology	29
Screening	35
Treatment	36
Prognosis	37
Subjects and methods	39
Results	46
Discussion	60
Summary	68
Conclusion	71
References	72
Arabic Summary	

List of Abbreviations

CDUS : Color Doppler ultrasound

CH : Congenital hypothyroidism

CNS : Central nervous system

FOXE1 : Forkhead transcription factor gene E1

fT3 : Free triiodothryonine

fT4 : Free thyroxine

HS : Highly significant

Ht : Height

I-123 : Iodine-123

IQ : Intelligence quotientIQR : Inter Quartile Range

KO : Knockout

L-T4 : L-thyroxine (levothyroxine)

MAPK : Mitogen-activated protein kinase

Max : Maximum
Min : Minimum

NIS : Sodium iodide symporter

NKX2.1 : NK2 homeobox 1 NS : Non significant

PAX8 : Paired Box Gene 8

PDS : Pendred syndrome

SD : Standard deviation

Tc : Technetium

TFC : Thyroid follicular cells

List of Abbreviations (Cont.)

TG, Tg : Thyroglobulin

THOX2 : Thyroid oxidase 2

TPO : Thyroperoxidase

TRB-Ab : Maternal thyrotropin receptorblocking

antibodies

TSH : Thyroid stimulating hormone

TSHr : Thyrotropin receptor

TTF1 and 2: Thyroid transcription factors 1 and 2

respectively

US : Ultrasound

Wt : weight

List of Figures

List of Figures		
Table	Title	Page
1	Development of the thyroid gland	7
2	Technetium 99 ^c m scan findings in congenital hypothyroidism	32
3	Congenital hypothyroidism: Diagnostic algorithm	35
4	Comparison between sexes affected with thyroid dysgenesis	48
5	Comparison between the incidence of ectopy, hypoplasia and athyreosis as a cause of thyroid dysgenesis	49
6	Comparison between affected sexes in the three groups; ectopic, athyrotic and hypoplastic groups	
7	Comparison of Thyroglobulin level in the different diagnostic groups	56

List of Tables

Table	Title	Page
1	Identified mutations and clinical associations in thyroid dysgenesis	11
2	Transcription factor gene mutations resulting in thyroid dysgenesis and associated clinical findings	12
3	Mouse and Human Phenotypes Following Inactivation of Some Genes Normally Expressed during Thyroid Development	17
4	Summary of the genetic disorders found in patients with congenital hypothyroidism	25
5	Clinical features of congenital hypothyroidism	27
6	Findings in diagnostic studies undertaken to identify the underlying etiology of congenital hypothyroidism	30
7	Reference ranges for thyroid function tests at ages 1-4 days and 2-4 weeks	34
8	Within assay precision (values in ng/ml) of thyroglobulin	43
9	Between assay precision (values in ng/ml) of thyroglobulin	43
10	Description of sex and diagnosis among all study patients	47
11	Description of anthropometric measurements among all study patients	50
12	Description of Thyroglobulin, initial TSH and thyroxin dose/m2 among all study patients	50
13	Description and Comparison of sex between patients with different diagnoses	50

List of Tables

Table	Title	Page
14	Description of Thyroglobulin, initial TSH and thyroxin dose among Ectopic study patients	52
15	Description of anthropometric measurements among Ectopic study patients	52
16	Description of Thyroglobulin, initial TSH and thyroxin dose among Athyreotic study patients	53
17	Description of anthropometric measurements among Athyreotic study patients	53
18	Description of Thyroglobulin, initial TSH and thyroxin dose among Hypoplastic study patients	54
19	Description of anthropometric measurements among Hypoplastic study patients	54
20	Comparison between patients with different diagnoses regarding Thyroglobulin level, initial TSH and thyroxin dose/square meter	55
21	Comparison of Thyroglobulin level in ectopy goup and athyreosis group	57
22	Comparison between ectopy group and hypoplasis group regarding their Thyroglobulin level	57
23	Comparison between athyreosis and hypoplasia groups regarding Thyroglobulin level	58
24	Comparison between patients with different diagnoses regarding their anthropometric measurements	58
25	Correlation between the dose of thyroxin/m2, initial TSH and Thyroglobulin level	59



Introduction and Aim of the Work





Review of Literature





Patients and Methods





Results





Discussion





Summary and Conclusions





References

