Minimal Invasive Techniques in Management Of Calcaneal Fractures

Essay

Submitted for partial fulfillment of master degree in orthopedic surgery

By

Haitem Mohamed Issa Werfelli

M.B.B.CH Faculty of Medicine-Tripoli University

Under supervision of

Prof.Dr. Ahmed Sami Kamil

Assistant Professor of orthopedic surgery Faculty of Medicine-Ain Shams University

Dr.Ahmed Mostafa Kotb

Lecturer of orthopedic surgery
Faculty of Medicine-Ain Shams University

Orthopedic departement faculty of medicine Ain Shams University 2016

بتمراك والمحالي





First and Foremost thanks to **ALLAH** to whom I relate any success in achieving any work in my life.

I would like to express my deepest thanks, gratitude and appreciation to **Prof. Dr. Ahmed Sami Kamil**, Ass. Professor of Orthopaedics for his supervision, kind guidance, valuable instructions and generous help.

My sincere thanks and appreciation are also to

Dr. Ahmed Mostafa Kotb, lecturer of Orthopaedics for his sincere efforts, fruitful encouragement.

Finally, I would like to express my profound thanks to my family for their indispensable help and support that made me make it throughout this work.

Haitem Mohamed Werfelli

Contents

Title	Page No.
List of figures	I
List of abbreviation	VI
Abstract	1
Key words	2
Introduction	3
Aim of the work	5
Anatomy	•••••
o Bony anatomy	6
o Joints and ligamentes anatomy	14
o Musculotendinous anatomy	18
Biomechanices	23
Mechanism of injury	30
Classification	37
Diagnosis	•••••
o Clinical diagnosis	44
o Radiological diagnosis	47
Treatment	•••••
o Conventional Treatment	54
o Minimal Invasive Techniques	64
Complication	91
Advantages and Disadvantages	96
Summary and conclusion	102
References	105
Arabic Summary	•••••

List of Figures

Fig. No.	Title	Page No.

1	The left calcaneus superior surface.	6
2	The calcaneus. medial surface.	6
3	The left calcaneus. Lateral surface.	7
4	The left calcaneus plantar surface.	8
5	Image of a coronal section of the right calcaneus.	9
6	Diagram of sagittal section of calcaneus showing various groups of lamellae.	10
7	Lateral view radiograph of the heel shows the neutral triangle.	11
8	Left talocalcaneal and talocalcaneonavicular joints, exposed from above by removal of the talus.	
9	Drawing show the ligaments of the lateral aspect of the right ankle and tarsal joints.	14
10	Posterior view of anatomic dissection of the ligaments of the right ankle and subtalar joint.	-
11	The superficial anatomy of the lateral and dorsolateral aspects of the foot and ankle.	17

12	The superficial structures of the medial aspect of the foot and ankle.	18
13	(A) Inversion and (B) eversion of the subtalar joint locks and unlocks the transverse tarsal joint.	22
14	Variations in subtalar joint axis: In transverse plane (left). In horizontal plane(right).	24
15	Drawing showing the relationship of the tendons crossing the ankle joint to the axes of the subtalar and tibiotalar articulations.	
16	Primary fracture line occurs as result of shear force.	30
17	Drawing showing the primary fracture line.	31
18	Coronal CT image shows the shear fracture line.	31
19	Diagrams of the superior (a) and lateral (b) surfaces of the calcaneus show the shear (solid black line) and compression fracture lines from joint depression (blue lines) and tongue (red lines) type fractures.	
20	Drawing showing diagrammatic repressentation of tongue and joint-depression-type.	32

21	Common findings associated with calcaneal fractures.	34
22	Mechanism of injury according to Essex- Lopresti (A-C) joint depression.(D-F) Tongue.	36
23	Classification of calcaneal fractures according to Zwipp.	37
24	Classification of intra-articular calcaneal fractures according to Sanders.	39
25	CT scans of various fracture patterns according to Sanders.	39
26	Ebraheim fracture pattern.	41
27	Swelling, ecchymosis and blisters associated with calcaneal fracture.	42
28	Clinical photograph showing pressure on posterior heel.	43
29	Anatomic angles for evaluation of fracture displacement and surgical reduction.	46
30	A Lateral radiograph of the calcaneus showing the tuber angle of Böhler.	47
	B Lateral radiograph of the calcaneus showing the crucial angle of Gissane .	

	T	
31	The "double density"; a joint-depression—	47
	type fracture where the lateral portion of	
	the joint is impacted but both Böhler and	
	Gissane angles are normal.	
32	AP view of the foot, showing the fracture	48
32	extending into the calcaneocuboid joint.	10
33	Radiograph showing the Harris axial	48
	radiograph of the heel.	
34	Brodén view. Four internal rotation views	49
J 1	taken in 4 degrees of internal rotation with	10
	10 to 40 degrees of radiographic tube	
	angulation.	
35	Brodén's views, show the posterior facet as	50
00	it moves from posterior to anterior.	30
36	Broden's view of a normal heel.	50
<i>37</i>	Coronal (A) and transverse (B) computed	51
	tomographic scans.	
38	Manual reduction method.	54
39	The extensile lateral approach.	57
40	Fixation of body. A,B Lateral wall replaced	58
40	and low-profile plate applied.	JO
41	Medial approach according to Zwipp.	60
71		00
42	Intraoperative pictures of sinus tarsi	63
	approach.	

43	Disimpaction of the medial wall, reduction of the tuberosity, reduction of the joint fragment.	64
44	Postoperative X-ray: lateral and axial views showed calcaneal anatomical reduction and screws fixation.	64
45	Radiograph showing two diffirent types of plates used in fracture calcaneus.	65
46	Fracture fixation. (A) Calcaneal model (lateral view). (B) Calcaneal model (posteromedial view). (C) Final outcome on postoperative lateral weight-bearing radiography.	66
47	A-Lateral incision, B-Retraction of the peroneus sheet and exposure of subtalar joint.	67
48	A,B,C&D: intra-operative sequences of K wires fixation under image intensifier.	67
49	Essex-Lopresti reduction of fracture of calcaneus by manipulation and pin fixation.	68
50	Distraction after placement of the external fixator.	69
51	A: a cannulated screw has been used to reduce and secure the tongue-type fracture B: Clinical photograph showing reduction of the subtalar joint with use of a transcalcaneal punch.	69

52	Two years postoperatively, lateral and axial radiographs demonstrate a healed fracture in good alignment fixed by screws.	70
53	Tuberosity pin and foot arching technique.	71
54	Temporary fixation of primary fracture using posteroanterior pin& reduction clamp.	71
55	Medial subperiosteal tunnel technique and elevation of posterior facet.	72
56	Insertion of infero-superior screw after fixation of Primary fracture fragments.	74
57	Intra-operative photograph demonstrating the patient positioned in the lateral decubitus position with the arthroscope in the antero-lateral (AL) portal. The postero-lateral (PL) portal.	<i>75</i>
58	Arthroscopic visualization of posterior facet fragment displacement and articular reduction.	76
59	Illustration shows an arthroscopic assisted reduction and internal fixation of fracture calcaneus.	77
60	A-Transcalcaneal traction facilitates external maneuvers to enable correction of varus/valgus. B-intra-operative photo while expanding balloon by constraining it with the help of K-wires.	78

61	Fluoroscopy during balloon inflation and cement injection; K-wires acting as a palisade to direct injection.	79
62	Post-op X-rays; upper K-wires act to sustain subtalar facet; lower K-wires act to direct balloon inflation.	79
63	Preoperative and postoperative CT scan reconstruction of restoration of the thalamic surface,	80
64	Insertion of the first K wire in the calcaneal tuberosity.	81
65	A) direct intrafocal reduction by mean of pushers or spatula.	82
	B) operative view are shown the Caspar distractor.	
66	Postoperative lateral and retrotibial views of clcaneus fracture fixed by intramedullary calcaneal nail.	82
67	A) the interlocking C-Nail. B) the interlocking Calcanail	83
68	Photo shows an Orthofix Mini-Calcaneal external fixator applied in calcaneus fracture.	84
69	Postoperative photographs show Triangular external fixator_frame.	85