

**PHOTOCHEMICAL TREATMENTS OF SOME
POLUTANTS USING INORGANIC SEMICONDUCTORS**

Thesis Submitted

By

**Karima Abdel Raouf Ali
M. Sc. (Chemistry) 2001**

To

**CHEMISTRY DEPARTMENT
FACULTY OF SCIENCE
AIN SHAMS UNIVERSITY**

For

**THE DEGREE
Ph. D. in CHEMISTRY**

Thesis Advisors

**Prof. Dr. M. S. A. Abdel Mottaleb
Professor of Chemistry and Director of Photoenergy Center**

**Dr. G. M. A. Attia
Lecturer of Inorganic Chemistry**

**Photoenergy Center, Faculty of Science, Ain Shams University
2005**

Approval Sheet

Name of candidate : **Karima Abdel Raouf Ali**

Degree: **Ph. D. in Chemistry**

Thesis Title: **PHOTOCHEMICAL TREATMENTS
OF SOME POLUTANTS USING
INORGANIC SEMICONDUCTORS**

This Thesis has been approved by:

Approval

- | | |
|---|--------------|
| 1- Prof. Dr. M. S. A. Abdel Mottaleb | |
| 2- Dr. G. M.A. Attia | |

Prof. Dr. M. A. A. El-Kasaby

Chairman of the Chemistry Department

PHOTOCHEMICAL TREATMENTS OF SOME POLUTANTS USING INORGANIC SEMICONDUCTORS

BY

Karima Abdel Raouf Ali

M. Sc. (Chemistry) 2001

Under the supervision of :

1- Prof. Dr. M. S. A. Abdel Mottaleb

Photoenergy Center and Chemistry Department,
Faculty of Science, Ain Shams University,
Abbasia, Cairo, Egypt

2- Dr. G. M. A. Attia

Chemistry Department, Faculty of Science
Ain Shams University, Abbasia, Cairo, Egypt

ACKNOWLEDGMENT

*I would like to thank professor **M. S. A. Abdel Mottaleb** for offering me the opportunity to carry out this interesting research work under his kind supervision and for making use of the excellent facilities of the photoenergy center under his guidance. I am also indebted to prof. **Abdel Mottaleb** for suggesting the points of research, reading and revising the manuscript critically.*

*I also give my thanks to Dr. **G. M. A. Attia**, Lecturer of Inorganic Chemistry, Department of Chemistry, Faculty of Science for his encouragement.*

شكر

أتقدم بآيات الشكر والعرفان لله عز وجل ولأساتذتي الأفاضل الذين قاموا بالإشراف على هذا العمل وهم :-

1-أ. د. محمد صبري أحمد عبد المطلب

2-د. جهاد محمد أحمد عطية

كذلك أشكر أسرة وأعضاء مركز الطاقة الضوئية و قسم الكيمياء لحسن تعاونهم.

كلية العلوم
جامعة عين شمس

اسم الطالب : كريمة عبد الرؤوف علي

الدرجة العلمية : دكتوراة في فلسفة العلوم

القسم التابع له : الكيمياء

اسم الكلية : العلوم

سنة التخرج : 1983م

سنة الحصول على الماجستير: 2001

سنة المنح : 2005

List of Figures

1.1	9
Positions of band edges for some semiconductors in contact with aqueous electrolyte	
1.2	10
Major areas of activity in titanium dioxide	
1.3	10
The rutile and anatase structures of titanium dioxide	
1.4	12
Layer structure and circuit diagram for a typical electroluminescent device	
1.5	14
Principles of operation of dye sensitized solar cell	
1.6	15
The make-up of the present generation of dye-sensitized solar cell	
1.7	16
The power conversion curve for the current generation of the dye-sensitized solar cell	
2.1	29
The relationship between irradiance of Xe lamp (W/Cm^2) and the time of irradiation	
3.1	40
The effect of illumination on the absorption spectrum of fluorescein in presence of suspended TiO_2	
3.2	41

Determination of the initial rate constant of the photodegradation of fluorescein in the presence of suspended TiO_2

3.341

The effect of illumination on the absorption spectrum of fluorescein in presence of supported TiO_2

3.442

Determination of the initial rate constant of the photodegradation of fluorescein in the presence of supported TiO_2

3.542

The effect of illumination on the absorption spectrum of 5(6) carboxyfluorescein in the presence of suspended TiO_2

3.643

Determination of the initial rate constant of the photodegradation of 5(6)carboxyfluorescein in presence of suspended TiO_2

3.743

The effect of illumination on the absorption spectrum of 5(6) carboxy-fluorescein in presence of suspended TiO_2

3.844

Determination of the initial rate constant of the photodegradation of 5(6)carboxyfluorescein in presence of suspended TiO_2

3.945

Comparison between the values of the initial rates of photodegradation of dyes in suspended and supported TiO_2 in aqueous medium.

3.10	45
The effect of illumination on the absorption spectrum of Flourescein in presence of colloidal TiO_2	
3.11.....	46
Determination of initial rate Constant of the photodegradation of fluorescein in the presence of colloidal TiO_2	
3.12	46
The effect of illumination on the absorption spectrum of 5(6)carboxyfluorescein in the presence of colloidal TiO_2	
3.13	47
Determination of the initial rate of photodegradation of 5(6)carboxyfluorescein in the presence of colloidal TiO_2	
3.14	47
The effect of illumination on the absorption spectrum of fluorescein in the presence of suspended TiO_2	
3.15	48
Determination of the initial rate of photodegradation of fluorescein in the presence of suspended TiO_2	
3.16	48
The effect of illumination on the absorption spectrum of fluorescein in the presence of supported TiO_2	
3.17	49
Determination of the initial rate of photodegradation of fluorescein in the presence of supported TiO_2	
3.18	49

The effect of illumination on the absorption spectrum of 5(6)carboxyfluorescein in the presence of suspended TiO_2	
3.19	50
Determination of the initial rate photodegradation of 5(6)carboxyfluorescein in the presence of suspended TiO_2	
3.20	50
The effect of illumination on the absorption spectrum of 5(6)carboxyfluorescein in the presence of supported TiO_2	
3.21	51
Determination of the initial rate photo degradation of 5(6)carboxyfluorescein in presence of colloidal TiO_2	
3.22	52
Comparison between the values of the initial rates of photodegradation of dyes in presence of different forms of TiO_2 in acidic medium.	
3.23	53
The effect of illumination all the reflectance spectrum of fluorescein adsorbed on supported TiO_2	
3.24	53
The effect of illumination on the reflectance spectrum of 5(6)carboxyfluorescein adsorbed on supported TiO_2	
3.25	54
The effect of illumination on the reflectance spectrum of 5(6)carboxyfluorescein adsorbed on suspended TiO_2	
3.26	55

The variation of the apparent absorbance of fluorescein adsorbed on supported TiO_2 with time of illumination.

3.2755

The variation of the apparent absorbance of 5(6) carboxy fluorescein adsorbed on supported TiO_2

3.2856

The variation of the apparent absorbance of 5(6) carboxyfluorescein adsorbed on suspended TiO_2

3.2956

Determination of the initial rate photodegradation of fluorescein adsorbed on supported TiO_2

3.3057

Determination of the initial rate of photo-degradation of 5(6)carboxyfluorescein adsorbed on supported TiO_2

3.3157

Determination of the initial rate photodegradation of 5(6) carboxyfluorescein adsorbed on solid suspended TiO_2

3.3258

Comparison between the values of the initial rates of photodegradation of adsorbed dyes on Millennium PC500 in both solid and solution

3.3358

comparison between the values of the initial rates of photodegradation of dyes adsorbed on solid TiO_2 surface and in colloidal TiO_2

3.3459

The effect of aluminum chloride addition of on the absorption spectrum of 8-HQ in ethanol	
3.35	60
Determination of the formation constant of the formed complex between 8-HQ and aluminum chloride	
3.36	61
The effect of aluminum chloride addition on the fluorescence spectrum of 8-HQ in ethanol	
3.37	61
Determination of the formation constant of the formed complex between 8-HQ and aluminum chloride using Benesi-Hildebrand plot	
3.38	62
Determination of the formation of the formed complex between 8-HQ and aluminum chloride using Hill plot	
3.39	63
Complex formation between 8-HQ and Al^{3+} ions at 15 $^{\circ}C$ in the ground state	
3.40	63
Complex formation between 8-HQ and Al^{3+} ions at 19 $^{\circ}C$ in the ground state	
3.41	64
Complex formation between 8-HQ and Al^{3+} ions at 23 $^{\circ}C$ in the ground state	
3.42	64
Complex formation between 8-HQ and Al^{3+} ions at 27 $^{\circ}C$ in the ground state	

3.43	65
Complex formation between 8-HQ and Al^{3+} ions at 31°C in The ground state	
3.44	65
Complex formation between 8-HQ and Al^{3+} ions at 35°C in the ground state	
3.45	66
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions in the formed state using Benesi-Hildebrand plot at 15°C	
3.46	66
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions in the formed state using Benesi-Hildebrand plot at 19°C	
3.47	67
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions in the ground state using Benesi-Hildebrand plot at 23°C	
3.48	67
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions in the ground state using Benesi-Hildebrand at 27°C	
3.49	68
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions in the ground state using Benesi-Hildebrand at 31°C	
3.50	68

Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions in the ground state using Benesi-Hildebrand at 35°C

3.51 69

Complex formation between 8-HQ and Al^{3+} ions at 15°C in the excited state

3.52 70

Complex formation between 8-HQ and Al^{3+} ions at 19°C in the excited state

3.53 70

Complex formation between 8-HQ and Al^{3+} ions at 23°C in the excited state

3.54 71

Complex formation between 8-HQ and Al^{3+} ions at 27°C in the excited state

3.55 71

Complex formation between 8-HQ and Al^{3+} ions at 31°C in the excited state

3.56 72

Complex formation between 8-HQ and Al^{3+} ions at 35°C in the excited state

3.57 72

Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions using Benesi-Hildebrand at 15°C

3.58 73

Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions using Benesi-Hildebrand at 19°C	
3.59	73
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions using Benesi-Hildebrand at 23°C	
3.60	74
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions using Benesi-Hildebrand at 27°C	
3.61	74
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions using Benesi-Hildebrand at 31°C	
3.62	75
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions using Benesi-Hildebrand at 35°C	
3.63	75
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions using Hill plot at 15°C	
3.64	76
Determination of the formation constant of the formed complex between 8-HQ and Al^{3+} ions using Hill plot at 19°C	
3.65	76