# BIOCHEMICAL AND IMMUNOLOGICAL STUDY ON THE EFFECT OF BARLEY AND ITS COMPONENTS AS HYPOGLYCEMIC AGENTS

#### Thesis

Submitted in Partial Fulfillment
for the Degree of Master Science
In
Biotechnology

## By Reham El-sayed Ebdel-hamid Atia

(B. Sc. Pharmacy, 2000) University of Alexandria

Department of Biotechnology
Institute of Graduate Studies and Research
University of Alexandria

2005

## THESIS APPROVAL

#### **Examiner's Committee**

Prof	
Prof	

# Supervisors

#### Dr. Mohamed Hisham A. El-Masry

Prof. of Microbiology and Molecular biology

Department of Biotechnology

Institute of Graduate Studies and Research

University of Alexandria

#### Dr. Mokhtar Ibrahim Yousef

Prof. of Environmental Animal Physiology

Department of Environmental Studies

Institute of Graduate Studies and Research

University of Alexandria

#### Dr. Medhat Abou Gomaa Haroun

Associate Prof. of Biochemistry

Department of Biotechnology

Institute of Graduate Studies and Research

University of Alexandria

## Acknowledgement

First of all, I thank ALLAH, the beneficent, the merciful.

I would like to express my sincere thanks to Dr. Mohamed Hisham A. El-Masry, Professor of Microbiology and Molecular Biology, Department of Biotechnology, Institute of Graduate Studies and Research, University of Alexandria, for his great support, guidance, supervision and advice, help during the course of this study and for his devoted time during the revision of the thesis manuscript.

I would like to express my great appreciation to Dr. Mokhtar Ibrahim Yousef, Professor of Environmental Animal Physiology, Department of Environmental Studies, Institute of Graduate Studies and Research, University of Alexandria, for his close supervision during the experimental work, guidance, generous, spirit and useful criticism. In addition, for devoting much of his time and effort in supervising the thesis manuscript.

I would like to express my great thanks to Dr. Medhat Abou Gomaa Haroun, Associate Prof. of Biochemistry, Department of Biotechnology, Institute of Graduate Studies and Research, University of Alexandria, for advice, encouragement, support and his assistance during the practical work and preparation of the manuscript.

My appreciation is also due to Mrs. Fathia El-Aswad, postgraduate student in Environmental Studies Department, for her great help and support during the course of the experimental work. Thanks to miss Eman Ahmed Ibrahim for her technical assistant.

## Dedication

I dedicate this work to my dear mother

for her encouragement and for her great support, for

father and sisters for

their help and understanding

during my study.

Special dedication to my beloved

Husband for his understanding,

patience and great support that he

gave me during the study.



#### **CONTENTS**

	ı
Contents	
List of Tables	
List of Figures	
List of Abbreviations	
Summary	
1. Introduction	
Aim of the work	
2. Review of Literature	
2.1. Diabetes mellitus	
2.2. Types of diabetes	
2.2.1. Type I diabetes mellitus	
2.2.2. Type II diabetes mellitus	
2.2.3. Secondary diabetes mellitus	
2.2.3.1. Gestational diabetes	
2.2.3.2. Pancreatic damage	
2.2.3.3. Endocrine disorders	
2.2.3.4. Drug toxicity	
2.2.5. Haemochromatosis	
2.3. Liver and diabetes	
2.3.1. The role of liver in glucose homeostasis	-
2.3.2. Liver enzymes assays of clinical significance in diabetes and diabetic complications	
2.3.2.1. Alkaline phosphatase	
2.3.2.2. Acid phosphatase	-
2.3.2.3. Lactate dehydrogenase	
2.3.2.4. Aspartate transaminase	
2.3.2.5. Alanine transaminase	
2.4. Complications of diabetes	_
2.4.1. Acute complication	_
2.4.1.1. Infection	
2.4.1.2. Ketoacidosis	
2.4.1.3. Lactic acidosis	

2.4.2. Chronic complication in liver and pancreas	
2.4.2.1. Glycogen Deposition	
2.4.2.2. Fatty Liver	
2.4.2.3. Cirrhosis	
2.4.2.4. The Pancreas in Diabetes	
2.4.3. Metabolic abnormalities	
2.4.3.1. Triglycerides	
2.4.3.2. Cholesterol	
2.5. Immunity in diabetics	
2.6. Control of diabetes mellitus	
2.6.2. Insulin	
2.6.2.1. The complications of insulin therapy 2.6.3. Oral hypoglycemic agents (OHA)	
2.6.3.1. Disadvantages of synthetic oral therapy	
2.6.4. Hypoglycemic herbs	
2.6.4.1. Barley as hypoglycemic herb	
2.6.5. Role of chromium in control of diabetes	
2.6.5.1. Chromium requirements and dietary intake2.6.5.2. Safely of supplemental chromium	
2.6.6. Role of amino acids in control of diabetes	
3. Materials and Methods	
3.1. Preparation of barley water and tested compounds	
3.2.Animals and treatment	
3.3. Measured parameters	
3.3.1. Blood biochemical parameters	
3.3.2. Liver biochemical parameters	
3.3.3. ELISA technique for immunoglobulin G measurement	

3.4. Biochemical assays	
3.4.1. Glucose	
3.4.2. Total lipids	
3.4.3. Cholesterol	
3.4.4. Triglycerides	
3.4.5. High density lipoprotein	
3.5. Enzyme assays	
3.5.1. Lactate dehydrogenase	
3.5.2. Aspartate and Alanine aminotransferases	
3.5.3. Alkaline phosphatase	
3.5.4. Acid phosphatase	
3.6. Measurement of immunoglobulin G	
3.7. Electron microscopy	
3.7.1. Pancreatic cells processing	
3.7.1.1. Fixation	
3.7.1.2. Dehydration	
3.7.1.3. Embedding	
3.7.1.4. sectioning and staining	
3.7.2. Examination of the sections	
3.8. Statistical analysis	
4. Results and Discussion	
4.1. Blood biochemical parameters	
4.2. Liver biochemical parameters	
4.3. Immunoglobulin G (IgG)	
4.4. Beta-cell examinations using electron microscope	
5. Conclusion	
6. Appendix	
7. References	
Arabic summary	

## **LIST OF TABLES**

Table #		Page
1	The major enzymes in liver and their clinical significance	14
2 3	The composition of pearl barley Plasma glucose and enzyme activities of control (C), diabetic (D) and	32
	diabetic treated rats with barley (D+B), chromium (D+ Cr), amino Acids (D+AA) and/or their combination (D+ Comb) (Mean± SE).	49
4	Analysis of variance for the effect of barley, chromium, amino acids and/or their combination on plasma glucose, aspartate aminotransferase (AST), alanine aminotransferase (ALT), alkaline phosphatase (ALP), acid phosphatase (ACP) and lactate	
	dehydrogenase (LDH) in diabetic rats.	50
5	Plasma lipid profile of control (C), diabetic (D) and diabetic treated rats with barley (D+B), chromium (D+ Cr), amino acids (D+AA) and/or their combination (D+ Comb) (Mean± SE).	58
6	Analyses of variance for the effect of barley (B), chromium (Cr), amino acids (AA) and/or their combination on plasma total lipids (TL), cholesterol (Chol), triglycerides (TG), high density lipoproteins (HDL-C), low density lipoproteins (LDL-C), and very low density	
	lipoproteins (VLDL-C) in diabetic male rats.	59
7	Liver enzyme activities of control (C), diabetic (D) and diabetic treated rats with barley (D+B), chromium (D+ Cr), amino acids	
	(D+AA) and/or their combination (D+ Comb) (Mean± SE)	<b>67</b>
8	Analysis of variance for the effect of barley (B), chromium (Cr), amino acids (AA) and/or their combination on liver aspartate aminotransferase (AST), alanine aminotransferase (ALT), alkaline	
	phosphatase (ALP), acid phosphatase (ACP) and lactate dehydrogenase (LDH) in diabetic male rats.	68

9	Determination of plasma immunoglobulin G (IgG; microgram/l)) of	
	control (C), diabetic(D), and diabetic male rats treated with barley	
	(D+B), chromium (D+Cr), amino acids (D+AA) and/or their	
	combination (D+Comb).	72
10	Analyses of variance for the effect of barley (D+B), chromium (D+Cr),	
	amino acids (D+AA) and/or their combination (D+Comb) on plasma	
	Immunoglobulin G (IgG) in diabetic male rats.	72
11	Plasma glucose (mg/dl) of control (C), diabetic (D), and diabetic male	
	rats treated with barley (D+B), chromium (D+Cr), amino acids	01
	(D+AA) and/or their combination (D+comb).	81
12	Activity of plasma alanine aminotransferase (ALT; U/L) of control	
	(C), diabetic (D), and diabetic male rats treated with barley (D+B),	
	chromium (D+Cr), amino acids (D+AA) and/or their combination	02
	(D+comb).	82
13	Activity of plasma aspartate aminotransferase (AST; U/L) of control	
	(C), diabetic (D), and diabetic male rats treated with barley water	
	(D+B), chromium (D+Cr), amino acids (D+AA) and/or their	83
	combination (D+comb).	03
14	Activity of plasma alkaline phosphatase (ALP; U/L) of control	
	(C), diabetic (D), and diabetic male rats treated with barley water	
	(D+B), chromium (D+Cr), amino acids (D+AA) and/or their	84
	combination (D+comb)	٠.
15	Activity of plasma acid phosphatase (ACP; U/L) of control (C),diabetic	
	(D), and diabetic male rats treated with barley water (D+B), chromium	85
	(D+Cr), amino acids (D+AA) and/or their combination (D+comb)	50
16	Activity of plasma lactate dehydrogenase (LDH; U/L) of control	
	(C), diabetic (D), and diabetic male rats treated with barley water (D+B),	
	chromium (D+Cr), amino acids (D+AA) and/or their combination	86
	(D+comb)	σŪ

17	Total lipid (TL; mg/dl) in plasma of control (C),diabetic (D), and diabetic male rats treated with barley water (D+B), chromium (D+Cr), amino acids (D+AA) and/or their combination (D+comb).  Triglycerides (TG; mg/dl) in plasma of control (C),diabetic (D), and	
18	diabetic male rats treated with barley water (D+B), chromium (D+Cr), amino acids (D+AA) and/or their combination (D+comb).	88
19	Cholesterol (mg/dl) in plasma of control (C),diabetic (D), and diabetic male rats treated with barley water (D+B), chromium (D+Cr), amino acids (D+AA) and/or their combination (D+comb).	89
20	Low density lipoprotein (LDL-C; mg/dl) in plasma of control (C), diabetic (D), and diabetic male rats treated with barley water (D+B), chromium (D+Cr), amino acids (D+AA) and/or their combination (D+comb)	90
21	Very low density lipoprotein cholesterol (VLDL-C; mg/dl) in plasma of control (C),diabetic (D), and diabetic male rats treated with barley water (D+B), chromium (D+Cr), amino acids (D+AA) and/or their combination (D+comb).	91
22	High density lipoprotein (HDL-C; mg/dl) in plasma of control (C), diabetic (D), and diabetic male rats treated with barley water (D+B), chromium (D+Cr), amino acids (D+AA) and/or their combination (D+comb)	92
23	Activity of liver alanine aminotransferase (ALT; U/mg protein) of control (C), diabetic (D), and diabetic male rats treated with barley (D+B), chromium (D+Cr), amino acids (D+AA) and/or their combination (D+comb)	93
24	Activity of liver aspartate aminotransferase (AST; U/mg protein) of control (C), diabetic (D), and diabetic male rats treated with barley water (D+B), chromium (D+Cr), amino acids (D+AA) and/or their combination (D+comb)	94

25	Activity of liver alkaline phosphatase (ALP; U/mg protein) of	
	control (C), diabetic (D), and diabetic male rats treated with barley	
	water (D+B), chromium (D+Cr), amino acids (D+AA) and/or their	
	combination (D+comb).	95
26	Activity of liver acid phosphatase (ACP; U/mg protein) of control	
	(C), diabetic (D), and diabetic male rats treated with barley water	
	(D+B), chromium (D+Cr), amino acids (D+AA) and/or their	
	combination (D+comb).	96
27	Activity of liver lactate dehydrogenase (LDH; U/mg protein) of control	
	(C), diabetic (D), and diabetic male rats treated with barley water	
	(D+B), chromium (D+Cr), amino acids (D+AA) and/or their	
	combination (D+comb)	97
28	Plasma immunoglobulin G (IgG; microgram/l) of control (C),	
	diabetic(D), and diabetic male rats treated with barley (D+B),	
	chromium (D+Cr), amino acids (D+AA) and/or their combination	
	(D+Comb).	98

## **LIST OF FIGURES**

Figure #		Page
1	The alteration in glucose and ketoacids metabolism	18
2	Structure of cholesterol	20
3	Proposed mechanism for the activation of insulin receptor activity by LMWCr in response to insulin	35
4	Plasma glucose of control (C), diabetic (D), and diabetic male rats treated with barley water (B), chromium (Cr), amino acids (AA) and their combination (comb.)	51
5	Activity of plasma alanine amino transferase (ALT) and aspartate amino transferase (AST) of control (C), diabetic (D), and diabetic male rats treated with barley water (B), chromium (Cr), amino acids (AA) and their combination (comb.)	53
6	Activity of plasma alkaline phosphatase (AlP), acid phosphatase (AcP) and lactate dehydrogenase (LDH) of control (C),diabetic (D), and diabetic male rats treated with barley water (B), chromium (Cr), amino acids (AA) and their combination (comb)	56
7	Total lipids (TL), triglycerides (TG), cholesterol (Chol.) and high density lipoproteins (HDL-C) in control (C), diabetic (D), and diabetic male rats treated with barley water (B), chromium (Cr), amino acids (AA) and their combination (comb)	60
8	Low density lipoproteins (LDL-C) and very low density lipoproteins (VLDL-C) in plasma of control (C), diabetic (D), and diabetic male rats treated with barley water (B), chromium (Cr), amino acids (AA) and their combination (comb.)	61
9	Activity of liver alanine aminotransferase (ALT), aspartate aminotransferase (AST), alkaline phosphatase (AlP) and acid phosphatase (AcP) of control (C), diabetic (D), and diabetic male rats treated with barley (B), chromium (Cr), amino acids (AA) and their combination (comb)	69
10	Activity of liver lactate dehydrogenase (LDH) of control (C), diabetic (D), and diabetic male rats treated with barley water (B), chromium (Cr), amino acids (AA) and their combination (comb)	70

		Page
11	Measurement of plasma immunoglobulin G (IgG; microgram/ l) of control (C), diabetic(D), and diabetic male rats treated with barley (B),chromium (Cr), amino acids (AA) and/or their combination (Comb.)	73
12	Micrograph (x 8,300) showing the ultrastructure of pancreatic beta-cell of male rate in control group	76
13	Micrograph (x 5,600) showing the ultrastructure of pancreatic beta-cells in alloxan diabetic male rats	76
14	Micrograph (x 9,400) showing the effect of treatment with barley on pancreatic beta-cells of diabetic male rats	78
15	Micrograph (x 13,500) showing the effect of treatment with chromium on pancreatic beta-cells of diabetic male rats	78
16	Micrograph s (x 6,300) showing the effect of treatment with amino acids on pancreatic beta-cells of diabetic male rats	79
17	Micrograph (x 8,800) showing the effect of treatment with the combination (barley water, chromium and amino acids) on pancreatic beta-cells of diabetic male rats.	<b>79</b>