ASSESSMENT OF FORAGE PRODUCTION AND NUTRITIVE VALUES OF THE DOMINANT RANGE PLANTS IN TWO DIFFERENT LOCATIONS AT THE NORTH WESTERN COAST OF EGYPT

BY

AWAD MAHMOUD AL-ASWAD

B. Sc. Agric. Eng. (Ecology& Forests), Aleppo University, Syria, 1998 M.Sc. Agric. Sc. (Agronomy), Ain Shams University, 2005

A thesis submitted in partial fulfillment

of

the requirements for the degree of

DOCTOR OF PHILOSOPHY

in

Agricultural Science (Agronomy)

Department of Agronomy Faculty of Agriculture Ain Shams University

2009

Approval Sheet

ASSESSMENT OF FORAGE PRODUCTION AND NUTRITIVE VALUES OF THE DOMINANT RANGE PLANTS IN TWO DIFFERENT LOCATIONS AT THE NORTH WESTERN COAST OF EGYPT

BY

AWAD MAHMOUD AL-ASWAD

B. Sc. Agric. Eng. (Ecology& Forests), Aleppo University, Syria, 1998M.Sc. Agric. Sc. (Agronomy), Ain Shams University, 2005

This thesis for Ph. D. degree has been approved by:

Prof. Dr. El-Ghareib Abdalla El-Ghareib	
Prof. of Agronomy, Faculty of Agriculture,	Al-Azhar University
Prof. Dr. Sami Abd El-Kawi Habib	
Prof. Emeritus of Agricultural Botany, F	aculty of Agriculture, Ain
Shams University	
Prof. Dr. Mohamed Hamed El-Agroudy	
Prof. of Agronomy, Faculty of Agriculture,	Ain Shams University
Prof. Dr. Tawakul Younis Rizk	
Prof. Non Emeritus of Agronomy, Faculty	of Agriculture, Ain Shams
University	

Date of Examination: 11 / 3 / 2009

ASSESSMENT OF FORAGE PRODUCTION AND NUTRITIVE VALUES OF THE DOMINANT RANGE PLANTS IN TWO DIFFERENT LOCATIONS AT THE NORTH WESTERN COAST OF EGYPT

BY

AWAD MAHMOUD AL-ASWAD

B. Sc. Agric. Eng. (Ecology& Forests), Aleppo University, Syria, 1998 M.Sc. Agric. Sc. (Agronomy), Ain Shams University, 2005

Under the supervision of:

Prof. Dr. Tawakul Younis Rizk

Prof. Non Emeritus of Agronomy, Department of Agronomy, Faculty of Agriculture, Ain Shams University (Principal Supervisor)

Prof. Dr. Mohamed Hamed El-Agroudy

Prof. of Agronomy, Department of Agronomy, Faculty of Agriculture, Ain Shams University

Dr. Nagi Hussien Mahmoud

Researcher, Plant Ecology & Range Management Department, Desert Research Center

CONTENTS

	Page
LIST OF TABLES	V
LIST OF FIGURES	ix
INTRODUCTION	1
REVIEW OF LITERATURE	3
MATERIALS AND METHODS	32
RESULTS AND DISCUSSION	40
1-Fuka location	40
I – Seasonal variations	40
I- a - Climatological analysis	40
I – b - Soil physical and chemical analysises	42
II – Natural vegetation behavior	44
II -1- Botanical composition	44
II - 2 - Abundance percentages	48
a - Effect of seasons	48
b - Effect of sites	49
C - Effect of the interaction between seasons and sites	49
II - 3 – Frequency percentage	51
a - Effect of seasons	51
b - Effect of sites	52
C - Effect of the interaction between seasons and sites	52
II - 4 - Coverage percentage	54
a - Effect of seasons	54
b - Effect of sites	55
C - Effect of the interaction between seasons and sites	55
II -5 - Plant density (plant/ m ²)	57
a - Effect of seasons	57
b - Effect of sites	58
C - Effect of the interaction between seasons and sites	58
III- Foliage productivity	60
III – 1 - Fresh foliage yield (kg/ m²)	60

a - Effect of seasons	60
b - Effect of sites	61
C - Effect of the interaction between seasons and sites	61
III – 2 - Dry foliage yield (kg/ m²)	63
a - Effect of seasons	63
b - Effect of sites	63
C - Effect of the interaction between seasons and sites	64
IV - Chemical composition	66
IV – 1 – Total carbohydrates	66
a - Effect of seasons	66
b - Effect of sites	66
C - Effect of the interaction between seasons and sites	66
IV – 2 – Crude protein percentage	67
a - Effect of seasons	67
b - Effect of sites	69
C - Effect of the interaction between seasons and sites	69
IV – 3 – Crude fiber percentage	71
a - Effect of seasons	71
b - Effect of sites	71
C - Effect of the interaction between seasons and sites	72
IV – 4 –Total ash content	72
a - Effect of seasons	72
b - Effect of sites	72
C - Effect of the interaction between seasons and sites	74
2- Al-Omayed location	76
I – Seasonal variations	76
I- a - Climatological analysis	76
I – b - Soil physical and chemical analysises	78
II - Vegetative growth behavior	80
II -1- Botanical composition	80
II - 2 - Abundance percentages	83
a - Effect of seasons	83

b - Effect of sites	84
C - Effect of the interaction between seasons and sites	84
II - 3 – Frequency percentage	86
a - Effect of seasons	86
b - Effect of sites	86
C - Effect of the interaction between seasons and sites	87
II - 4 - Coverage percentage	89
a - Effect of seasons	89
b - Effect of sites	89
C - Effect of the interaction between seasons and sites	92
II -5 - Plant density (plant/ m ²)	92
a - Effect of seasons	92
b - Effect of sites	92
C - Effect of the interaction between seasons and sites	92
III- Foliage productivity	94
III – 1 - Fresh foliage yield (kg/ m²)	94
a - Effect of seasons	94
b - Effect of sites	94
C - Effect of the interaction between seasons and sites	95
III – 2 - Dry foliage yield (kg/ m²)	97
a - Effect of seasons	97
b - Effect of sites	97
C - Effect of the interaction between seasons and sites	97
IV - Chemical composition	99
IV – 1 – Total carbohydrates	99
a - Effect of seasons	99
b - Effect of sites	100
C - Effect of the interaction between seasons and sites	100
IV – 2 – Crude protein percentage	100
a - Effect of seasons	100
b - Effect of sites	102
C - Effect of the interaction between seasons and sites	102

IV – 3 – Crude fiber percentage	103
a - Effect of seasons	103
b - Effect of sites	104
C - Effect of the interaction between seasons and sites	104
IV – 4 –Total ash content	105
a - Effect of seasons	105
b - Effect of sites	106
C - Effect of the interaction between seasons and sites	106
V- Biological evaluation	108
V-1- Chemical composition	108
V-2- In situ trials	109
SUMMARY	115
REFERENCES	121
ARABIC SUMMARY	

LIST OF TABLES

No		Page
1	Means of some of the meteorological data of Marsa Matruh during the period extended from winter 2005 up to spring	
	2007	41
2	Soil physical properties of the five studied sites in Al-Omayed	42
3	location	43 44
4	Botanical composition , palatability and duration of the native plant species under two seasons and different sites during the period extended from autumn 2005 till Spring 2007 in Fuka	
	location	44
5	Numbers of families, species, palatability and life duration of native plants in Fuka location	47
6	Effect of seasons, sites and their interaction on the abundance percentage of the native plant species	49
7	Abundance percentage of plant species in Fuka location as affected by sites and seasons during the period extended from autumn 2005 till spring 2007	50
8	Effect of seasons, sites and their interaction on the frequency percentage of the naturally grown plant species	52
9	Frequency percentage of plant species in Fuka location as affected by sites and seasons during the period extended from autumn 2005 till spring 2007	53
10	Effect of seasons, sites and their interaction on the coverage	33
10	percentage of the naturally grown plant species	55
11	Coverage percentage of plant species in Fuka location as affected by sites and seasons during the period extended from	
	autumn 2005 till spring 2007	56
12	Effect of seasons, sites and their interaction on the plant density of the naturally grown plant species	58

13	Plant density of plant species in Fuka location as affected by	
	sites and seasons during the period extended from autumn 2005	
	till spring 2007	59
14	Effect of seasons, sites and their interaction on the fresh forage	
	yield (kg/m ²) of the naturally grown plant species	61
15	Fresh forage yield (kg/m²) of plant species in Fuka location as	
	affected by sites and seasons during the period extended from	
	autumn 2005 till spring 2007	62
16	Effect of seasons, sites and their interaction on the dry forage	
	yield (kg/m ²) of the naturally grown plant species	64
17	Dry forage yield (kg/m²) of plant species in Fuka location as	
	affected by sites and seasons during the period extended from	
	autumn 2005 till spring 2007	65
18	Effect of seasons, sites and their interaction on the total	
	carbohydrate percentage of the naturally grown plant	
	species	66
19	Total carbohydrate percentage of plant species in Fuka location	
	as affected by sites and seasons during the period extended	
	from autumn 2005 till spring 2007	68
20	Effect of seasons, sites and their interaction on the crude	
	protein percentage of the naturally grown plant species	69
21	Crude protein percentage of plant species in Fuka location as	
	affected by sites and seasons during the period extended from	
	autumn 2005 till spring 2007	70
22	Effect of seasons, sites and their interaction on the crude fiber	
	percentage of the naturally grown plant species	7 1
23	Crude fiber percentage of plant species in Fuka location as	
	affected by sites and seasons during the period extended from	
	autumn 2005 till spring 2007	73
24	Effect of seasons, sites and their interaction on the ash	
	percentage of the naturally grown plant species	74

25	Ash percentage of plant species in Fuka location as affected by	
	sites and seasons during the period extended from autumn 2005	
	till spring 2007	75
26	Means of some of the meteorological data of Alexandria	
	location during the period extended from winter 2005 up to	
	spring 2007	77
27	Soil physical properties of the five studied sites in Al-Omayed	
	location	78
28	Soil chemical properties of the five studied sites in Al-Omayed	
	location	79
29	Numbers of families, species, palatability and life duration of	
	native plants in Al-Omayed location	80
30	Botanical composition, palatability and duration of the native	
	plant species under two seasons and different sites during the	
	period extended from autumn 2005 till Spring 2007 in Al-	
	Omayed location.	81
31	Effect of seasons, sites and their interaction on the abundance	
	percentage of the native plant species in Al-Omayed	
	location	84
32	Abundance percentage of plant species in Al-Omayed location	
	as affected by sites and seasons during the period extended	
	from autumn 2005 till spring 2007	85
33	Effect of seasons, sites and their interaction on the frequency	
	percentage of the naturally grown plant species	87
34	Frequency percentage of plant species in Al-Omayed location	
	as affected by sites and seasons during the period extended	
	from autumn 2005 till spring 2007	88
35	Effect of seasons, sites and their interaction on the coverage	
	percentage of the naturally grown plant species	89
36	Coverage percentage of plant species in Al-Omayed location	
	as affected by sites and seasons during the period extended	
	from autumn 2005 till spring 2007	91

37	Effect of seasons, sites and their interaction on the plant density	
	of the naturally grown plant species in Al-Omayed	
	location	92
38	Plant density of plant species in Al-Omayed location as	
	affected by sites and seasons during the period extended from	
	autumn 2005 till spring 2007	93
39	Effect of seasons, sites and their interaction on the fresh forage	
	yield (kg/m ²) of the naturally grown plant species in Al-	
	Omayed location	95
40	Fresh forage yield (kg/m²) of plant species in Al-Omayed	
	location as affected by sites and seasons during the period	
	extended from autumn 2005 till spring 2007	96
41	Effect of seasons, sites and their interaction on the dry forage	
	yield (kg/m ²) of the naturally grown plant species in Al-	
	Omayed location	97
42	Dry forage yield (kg/m ²) of plant species in Al-Omayed	
	location as affected by sites and seasons	98
43	Effect of seasons, sites and their interaction on the total	
	carbohydrate percentage of the naturally grown plant	
	species	99
44	Total carbohydrate percentage of plant species in Al-Omayed	
	location as affected by sites and seasons during the period	
	extended from autumn 2005 till spring 2007	101
45	Effect of seasons, sites and their interaction on the crude	
	protein percentage of the naturally grown plant species in Al-	
	Omayed location	102
46	Crude protein percentage of plant species in Al-Omayed	
	location as affected by sites and seasons	103
47	Effect of seasons, sites and their interaction on the crude fiber	
	percentage of the naturally grown plant species in Al-Omayed	
	location	104

48	Crude fiber percentage of plant species in Al-Omayed location	
	as affected by sites and seasons	105
49	Effect of seasons, sites and their interaction on the ash	
	percentage of the naturally grown plant species in Al-Omayed	
	location	106
50	Ash percentage of plant species in Al-Omayed location as	
	affected by sites and seasons during the period extended from	
	autumn 2005 till spring 2007	107
51	Initial composition (DM , \ensuremath{CP} and \ensuremath{CF}) of the digested plant	
	species	109
52	In situ digestibility of dry matter for the tested plant species	
	during 24 and 72 hrs	110
53	In situ digestibility of crude protein for the tested plant species	
	during 24 and 72 hrs	112
54	In situ digestibility of crude fiber for the tested plant species	
	during 24 and 72 hrs	113

LIST OF FIGURES

No.	•	Page
1	The two areas (locations) under study (Fuka and Al-Omayed)	
	at North Western Coast of Egypt	32
2	North Western Coast of Egypt and two study areas (Fuka and	
	Al-Omayed locations)	39
3	First location under study at North Western Coast of Egypt	
	(Fuka area)	40
4	Range plant families percentage in Fuka location	48
5	Effect of seasons and sites interaction on the abundance of	
	plant species	51
6	Effect of seasons and sites interaction on the frequency % of	
	plant species	54
7	Effect of seasons and sites interaction on the coverage % of	
	plant species	57
8	Effect of seasons and sites interaction on the plant density (m²)	
	of plant species	60
9	Effect of seasons and sites interaction on the fresh forage yield	
	(kg/m ²) of plant species	61
10	Effect of seasons and sites interaction on the dry forage yield	
	(kg/m ²) of plant species	64
11	Second location under study at North Western Coast of Egypt	
	(Al-Omayed area)	76
12	Range plant families percentage in Al-Omayed location	83
13	Effect of seasons and sites interaction on the abundance $\%$ of	
	plant species in Al-Omayed location	86
14	Effect of seasons and sites interaction on the frequency $\%$ of	
	plant species	87
15	Effect of seasons and sites interaction on the coverage % of	
	plant species in Al-Omayed location	90

16	Effect of seasons and sites interaction on the plant density (m ²)	
	of plant species in Al-Omayed location	94
17	Effect of seasons and sites interaction on the fresh forage yield	
	(kg/m²) of plant species in Al-Omayed location	95
18	Effect of seasons and sites interaction on the dry forage yield	
	(kg/m ²) of plant species in Al-Omayed location	99

ACKNOWLEDGMENT

The author wishes to express his sincere appreciation and gratitude to his major **Prof. Dr. Tawakul Y. Rizk** Professor of Agronomy, Agronomy Department, Faculty of Agriculture, Ain Shams University for suggesting the problem, valuble supervision, helpful suggestions and fruitful advice during the entire course of the work as well as his valuble effort during the preparation of the manuscript.

Deep gratitude are also due to **Prof. Dr. Mohamed H. EL-Agroudy** Professor of Agronomy, Agronomy Department, Faculty of Agriculture, Ain Shams University for his supervision and helpful assistance during the achievement of this work.

Sincere thanks and deep gratitude are due to **Dr.Nagi H. M. Baumi.** Researcher, Plant Ecology & Range Management
Department Desert Research Center for his supervision, and help in
the practical part of this work. Also, deep gratitude are due to **Dr. Khaled. Z. Kewan.** Mariut Research Station, Desert Research
Center, for his help in biological evaluation of range plant species in
this work.

Sincere thanks are expressed to all staff members of Agronomy Department, Faculty of Agriculture, Ain Shams University. Also great appreciation to my family in Syria and my dear wife for their help and support, I feel deeply grateful to my dear country Syria.