# PHYTOTHERAPEUTIC STUDIES ON BIOPHENOLICS OF GENUS PISTACIA FAMILY ANACARDIACEAE CULTIVATED IN EGYPT

Thesis Submitted to

Faculty of Pharmacy Ain Shams University

In partial fulfillment of the requirements

For the degree of

Doctor of Philosophy in Pharmaceutical Sciences

(In Pharmacognosy)

#### By

#### Ashaimaa Yehia Mohammed Mohammed Moussa

B.Pharm.Sci.
Faculty of Pharmacy, Ain Shams University, 2001
M.Pharm.Sci.
Faculty of Pharmacy, Ain Shams University, 2008

Department of Pharmacognosy Faculty of Pharmacy Ain Shams University Abbasia, Cairo, Egypt 2012

### Under the Supervision of

### Nahla Abd El-Hamid Ayoub, Ph.D

Professor of Pharmacognosy
Head of department of Pharmacognosy
Faculty of Pharmacy
Ain shams University

### Khalid Teama Ph.D. Rola Milad Labib Ph.D.

Professor of Urology Faculty of Medicine Ain Shams University

Lecturer of Pharmacognosy Faculty of Pharmacy Ain Shams University

Department of Pharmacognosy Faculty of Pharmacy Ain Shams University Abbasia, Cairo, Egypt 2012



## ACKNOWLEDGMENTS

First of all, I would like to extend due praise and thanks to Allah for lightening my way.

I would like to express my deepest gratitude, sincere thanks and profound appreciation to:

Prof. Dr. Nahla Abd Al-Hamid Ayoub, Professor of Phytochemistry, Head of Department of pharmacognosy, Ain Shams University, for her interest, kind support, constructive criticism, guidance, variable knowledge, valuable scientific advice and extensive efforts throughout this thesis. She is a role model for a great scientist and helpful professor. I am truly honored to be her student in master and Phd, Also one of the members of her respectable scientific school.

Dr. Rola Milad Labib, Lecturer of phytochemistry, Department of pharmacognosy, Ain Shams University, for her continuous encouragement, sound advice and kind help specially during writing and revising the thesis.

Prof. Dr. Ashraf Bahii el-Deen, Professor of Pharamcology, Head of Department of pharmacology, Ain Shams University, for his generous support, constructive cooperation and hosting the anti-inflammatory study which was performed in his laboratory.

Prof. Dr. for his essential assistance and valuable guidance in the evaluation of antibacterial activity, which was performed in his pathology laboratory.

Prof. Dr. Khaled Taema, Professor of Urology, Department of General Surgery, Faculty of Medicine, Ain Shams Universey, for his support in the clinical antimicrobial study.

I am deeply thankful to all my senior colleagues at Department of Pharmacognosy, Ain Shams University Dr. Sherwet El-Ahmady, Dr. Omyma el-Dahshan, Dr. Mohammed Ashour, Dr. Mohamed El-Shazly for their cooperation, encouragement and support.

I would like to extend my thanks to my colleagues: Eman Kamal, Haidy Gad for their sincere friendship in many years of work we shared. And the younger generatons: Mohamed said, Ahmed Essam, Sally, Amir Alfonce, Eriny Ayoub, Fadia Salah, Nada Moustafa, Naglaa Ezz ElDin for their cooperation, support and encouragement.

I would like to express my deepest gratitude and endless love to my husband M.p. Major/Anas El-Sherif for all his support, encouragement, and infinite patience & love. My children Hussein and Shams whom I hope will always be proud of me as I am of them.

Finally, I would like to present this work to **my mother** for her endless motivation, support  $\mathcal L$  praying for me in hard moments, asking Allah to extend her life to be always proud of me.

Ashaimaa yehia

2011

TABLE OF CONTENTS	Page
ABBREVIATIONS. LIST OF FIGURES. LIST OF TABLES.	ix
INTRODUCTION REVIEW OF LITERATURE MATERIAL, APPARATUS AND METHODS TAXONOMY	4 67
CHAPTER 1	
Antiinflammatory Activity of the Aerial Part Extract of <i>Pistacia Khin</i> Stocks	
1. Introduction	91
2. Inflammatory mediators	91
3. Experimental Design	102
3.1. Determination of the median lethal dose (LD <sub>50</sub> )	103
3.2. Effect of <i>Pistacia khinjuk</i> Stocks extract on paw volume and PG carrageenin-induced rat edema.	
3.3. Effect of <i>Pistacia khinjuk</i> Stocks extract on croton oil-induced e edema, MPO tissue activity and histopathological changes	
3.4. Effect of <i>Pistacia khinjuk</i> Stocks extract on NO and TNF-α in ai pouch model	
Discussion	113

CHAPTER 2: Page Antimicrobial Clinical Study
CHAPTER 3:  1. Phytochemical Screening of the aerial parts of <i>Pistacia khinjuk</i> Stocks
2. Phytochemical Investigation of the aqueous methanolic extract of the Aerial parts of <i>Pistacia khinjuk</i> Stocks
2.1. Identification of Compound 1: (3, 4, 5-trihydroxy benzoic acid); Gallic acid:
2.2. Identification of Compound 2: (4, 5-dihydroxy -3- <i>O</i> -methyl benzoic acid); (3- <i>O</i> -methyl gallate):
2.3. Identification of Compound 3: 1, 6-digalloyl $\beta$ - $D$ - glucose125
2.4. Identification of Compound $\underline{4}$ : 1, 4-digalloyl $\beta$ - $D$ - glucose127
2.5. Identification of Compound $\underline{5}$ : 1, 3-di- $O$ -galloyl - ${}^4C_1$ -glucopyranoside
2.6. Identification of Compound <u>6</u> : 2, 3-di- $O$ -galloyl $(\alpha/\beta)$ - $^4C_1$ -glucopyranoside); nilocitin:
2.7. Identification of Compound 7: 2- <i>O</i> -galloyl 3- <i>O</i> -valoneoyl dilactone $(\alpha/\beta)^{-4}C_{I}$ -
glucopyranoside:
2.8. Identification of Compound 8: Valoneoic acid dilactone:143
2.6. Identification of Compound 9: Quercetin-3- $O$ - $\beta$ - $D$ - $^4C_I$ -galactopyranoside; (Hyperin):
2.7. Identification of Compound <u>10</u> : Myricetin-3- $O$ - $\alpha$ - $L$ - $^1C_4$ rhamnopyranoside; (Myricitrin)
2.8. Identification of Compound 11: Quercetin-3- $O$ - $\alpha$ - $L$ - $^{1}C_{4}$ -
rhamnopyranosyl(1" $\rightarrow$ 6")- $O$ - $\beta$ - $D$ -glucopyranoside ;(Rutin)158

2.9. Identification of Compound 12: Kaempferol-3- $O$ - $\alpha$ - $L$ - $^1C_4$ -
rhamnopyranosyl (1"' $\rightarrow$ 6")- $O$ - $\beta$ - $D$ -glucopyranoside; Nicotoflorin.160
2.10. Identification of Compound 13: Luteolin -7- $O$ - $\alpha$ - $L$ - $^1C_4$ -
rhamnopyranosyl (1"' $\rightarrow$ 6")- $O$ - $\beta$ - $D$ -glucopyranoside162
2.11. Identification of Compound <u>14</u> : Myricetin-3- $O$ - $\beta$ - $D$ - $^4C_1$ -
glucopyranoside164
2.12. Identification of Compound <u>15</u> : Catechin173
2.13. Identification of Compound 16: 3, 5, 7, 4'-tetrahydroxyflavone; Kaempferol
2.14. Identification of Compound 17: 3, 5, 7, 3', 4', 5'-hexahydroxyflavone; Myricetin
2.15. Identification of Compound 18: 3, 5, 7, 3', 4'-pentahydroxyflavone;  Quercetin
2.16. Identification of Compound <u>19</u> : Luteolin
GENERAL SUMMARY
CONCLUSION AND RECOMMENDATION
ARABIC SUMMARY

#### **ABBREVIATIONS**

ABTS 2, 2'-azino-bis (ethylbenzothiozoline-6-sulphonic acid)

aq. Aqueous

ax. Axial

b.wt body weight

BHA Butylated Hydroxy Anisol

BHT Butylated hydroxyl Toluene

<sup>13</sup>C-NMR <sup>13</sup>C- Nuclear Magnetic Resonance

CC Column Chromatography

CEL Cellulose

CHD Chronic Heart disease

CI-MS Chemical Ionization Mass Spectroscopy

Cm Centimeter

CMC Carboxy Methyl Cellulose

CMG Chewing Mastic Gum

CML Chronic Myelogenous Leukemia

Conc. Comcentrated

CoPC Comparative Paper Chromatography

COX Cyclooxygenase enzyme

δ Chemical Shift

Dil. Diluted

DMSO Dimethylsulfoxide

DNA Deoxyribonucleic acid

DPPH Diphenyl picrazyl hydrate

DPP 12-deoxyphorbol-13-phenylacetate

EDTA Ethylene diamine tetra acetic acid.

EI-MS Electron Impact Mass Spectroscopy

Eq. Equatorial

ESI-MS Electron Spray Ionization Mass Spectrometry

FAB-MS Fast Atomic Bombardment Mass Spectrometry

FID Flame Ionization Detector

Fig. Figure

FRAP Ferric Reducing Ability of Plasma

g Gram

GLC Gas Liquid Chromatography

GC-MS Gas Chromatography coupled to Mass Spectrometry

GSH Glutathione

HepG2 Human Hepatoblastoma

<sup>1</sup>H-NMR Proton Nuclear Magnetic Resonance

HPLC High Performance Liquid Chromatography

HDL High Denisty Lipoprotein

hr Hour

Hz Hertz

IC<sub>50</sub> Inhibitory concentration at 50%

In. Inch

IR Infra red

J value Coupling constant

Kg Kilogram

L Liter

LD<sub>50</sub> Median Lethal Dose

LDL Low Denisty Lipoprotein

LH20 Lipophylic Hydrophilic ratio

LPS Lipopolysaccaride

LOX Lipoxygenase enzyme

LTB<sub>4</sub> Leukotriene B<sub>4</sub>

MDA Malondialdehyde

M.P. Melting Point

M<sub>r</sub> Molecular weight

*m/z* Mass to Charge Ratio

mg Milligram

min. Minute

ml. Milliliter

MPO Myeloperoxidase enzyme

MS Mass Spectrometry

NA Not Available

nm Nanometer

NOAEL No Observed Adverse Effect Level

NO Nitric oxide

PC12 Rat Pheochromocytoma cell line

PC Paper Chromatography

PLA<sub>2</sub> Phospholipase A<sub>2</sub>

PPC Preparative Paper chromatography

Ppm Part per million

R.I. Retention Index

R<sub>f</sub> Retardation Factor

rpm Revolution per minute

R<sub>t</sub> Retention time

RNA Ribonucleic Acid

SE Standard Error

SC Subcutaneous

SFA Saturated Fatty Acid

SGOT Serum Glutamate Oxaloacetic acid Transaminase

SGPT Serum Glutamate Pyruvate Transaminase

SOS DNA Damage Repair System

2-DPC Two Dimentional Paper Chromatography

TLC Thin Layer Chromatography

TNF- $\alpha$  Tumor Necrotic Factor -alpha

TPA 12-*O*-tetradecanoylphorbol-13-acetate

2D Two dimentional

TMS Tetramethylsilane

UV Ultraviolet

USFA Unsaturated Fatty Acid

v/v volume per volume

 $[\alpha]_D^{\circ C}$  Specific rotation

 $\lambda$  Wavelength

XO Xanthine Oxidase

μ Micro

μl Microliter

### LIST OF FIGURES

Figu	igure Page	
1.	A Photograph of the whole tree of <i>Pistacia khinjuk</i> Stocks97	
2.	A Photograph of the leafy branch of <i>Pistacia khinjuk</i> Stocks97	
3.	Effect of <i>Pistacia khinjuk</i> Stocks. extract on PGE <sub>2</sub> production in exudates from carrageenin-treated rats	
4.	Effect of <i>Pistacia khinjuk</i> Stocks. extract on MPO activity in croton oil-induced edema	
5.	A- Effect of <i>Pistacia khinjuk</i> Stocks extract on histopathological changes in croton oil-induced ear edema experiment (Plate A)	
	B- Effect of <i>Pistacia khinjuk</i> Stocks extract on histopathological changes in croton oil-induced ear edema experiment. (Plate B)	
	C- Effect of <i>Pistacia khinjuk</i> Stocks extract on histopathological changes in croton oil-induced ear edema experiment. (Plate C)110	
	D- Effect of <i>Pistacia khinjuk</i> stocks extract on histopathological changes in croton oil-induced ear edema experiment. (Plate D)(64 x)	
6.	Effect of <i>Pistacia khinjuk</i> stocks extract on NO level in rat air pouch model	
7.	Effect of <i>Pistacia khinjuk</i> Stocks extract on TNF-α release in rat air pouch model	