



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

RISK MANAGEMENT IN ANESTHESIA

Essay

*Submitted for Partial Fulfillment of the
Master Degree in Anesthesia*

Presented BY

Maysoon Farouk Hamed

M.B., B.Ch.

Supervised by

Dr. Amina Abul-Ela Eleyw

*Assistant Professor of Anesthesiology
Faculty of Medicine
Cairo University*

Dr. Inas El-Ghareeb Elshazly

*Assistant Professor of Anesthesiology
Faculty of Medicine
Cairo University*

**Faculty of Medicine
Cairo University
2002**

For
✓

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million (1990-1999) and is projected to increase by a further 1.5 million by 2010 (Office for National Statistics 2000). The number of people aged 65 and over is projected to increase by 2.5 million by 2020 (Office for National Statistics 2000).

There is a growing awareness of the need to develop strategies to meet the needs of the ageing population. The Department of Health (1999) has published a strategy for the ageing population, which sets out the government's commitment to improve the health and well-being of older people. The strategy is based on the following principles:

- To improve the health and well-being of older people.
- To ensure that older people are able to live independently and actively.
- To ensure that older people are able to participate in society.
- To ensure that older people are able to live in their own homes.

The strategy is based on the following principles:

- To improve the health and well-being of older people.
- To ensure that older people are able to live independently and actively.
- To ensure that older people are able to participate in society.
- To ensure that older people are able to live in their own homes.

The strategy is based on the following principles:

- To improve the health and well-being of older people.
- To ensure that older people are able to live independently and actively.
- To ensure that older people are able to participate in society.
- To ensure that older people are able to live in their own homes.

The strategy is based on the following principles:

- To improve the health and well-being of older people.
- To ensure that older people are able to live independently and actively.
- To ensure that older people are able to participate in society.
- To ensure that older people are able to live in their own homes.

The strategy is based on the following principles:

- To improve the health and well-being of older people.
- To ensure that older people are able to live independently and actively.
- To ensure that older people are able to participate in society.
- To ensure that older people are able to live in their own homes.

The strategy is based on the following principles:

- To improve the health and well-being of older people.
- To ensure that older people are able to live independently and actively.
- To ensure that older people are able to participate in society.
- To ensure that older people are able to live in their own homes.

The strategy is based on the following principles:

- To improve the health and well-being of older people.
- To ensure that older people are able to live independently and actively.
- To ensure that older people are able to participate in society.
- To ensure that older people are able to live in their own homes.

محضر

اجتماع لجنة الحكم على الرسالة المقدمة من
الطبيبة هيفاء خازن بدر
توطئة للحصول على درجة الماجستير / الدكتوراه
في التخدير

تمت عنوان : باللغة الانجليزية : Risk Management In Anesthesia

باللغة العربية : مخاطر التخدير أثناء التخدير

بناء على موافقة الجامعة بتاريخ ٨/١٨ - ٢٠٢٠ تم تشكيل لجنة الفحص والمناقشة للرسالة
الذكورة أعلاه على النحو التالي :-

- (١) د. أحمد أبو العلا رئيس اللجنة
- (٢) د. محمد حاد مستعن داخلي
- (٣) د. محمد إسماعيل مستعن خارجي

بعد فحص الرسالة بواسطة كل عضو منفردا وكتابة تقارير منفردة لكل منهم لعائدت اللجنة مجتمعة فسي
يتم القبول بتاريخ ٨/٢٢ - ٢٠٢٠ بقرار الجنة مدمج
بكلية الطب - جامعة القاهرة وذلك لعائنة الطالب في جلسة طنية في موضوع الرسالة والنتائج التي توصل
إليها وكذلك الأسس العلمية التي قام عليها البحث .

قرار اللجنة : قبول الرسالة

بقرار الجنة مدمج

المستعن الداخلي

توصيات أعضاء اللجنة :-

المستعن المستعن

... أبنت أبو البلبل

(عصام) أبو البلبل

المستعن الخارجي

المستعن الداخلي

... أبو البلبل

ABSTRACT

Risk incidence depends on premedications, anesthetic technique and anesthetic care including skills of the anesthesiologist and monitoring techniques. In ambulatory anesthesia, rational use of combinations of anesthetic drugs will provide rapid and smooth induction, excellent intraoperative conditions and fast recovery with minimal risks.

A policy made by each department or hospital clarifying procedural components with specific outlines of proposed courses of actions for particular situations helps prevent adverse events. Policies and procedures should be broad and general.

KEY WORDS

Credentialing and Clinical Privileges

Early Detection of Patients at Risk

بسم الله الرحمن الرحيم

"قالوا سبحانك لا علم لنا إلا ما علمتنا إنك أنت العليم الحكيم"

سورة البقرة (٣٢)

صدق الله العظيم

ACKNOWLEDGEMENT

First of all, I thank "ALLAH" to whom I relate any success in achieving any work in my life.

I would like to express my endless gratitude and appreciation to Dr. Amina Abul-Ela, Assistant Professor of Anesthesiology, Faculty of Medicine, Cairo University, for giving me the honour to work under her meticulous supervision and for providing me a lot of encouragement and support throughout the study.

My sincere thanks and respect go to Dr. Enas Elshazly, Assistant Professor of anesthesiology, Faculty of Medicine, Cairo University, for her generous time, valuable advice, kind supervision, wise help, continuous guidance and encouragement and her follow up for this study.

Last but not least, I would like to thank my family and my husband, as they supported me with ongoing care through out this work.

