

دراسة مقارنة بين قياس ال ن ج ال والإنترلوكين-١٨ ونسبة الكرياتينين في الإكتشاف المبكر للقصور الحاد بوظائف الكلى في المرضى ذوي الحالات الحرجة

رسالة مقدمة من
الطبيب/ عطاء أحمد علي عبد العزيز
توطئة للحصول على درجة الدكتوراة فى
الرعاية المركزة

تحت إشرافه

الأستاذ الدكتور إبراهيم عبد الغنى إبراهيم

أستاذ التخدير والرعاية المركزة

كلية الطب - جامعة عين شمس

الأستاذ الدكتور منى محمد رفيق

أستاذ الباثولوجيا الإكلينيكية

كلية الطب - جامعة عين شمس

الدكتور عادل محمد الأنصارى

أستاذ مساعد التخدير والرعاية المركزة

كلية الطب - جامعة عين شمس

الدكتور محمد عبد السلام الجندى

مدرس التخدير والرعاية المركزة

كلية الطب - جامعة عين شمس

**Comparative study of Urinary neutrophil
gelatinase-associated lipocalin and Interlukin-
18 versus serum creatinine in early detection of
acute kidney injury in critically ill patients**

Thesis

*Submitted for Partial Fulfilment of
MD Degree in Intensive care*

By

Attaa Ahmed Ali Abdel-Aziz

M.B. B.Ch, M. Sc intensive care
Faculty of Medicine, Ain Shams University

Supervised By

Prof. Dr. Ibrahim Abd El-Ghany Ibrahim

*Professor of Anaesthesia and Intensive Care
Faculty of Medicine - Ain Shams University*

Prof. Dr. Mona Mohamad Rafik

*Professor of Clinical Pathology
Faculty of Medicine - Ain Shams University*

Dr. Adel Mohamad Al-Ansary

*Assistant Professor of Anaesthesia and Intensive Care
Faculty of Medicine - Ain Shams University*

Dr. Mohammad AbdAlsalam Algendy

*Lecturer of Anaesthesia and Intensive Care
Faculty of Medicine – Ain Shams University*

*Faculty of Medicine
Ain Shams University*

2017

To My Nation Struggling for Glory

To My Family for their Support

To My Mentors for their Guide

Review

Patients and Methods

Results

Discussion

Conclusion

English Summary

References

الملخص العربي

Acknowledgments

First of all I will experience my deep gratefulness to our creator "**Allah**" who always helps and guides us.

Then, I will have to express a great acknowledgment to the great professor **Prof Dr. Ibrahim AbdelGhani**, professor of anaesthesia and intensive care for his untiring help in both academic and non-academic matters. It is a pleasure and honour to work under his supervision. I am also deeply thanking **Prof. Dr. Mona Rafiq**, professor of clinical pathology, for her skilled guidance and expert criticism during the entire course of preparing this thesis. Then, I will thank my mentor **Dr. Adel Al-Ansary**, assistant professor of anaesthesia and intensive care for his meticulous and persistent guidance during my journey in this thesis and in developing my knowledge and research skills. Also, I will provide my sincere thanks to **Dr. Mohamad AlGendi**, lecturer of anaesthesia and intensive care for all his guidance, encouragement, teaching and help during all my development in medical and research field.

Finally, I would deeply thank my dear family whom through their great help did I finish my work.

﴿وَفِي أَنْفُسِكُمْ أَفَلَا تُبْصِرُونَ﴾

سورة الذاريات الآية ٢١

Contents

Contents.....	1
List of tables	2
List of figures	3
List of abbreviations.....	4
Review.....	6
Acute kidney injury.....	7
Urine neutrophil-gelatinase associated lipocalin	22
Urine Interleukin-18.....	35
Patients and methods.....	43
Results	49
Discussion	61
English summary.....	69
Conclusion	73
References	77
Arabic summary	99

List of tables

Table (1): Classification/Staging system for AKI.....^	
Table (2): Demographic data and admission diagnosis of the studied group.....	48
Table (3): Outcome data.....	49
Table (4): Difference between AKI and no AKI groups regarding renal biomarkers	50
Table (5): uNGAL correlation with other biochemical parameters	50
Table (6): uIL-18 correlation with Creatinine.....	51
Table (7): Diagnostic performance of renal biomarkers in prediction of overall AKI.....	51
Table (8): Difference between AKI and no AKI groups regarding renal biomarkers	53
Table (9): Diagnostic performance of renal biomarkers in prediction of overall AKI.....	54
Table (10): Comparison between patient presenting with AKI	55
Table (11): AKI predictivity of various biomarkers to AKI at admission.....	55
Table (12): Sensitivity and specificity of uIL-18 in diagnosis of AKI at admission	56