







شبكة المعلومــات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

40-20 في درجة حرارة من 15-20 منوية ورطوبة نسبية من

To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %









A NEW METHOD FOR EMBEDDING TEMPORAL BONE TO STUDY THE EFFECT OF CISPLATIN ON THE INNER EAR OF GUINEA PIGS

Thesis
Submitted in Partial Fulfillment for
M.D. Degree of Otolaryngology

By
HESHAM ABD EL-RAHMAN ABD EL-SAMIE
M.B.B.Ch., M.Sc.

Under Supervision Of

PROF. DR. AHMED SLEET

Prof. of Otorhinolaryngology Benha Faculty of Medicine Zagazig University

PROF. DR. MAHMOUD ABD EL-GHAFAR

Ass. Prof. of Otorhinolaryngology Benha Faculty of Medicine Zagazig University

DR. HAMDY EL-ZOBEAR

Lecturer of Histology Benha Faculty of Medicine Zagazig University

BENHA FACULTY OF MEDICINE ZAGAZIG UNIVERSITY

1999



· . .



ACKNOWLEDGMENT


I would like to express my deepest gratitude to **PROF. DR. WADIE MIKHAEL**, Head of E.N.T. Department, Benha Faculty of Medicine, Zagazig University. He provided me with invaluable advice and continuous encouragement.


I'm also greatly indebted to *PROF. DR. AHMED SLEET*, Prof. of E.N.T., Benha Faculty of Medicine, for his kind participation in the supervision of this study, he gave me so much of his valuable time to produce this work in its present form.

My cordial thanks and gratitude to *PROF. DR. MAHMOUD ABD EL-GHAFAR*, Assist. Prof. of E.N.T., Benha Faculty of Medicine, I had privileged to benefit from his extensive knowledge and sound judgment. It a pleasure to acknowledge his kind advice and oustanding services.

Finally I'm truly appreciative of the help given to me by *DR*. *HAMDY EL-ZOBEAR*, Lecturer of Histology, Benha Faculty of Medicine, I'm greatly indebted to him for his endless help, sincere cooperation and kind assistance.

HESHAM ABD EL-RHMAN





,					
		·			
			·		
				·	
				·	

LIST OF ABBREVIATIONS

MMA	Methyl methacrylate	
1,11,11,1	1 Trictiff inothact ylate	ʻ
	1	
		`
OLICa	Outen health cells	
OHCs	Outer hair cells	
H		,
		•
_{***} ***		•
IHCs	Inner hair cells	

				•	
	•				
	,				•
			٠		
•					
·					

LIST OF TABLES

Table	Title	Page
	Materials and Methods	
A-	Classification of guinea pigs and dose of cisplatin	62
	administration.	
	Results	
1-	Distribution of cochleas affected by OHCs changes that	94
	observed after application of new and old methods of	
į	temporal bone embedding in group I (Acute treated	
	group)	
2-	Distribution of Affected cochleas by degenerative	
	changes of OHCs in 1 st , 2 nd and 3 rd turns of cochleas in	94
3-	Bistribution of eachloss offseted by IIICs above the	
,,,	Distribution of cochleas affected by IHCs changes that observed after application of new and old methods in	0.5
	group I.	95
4-	Distribution of IHCs changes of in 1 st , 2 nd and 3 rd turns	95
	of cochleas in group I.	7.5
5-	Distribution of cochleas affected by supporting cells	··
	changes that observed after application of new and old	96
	methods in group I.	
6-	Distribution of supporting cell changes in 1 st , 2 nd and 3 rd	96
	turns of cochleas in group I.	
7-	Distribution of cochleas affected by stria vascularis	97
	changes that observed after application of new and old	
	methods in group I	
8-	Distribution of stria vascularis changes in 1 st , 2 nd and 3 rd	97
9-	turns of cochleas in group.	
9-	Distribution of cochleas affected by spiral ganglion	98
	cells changes that observed after application of new and old methods in group I.	
10-	Distribution of spiral ganglion cells changes in 1 st , 2 nd	- 00
1	and 3 rd turns of cochleas in group I.	98
11-	Distribution of cochleas affected by OHCs changes that	111
	observed after application of new and old methods of	111
	temporal bone embedding in group II (Acute treated	
	group).	

12-	Distribution of Affected cochleas by degenerative changes of OHCs in 1 st , 2 nd and 3 rd turns of cochleas in group II.	111
13-	Distribution of cochleas affected by IHCs changes that observed after application of new and old methods in group II.	112
14-	Distribution of IHCs changes of in 1 st , 2 nd and 3 rd turns of cochleas in group II.	112
15-	Distribution of cochleas affected by supporting cells changes that observed after application of new and old methods in group II.	113
16-	Distribution of supporting cell changes in 1 st , 2 nd and 3 rd turns of cochleas in group II.	113
17-	Distribution of cochleas affected by stria vascularis changes that observed after application of new and old methods in group II	114
18-	Distribution of stria vascularis changes in 1 st , 2 nd and 3 rd turns of cochleas in group II.	114
19-	Distribution of cochleas affected by spiral ganglion cells changes that observed after application of new and old methods in group II.	115
20-	Distribution of spiral ganglion cells changes in 1 st , 2 nd and 3 rd turns of cochleas in group II.	115
21a,b	Distribution of degenerative changes of OHCs at basal turns in both group I and group II.	121 122
22 a,b	Distribution of degenerative changes of IHCs at basal turns in both group I and group II.	123
23 a,b	Distribution of degenerative changes of supporting cells at basal turns in both group I and group II.	124
24 a,b	Distribution of degenerative changes of stria vascularis at basal turns in both group I and group II.	125
25 a,b	Distribution of degenerative changes of spiral ganglion cells at basal turns in both group I and group II.	126
26 a,b	Distribution of degenerative changes of OHCs at middle turns in both group I and group II.	127