



Ain Shams University
Faculty of Science
Physics Department

Effect of Some Heavy Metals on Physical and Radiation Shielding Properties of Different Glass Systems

Ph.D. Thesis in Physics Submitted to Physics Department,
Faculty of Science, Ain Shams University
Cairo, Egypt

By

Walid Adel Ahmed Mohamed

M.Sc., in Experimental Physics
Supervisors

Prof. Dr/ Samir Ushah El khamisy

Professor of Nuclear Physics
Ain Shams University

Prof. Dr/ Soad Abd El-Monem El fiki

Professor of Radiation Physics
Ain Shams University

Prof. Dr/ Sayed Yahia El-Zayat

Professor of Physics
Ain Shams University

Prof. Dr/ Gamal Mahmoud Youef

Professor of Solid State Physics
Ain Shams University

Dr/ Heba Ali Hassan Saady

Asst. Professor of Nuclear Physics
Al Azhar University

2017



Ain Shams University
Faculty of Science
Physics Department

Degree: Ph.D. in Physics

Title: Effect of Some Heavy Metals on Physical and Radiation
Shielding Properties of Different Glass Systems

Name: Walid Adel Ahmed Mohamed

Thesis Advisors

Approved

Prof. Dr. / Samir ushah El-Khamisy

Physics Department, Faculty of Science,
Ain Shams University

Prof. Dr. / Soad Abd El-Monem El fiki

Physics Department, Faculty of Science,
Ain Shams University

Prof. Dr/ Sayed Yahia El-Zayat

Physics Department, Faculty of Science,
Ain Shams University

Prof. Dr. / Gamal Mahmoud Yosef

Physics Department, Faculty of Science,
Ain Shams University

Prof. Dr. / Heba Ali Hassan Saudy

Physics Department, Faculty of Science,
Al Azhar University

.....

.....

.....

.....

.....



Ain Shams University
Faculty of Science
Physics Department

Name: Walid Adel Ahmed Mohamed

Degree: Ph.D. in Physics

Department: Physics

Faculty: Science

University: Ain Shams

Graduation date: 2005, Ain Shams University

Registration date: 12/1/2014

Grant date: 2017



Ain Shams University
Faculty of Science
Physics Department

Approval Sheet

Degree: Ph.D. in Physics

Title: Effect of Some Heavy Metals on Physical and
Radiation Shielding Properties of Different Glass Systems

Name: Walid Adel Ahmed Mohamed

This Thesis for Ph.D. degree has been approved by

Prof. Dr. / Samir Ushah El-Khamisy

Physics Department, Faculty of Science,
Ain Shams University

Prof. Dr./ Soad Abd El-Monem El fiki

Physics Department, Faculty of Science,
Ain Shams University

Prof. Dr. / Mohamad Suhaimi Jaafar

Professor of Radiation Science (Retired)
School of Physics, Universiti Sains Malaysia

Prof. Dr. / Hoda Mohamed Eisa

Professor of Radiation Physics
National Institute of Standards

Acknowledgement

Acknowledgement

First of all, **the Author** bows head thanking to “**Allah**” who paved the way and only by his will everything can be achieved, for helping and inspiring to accomplish all this work.

The Author is deeply grateful to **Prof. Dr. Samir ushah El khamisy**, Professor of Nuclear Physics, Faculty of Science, Ain Shams University, for giving this opportunity to work under his esteemed guidance, for suggesting the work and supervising it, for useful comments and help during the course of this work. Under his supervision **the Author** successfully overcomes many difficulties and learned a lot. **the Author** also wishes to express profound gratitude for his constant encouragement and critical discussions throughout this research program and during the preparation of this thesis.

Deep thanks and sincere gratitude with appreciating to **Prof. Dr. Soad Abd El-Moneem El-fiki**, Professor of Radiation Physics, Faculty of Science, Ain Shams University,. This work would not have been possible without her guidance, support and encouragement. For her effective supervision, helpful comments, and the extensive time she devoted to this work, providing many facilities during preparation and experimental measurements, and scientific supervision that helped to accomplish this study.

The Author is also grateful to his advisor **Prof. Dr. Sayed Yahia El-Zayat**, Professor of Physics, Faculty of Science, Ain Shams University, for her supervision, advice, and crucial contribution from the very early stage of this research by his fruitful discussion throughout this work. Above all and

the most needed, he provided me unflinching encouragement and support in various ways.

***The Author** is deeply indebted to his advisor **Prof. Dr/ Gamal Mahmoud Yosef**, Professor of Solid Physics, Faculty of Science, Ain Shams University, for his constant support and useful discussion. For his effective supervision, helpful comments, and the extensive time he devoted to this work, providing many facilities during preparation and experimental measurements, and scientific supervision that helped to accomplish this study. Without his help, this work would not be possible.*

***The Author** owes a great debt of gratitude to the completion of this work to **Prof. Dr./ Heba Ali Saudy**, Assistant of Nuclear Physics, Faculty of Science, Al-Azhar University, for her sincere help, continuous supervision, continuous guidance and for her insightful comments and encouragement, and also for helping to find out answers for many questions which enabled widening research from various perspectives.*

*Finally, **the Author** takes this opportunity to express **sincere** gratitude to his **family, especially his Parents and Wife** for their unceasing encouragement, help and their support in his decisions. Without whom **the Author** could not have made it here.*

Walid Adel

Contents

Contents

Content	Page No.
Acknowledgement	I
Contents	III
List of Tables	VI
List of Figures	VII
List of Abbreviations	XI
List of Symbols	XII
Abstract	XIII
CHAPTER I	Introduction
1.1. Background	1
1.2. Problem Statement	1
1.3. Research Objective	3
1.4. Scope of The Research	3
CHAPTER II	Literature Review
2.1. Introduction to Radiation	4
2.2. Radiation Hazards and Principles of Protection	6
2.3. Radiation Shielding Materials	10
2.3.1. Gamma-Ray Shielding Materials	11
2.3.2. Neutron Shielding Materials	12
2.3.3. Current Neutron-Gamma Radiation Shielding Materials	13
2.4. Novel Shielding Materials	14
2.5. Introduction to Glass materials	15
2.6. Characteristics of glassy materials	17
2.6.1. Thermodynamics of Glass Formation (The V-T	17

diagram)	
2.6.2. Glass Forming Substances	18
2.6.3. Kinetic Theory of Glass Formation	20
2.7. Methods of Glass Preparation	22
2.7.1. Melt– Quench Technique	23
2.8. Borosilicate Glasses	25
2.9. Heavy Metal Elements as A glass Modifier	27
2.10. Rare Earth Elements as A glass Modifier	28
2.10.1. Applications of Rare-earth- Materials	29
2.11. Applications of Glass in Nuclear Science	30
2.11.1. Glass as Shielding Materials	30
2.11.2. Glass as Waste Disposal Materials	31
2.11.3. Glass as Radiation Detectors	31
2.12. Literature Survey	32
CHAPTER III	Methodology
3.1. Samples Preparation	40
3.2. Measurements and Calculations	41
3.2.1. Structural Characteristics	41
3.2.2. Optical Properties Measurements	43
3.2.3. Radiation Attenuation Measurements and Calculations	45
3.3. Experimental Error Calculation	50
CHAPTER IV	Results and Discussion
4.1. Boro-Silicate Containing Lead System	51
4.1.1. Structural Properties	51
4.1.2. Optical Properties	59
4.1.3. Attenuation Properties	62
4.2. Lead Boro-Silicate Containing Gadolinium	71

System	
4.2.1. Structural Properties	71
4.2.2. Optical Properties	78
4.2.3. Attenuation Properties	80
CHAPTER V	Conclusion
Conclusion	87
References	89
Arabic Summary	

List of Tables

<i>Table No.</i>	<i>Description</i>	<i>Page No</i>
Table (2.1)	Main sources of radiation	4
Table (2.2)	Dose limit recommendations (N.C.R.P)	7
Table (2.3)	Biological effects of acute dose	8
Table (2.4)	Material properties for gamma and neutron absorption	14
Table (2.5)	Various techniques and different cooling rates	25
Table (4.1)	Assignment of the infrared absorption bands present in the studied glasses	56
Table (4.2)	Half value layer (HVL) for all samples as a function of lead oxide concentrations at different gamma ray energies.	67
Table (4.3)	Assignment of the infrared absorption bands present in the 30 PbO – 20 SiO ₂ –10 Na ₂ O –x Gd ₂ O ₃ - (40 - x) B ₂ O ₃ glasses	75

List of Figures

<i>Figure</i>	<i>Description</i>	<i>Page No.</i>
Fig (2.1)	Penetrating power of ionizing radiation	6
Fig (2.2)	Relationship between glassy, liquid, and solid states	17
Fig (2.3)	Structural representation of (a) crystal and (b) glass	19
Fig (2.4)	Dependence of Rate of Crystallization of an Undercooled Liquid on Temperature	22
Fig (2.5)	Schematic presentations of different methods for the preparation of glasses a) Slow cooling b) quenching c) R F. sputtering d) thermal evaporation	24
Fig (3.1)	The prepared samples	40
Fig (3.2)	X-ray diffractometer	41
Fig (3.3)	The density measurement apparatus	42
Fig (3.4)	Schematic of an FT-IR spectrometer	43
Fig (3.5)	UV/ Vis/ IR Spectrophotometer	45
Fig (3.6)	Schematic diagram of the scintillation γ -ray spectrometer	46
Fig (3.7)	Neutron spectrum emitting from ^{241}Am -Be neutron source	49
Fig (3.8)	The neutron source cell for ^{241}Am -Be	49
Fig (3.9)	Schematic diagram of neutrons measurements	50
Fig (4.1)	The amorphicity check of the $x\text{PbO} - 20 \text{ SiO}_2 - 10 \text{ Na}_2\text{O} - (50 - x) \text{ B}_2\text{O}_3$	52
Fig (4.2)	Density and Molar volume of the $x\text{PbO} - 20 \text{ SiO}_2 - 10 \text{ Na}_2\text{O} - (50 - x) \text{ B}_2\text{O}_3$ as a function of PbO concentration	53
Fig (4.3)	The average boron-boron separation of $x\text{PbO} - 20 \text{ SiO}_2 - 10 \text{ Na}_2\text{O} - (50 - x) \text{ B}_2\text{O}_3$ as a function of PbO concentration	54
Fig (4.4)	FTIR spectra of the $x\text{PbO} - 20 \text{ SiO}_2 - 10 \text{ Na}_2\text{O} - (50 - x) \text{ B}_2\text{O}_3$	55

	glasses	
Fig (4.5)	Deconvoluted FTIR spectra of a) PbO=20 mol %, b) PbO=30 mol % c) PbO=40 mol %, d) PbO=50 mol % and e) PbO=60 mol %	57
Fig (4.6)	The fraction of the four-coordinated boron atoms, N_4 , versus the PbO content of the $x\text{PbO} - 20 \text{ SiO}_2 - 10 \text{ Na}_2\text{O} - (50 - x) \text{ B}_2\text{O}_3$	58
Fig (4.7)	Optical transmission spectra of $x\text{PbO} - 20 \text{ SiO}_2 - 10 \text{ Na}_2\text{O} - (50 - x) \text{ B}_2\text{O}_3$ glasses	60
Fig (4.8)	Variation of cutoff wavelength with PbO concentration of $x\text{PbO} - 20 \text{ SiO}_2 - 10 \text{ Na}_2\text{O} - (50 - x) \text{ B}_2\text{O}_3$ glasses	61
Fig (4.9)	Variation of optical band gap and refractive index of $x\text{PbO} - 20 \text{ SiO}_2 - 10 \text{ Na}_2\text{O} - (50 - x) \text{ B}_2\text{O}_3$ glasses as a function of PbO concentration	62
Fig (4.10a)	Attenuation relation of 20 mol % of PbO of the studied lead borosilicate glasses	63
Fig (4.10b)	Attenuation relation of 30 mol % of PbO of the studied lead borosilicate glasses	63
Fig (4.10c)	Attenuation relation of 40 mol % of PbO of the studied lead borosilicate glasses	64
Fig (4.10d)	Attenuation relation of 50 mol % of PbO of the studied lead borosilicate glasses	64
Fig (4.10e)	Attenuation relation of 60 mol % of PbO of the studied lead borosilicate glasses	65
Fig (4.11)	Mass attenuation coefficients of the prepared lead borosilicate glasses as a function of PbO concentration	66
Fig (4.12)	<i>Variation of mass attenuation coefficients with the gamma ray energies for a) PbO=20 mol %, b) PbO=30 mol % c) PbO=40 mol %, d) PbO=50 mol % and e) PbO=60 mol %</i>	68

Fig (4.13)	Mass removal cross section of fast neutron as a function of boron oxide concentration	70
Fig (4.14)	Slow neutron cross section as a function of boron oxide concentration	70
Fig (4.15)	The amorphicity check of the 30 PbO – 20 SiO ₂ –10 Na ₂ O –x Gd ₂ O ₃ - (40 - x) B ₂ O ₃ glasses	71
Fig (4.16)	Variation of density and molar volume with gadolinium oxide content of 30 PbO – 20 SiO ₂ –10 Na ₂ O –x Gd ₂ O ₃ - (40 - x) B ₂ O ₃ glasses	72
Fig (4.17)	Average boron-boron separation of 30 PbO – 20 SiO ₂ –10 Na ₂ O –x Gd ₂ O ₃ - (40 - x) B ₂ O ₃ glasses glasses as a function of Gd ₂ O ₃ concentration	73
Fig (4.18)	FTIR spectra of the 30 PbO – 20 SiO ₂ –10 Na ₂ O –x Gd ₂ O ₃ - (40 B ₂ O ₃ glasses	74
Fig (4.19)	Deconvoluted FTIR spectra of a) Gd ₂ O ₃ =0 mol %, b) Gd ₂ O ₃ =1 mol %, c) Gd ₂ O ₃ =2 mol % d) Gd ₂ O ₃ =3 mol %, and e) Gd ₂ O ₃ =4 mol %	76
Fig (4.20)	The fraction of the four-coordinated boron atoms, N ₄ , as a function of Gd ₂ O ₃ concentration	77
Fig (4.21)	Optical transmission spectra of the 30 PbO – 20 SiO ₂ –10 Na ₂ O –x Gd ₂ O ₃ - (40 - x) B ₂ O ₃ glasses	78
Fig (4.22)	Variation of optical band gap and refractive indices 30 PbO – 20 SiO ₂ –10 Na ₂ O –x Gd ₂ O ₃ - (40 - x) B ₂ O ₃ glasses as a function of Gd ₂ O ₃ concentration	79
Fig (4.23a)	Attenuation relation of 1 mol % of the 30 PbO – 20 SiO ₂ –10 Na ₂ O –x Gd ₂ O ₃ - (40 - x) B ₂ O ₃ glasses	80