



Design, Synthesis and Molecular Modeling Studies of Some Novel Trisubstituted Pyrazole Derivatives as Anticancer Agents

Thesis Presented by

Mai Ali Ahmed Khater

BSc. In Pharmaceutical Sciences (May 2011) Therapeutical Chemistry Department - NRC

Submitted for the partial fulfillment of the Master Degree
In Pharmaceutical Chemistry

Under the supervision of

Late Prof. Dr. / Mohamed A. Ismail

Professor of Pharmaceutical Chemistry Faculty of pharmacy - Ain Shams University

Prof. Dr. / Hoda H. Fahmy

Professor of Pharmaceutical Chemistry Therapeutical Chemistry Department - NRC

Assoc. Prof. Dr. / Rabah A. Taha

Associate Professor of Pharmaceutical Chemistry Faculty of pharmacy - Ain Shams University

> Faculty of Pharmacy Ain Shams University

Acknowledgments
"Whoever follows a Path in the pursuit of knowledge Allah will make a path to Jannah easy for him."
Prophet Muhammad (SAWS)

To my parents.....

Acknowledgments

Thank you **Allah** for you have showered your blessings upon me, granted me the strength and patience to pursue my goals and for that I am truly grateful.

First, I wish to express my deepest appreciation for **Prof. Dr. Mohamed Abdelhamid Ismail**, May his soul rest in peace, Professor of Pharmaceutical Chemistry, Faculty of Pharmacy, Ain Shams University, for his insightful guidance and valuable supervision throughout the course of this thesis, I am also indebted to his precious suggestions towards a better scope for my work.

I owe my truthful gratitude to **Prof. Dr. Hoda Hanem Fahmy Sayed Ahmed**, Professor of Pharmaceutical Chemistry, Pharmaceutical and Drug Industries Division, National Research Centre. I am truly thankful for her scientific supervision and fruitful opinion on my work. Her support throughout the whole work and during the writing process was the true backbone of this work. I owe her many thanks for passing her knowledge and guidance on to me.

I also would love to express my pleasure for the supervision of **Dr. Rabah Ahmed Taha**, Associate Professor of Pharmaceutical Chemistry, Faculty of Pharmacy, Ain

Shams University. Her positivity and priceless guidance particularly in the molecular modeling part was such an asset for me in person and for the continuation of this thesis.

My deepest and most sincere appreciation and gratitude goes to **Dr. Aladdin**Mohammed Srour, Associate Professor of Organic Chemistry, Pharmaceutical and

Drug Industries Division, National Research Centre, for his mentor and

companionship through this difficult path. His endless efforts and constant support in

every aspect of this work were such key players that allowed the thesis to appear in its final form.

I wish to thank **Dr. May Aly El-Manwaty**, Researcher of Pharmacognosy, Pharmaceutical and Drug Industries Division, National Research Centre, for carrying out the in-vitro anti-cancer screening study.

I also would like to thank **Prof. Dr. Adel Girgis**, Professor of Organic Chemistry, Pesticide Chemistry Department, National Research Centre and **Dr. El-Sayed Shalaby**, X-Ray Crystallography Lab, Physics Division, National Research Centre, for performing the single X-ray crystal study.

My deep thanks to members of the Therapeutical Chemistry Department, Pharmaceutical and Drug Industries Division, National Research Centre, for their kind help and cooperation.

Last but not least, I want to thank my beloved parents and brother for their unconditional love, continuous encouragement and full support throughout the whole way.

Content:

Acknowledgements:	I
Content:	V
List of figures:	VII
List of tables:	IX
List of abbreviations:	X
Abstract:	XIII
1- Introduction:	1
1.1. Cancer risk factors:	1
1.2. Genetic faults leading to cancer:	2
1.3. Treatment of cancer:	4
1.3.1. Surgery:	4
1.3.2. Radiotherapy:	4
1.3.3. Chemotherapy:	4
1.3.3.1. Alkylating agents:	4
1.3.3.2. Antimetabolites:	5
1.3.3.3. DNA intercalators and Topoisomerase inhibitors:	5
1.3.3.4. Hormone based therapy:	6
1.3.4. Targeted cancer therapy:	7
1.4. Protein Kinases:	9
1.4.1. Protein Kinase inhibitors:	11
1.5. The mitogen-activated protein kinase signaling pathway:	16
1.5.1. The rapidly accelerated fibrosarcoma kinase (Raf):	18
1.5.2. B-Raf Kinase inhibitors:	19
1.5.3. Di and Tri-substituted pyrazole derivatives as B-Raf kinase	
inhibitors:	22

2- Rationale and design:	
2.1. Exploration of the previously revealed SAR and the key interactions of	
type I inhibitors with B-Raf ^{V600E} binding site:	
2.2. Design of the new target compounds (I-XIX) based on structural	
modifications of the lead compound:	
2.3. Preliminary evaluation of the designed compounds using molecular	
docking:	
2.4. Synthetic schemes used for synthesis of the designed compounds	
(II-XIX):	
3-Results and discussion:	
3.1. Chemistry:	
3.2. Single crystal X-ray study:	
3.3. Biological evaluation:	
3.4. Molecular Modeling:	
3.4.1. Docking study:	
3.4.2. Validation of the docking protocol:	
3.4.3. Results of docking the target compounds into B-Raf V600E kinase	
active site:	
4- Conclusion:	
5- Experimental:	
5.1. Chemistry:	
5.2. Single crystal X-ray study:	
5.3. Biological evaluation:	
5.4. Molecular docking study:	
5.4.1. Protein preparation for docking:	
5.4.2. Ligands preparation for docking:	
5.4.3. Docking process:	
6- References:	

List of figures:

Figure 1: Mechanism of carcinogenesis.	3
Figure 2: The six hallmarks of cancer.	8
Figure 3: Simplified schema of signal transduction pathways	10
Figure 4: Binding of ATP with EFG-R	13
Figure 5: Kinase structure and different types of reversible small-molecule	
kinase inhibitor.	15
Figure 6: The Ras-Erk signaling pathway.	16
Figure 7: Structures of known B-Raf inhibitors.	20
Figure 8: Hydrogen-bonding networks at the active site of the B-Raf	
inhibitor complex from snapshots of the conformations obtained in 5 ns	
MD simulation for compound 25 from 2.9 to 5 ns	25
Figure 9: Structures of pyrazole derivatives developed as B-Raf inhibitors.	27
Figure 10: Schematic representation of the structural features necessary	
for SB-590885 16 as type I kinase inhibitor	29
Figure 11: Binding mode of SB-590885 16 and PLX-4720 19 in complex with B-Raf ^{V600E}	31
Figure 12: Structural modifications of the lead SB-590885 16	33
Figures 13-56: Some spectroscopic illustrations of compounds I-XIX	
Figure 57: An ORTEP view of compound VII showing the atom-	
numbering scheme. Displacement ellipsoids are drawn at the 50%	
probability level and H atoms are shown as small spheres of arbitrary radii	60
Figure 58: A view of the unit cell contents of compound VII showing the	
supramolecular assembly created and H-bonds as dashed lines	61
Figure 59: A projection of the optimized structure of compound VII by	
DFT/B3LYP with 6-31G(d p) level of theory	62

Figure 60: Overlay diagram of VII; red (X-ray structure), green (DFT)	63
Figure 61 : The crystal structure of SB-590885 bound to B-Raf ^{V600E} .	
Dashed lines, hydrogen bonds and electrostatic interactions	70
Figure 62: Superimposition of the co-crystallized inhibitor SB-590885	
16 (red) and the re-docked structure.	70

List of tables:

Table 1: Overview of Signaling Molecules.	9
Table 2 : Docking energy and amino acids involved in the binding interactions	
of some of the designed compounds	34
Table 3: Hydrogen-bond geometry and non-bonding contacts (\mathring{A} , $^{\circ}$) for	
compound VII	61
Table 4: Experimental and optimized intramolecular geometrical parameters	
(bond lengths, \mathring{A}) of compound VII .	63
Table 5: Experimental and optimized intramolecular geometrical parameters	
(bond angles, $^{\circ}$) of compound VII .	64
Table 6: Antiproliferative activity of compounds I–XIX on five cell lines:	
hepatocellular carcinoma (HepG2), breast cancer (MCF7), lung carcinoma	
(A549), prostate cancer (PC3) and colon carcinoma (HCT116) cell lines	66
Table 7 : Docking study results	72
Table 8 : Crystal data and structure refinement parameters of compound VII	117

List of abbreviations:

2D: Two Dimension**3D:** Three Dimension

Å: Angstrom

A375P: Human Melanoma Cell Line

A549: Human Alveola Type II Epithelia – Lung Carcinoma

Abl: Abelson Tyrosine Kinase

AKT: Protein Kinase B

ATP: Adenosine Tri-Phosphate

BCl-2: B Cell Lymphoma Protein 2

BCL-XL: B Cell Lymphoma Protein XL

B-Raf Which Involves Substitution of Valine With Glutamic Acid At

Codon 600

DFG: Aspartate- Phenylalanine-Glycine

DFT: Density functional theory

DMEM: Dulbecco's Modified Eagle's Medium

DMF: Dimethyl Formamide **DMSO:** Dimethyl Sulfoxide **DNA:** Deoxyribonucleic Acid

EGFR: Epidermal Growth Factor Receptor **EI-MS:** Electron Impact Mass Spectrometry

EMEA: European Medicine Agency

EMT: Epithelial-To-Mesenchymal Transition **ERK:** Extracellular Signal-Regulated Kinase

Fas: Apoptosis Antigen 1

FDA: Food and Drug Administration **FT-IR:** Fourier Transform-Infrared

GEFs: Guanine Nucleotide Exchange Factors

GTP: Guanosine Triphosphate

h.: Hours

HCC: Hepatocellular Carcinoma

HCT116: Human Colorectal Carcinoma Cell Line **HepG2:** Human Hepatocellular Carcinoma Cell Line

Her 3: Human Epidermal Growth Factor Receptor 3