



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

CORROSION BEHAVIOUR OF SOME PHARMACEUTICAL AND OPHTHALMIC GLASSES BY DIFFERENT LEACHING SOLUTIONS IN ADDITION TO SOL-GEL SYNTHESIS AND CHARACTERIZATION OF SOME APPLIED GLASSES

*A Thesis
For The Degree of
Doctor of Philosophy*

By
SHERIEF MOHAMED AHMED ABO-NAF
*B.Sc. (Cairo University)
M.Sc. (Ain-Shams University)*

Presented to
**The Chemistry Department
Faculty of Science
Ain-Shams University
1999**

B o c 29

APPROVAL SHEET OF THE THESIS ENTITLED

Corrosion Behaviour Of Some Pharmaceutical And Ophthalmic Glasses By Different Leaching Solutions In Addition To Sol-Gel Synthesis And Characterization Of Some Applied Glasses

THESIS ADVISORS

Prof. Dr. Saad Abdel Wahhab Mohamed

Prof. Dr. H. A. El-Batal

Prof. Dr. N. A. Ghoneim

THESIS APPROVED

S.M. Abdel Wahhab


Hatem El Batal

Najma Ghoneim

Credit

Head of Chemistry Department





بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

وقل اعملوا فسيرى الله عملكم
ورسوله والمؤمنون

صدق الله العظيم

ACKNOWLEDGMENT

The author wishes to express his sincere gratitude to **Prof.Dr.Saad Abdel Wahhab Mohamed**, Professor of Physical Chemistry, Faculty of Science, Ain-Shams University, for his kind supervision and encouragement.

The author is deeply grateful to **Prof.Dr.H.A.El-Batal** and **Prof.Dr.N.A.Ghoneim**, Professors of Glass Science, Glass Research Dept., National Research Center (NRC), Dokki, Cairo, for suggesting the present line of work, continuous supervision, careful reviewing of the manuscript and continuous encouragement.

The first part of the present thesis was done in the Institut Für Neue Materialien (INM), Universität des Saarlandes, Saarbrücken, Germany. Therefore, the author is indebted to **Prof.Dr.H.Schmidt**, the Director of the INM and **Dr.M.Mennig**, Head of the Glass Group for this valuable chance. The author would like also to express his heartily and deep gratitude to **Dr.A.Kalleder** and **Mr.N.Niegisch** for their valuable contribution during the stay in the INM. The author wishes to thank **Dr.D.Höbbel** and **Mr.M.Nacken** for their effort in performing the MAS NMR measurements. Special thanks are also due to the colleagues of the INM.

The facilities provided by **NRC** and the chance provided by the **Egyptian Government** are sincerely appreciated.

CONTENTS

I.1. Introduction	1
I.1.1. Historical sketch	3
I.1.2. The Terminology of Sol -Gel Processing	6
I.1.3. Sol -Gel chemistry	13
I.1.3.1. General considerations of some important parameters of the sol-gel processing	18
(1) Composition	19
(2) Gel formation	20
(3) Precursors	23
(4) Hydrolysis, condensation and homogeneity	26
I.2. State- of -the- art	30
I.2.1. why phosphate ?	30
I.2.2. Why sol-gel ?	31
I.2.3. Conventionally melted phosphate glasses	32
I.2.3.1. P_2O_5 in silicate Glasses	33
I.2.3.2. Other phosphate glasses and their properties	34
I.2.4. Sol-gel prepared phosphates	39
I.3. Experimental	45
I.3.1. Description of the sol-gel preparation route	45
I.3.2. Investigation carried out for the sol-gel process	52
I.3.2.1. Differential thermal analysis (DTA) and thermo	52

gravimetric (TG) analysis	
I.3.2.2. Fourier transform infrared (FTIR) spectroscopy	52
I.3.2.3. Solid state magic angle spinning nuclear magnetic resonance (MAS NMR) spectroscopy	53
I.3.2.4. Powder X-ray diffraction (XRD) analysis	54
I.3.3. Characterization of the prepared glasses	55
I.3.3. 1. Compositional analysis	55
I.3.3.2. Density measurement	56
I.3.3.3. Measurement of the refractive index	56
I.3.3.4. Thermal mechanical analysis (TMA)	58
I.3.3.5. Chemical durability estimation	59
I.4. Results	61
I.4.1. Results concerning investigation of the sol-gel process	61
I.4.1.1. Role of HNO_3 in preparation of stable clear solution	62
I.4.1.2. Results of the DTA/TG measurements	63
I.4.1.3. FTIR-spectra of the dried gels	66
I.4.1.4. Powder-XRD results	73
I.4.1.5. Results of the solid state MAS NMR spectroscopy	75
I.4.2. Characterization of the prepared glasses	89
I.4.2.1. Compositional analysis	89
I.4.2.2. Density and refractive index measurements	90
I.4.2.3. MAS NMR spectra of the prepared glasses	93