



Chromatographic Purification of Some Radiolabeled Photosensitizers of Expected Activity in Nuclear Medicine

A Thesis Submitted By

Mohamed Ahmed Elwany El-Gizawy

M. Sc. of Science (Chemistry), 2013

*Assistant Lecturer at Radioisotopes Production Facility (RPF)
Second Egyptian Research Reactor (ETRR-2) - Egyptian Atomic Energy
Authority (EAEA)*

For the degree of Doctor of Philosophy in Science (Chemistry)

Supervised By

Prof. Dr. Ebtisam Ahmed Saad

*Professor of Inorganic and Radiochemistry, Chemistry Department,
Faculty of Science, Ain Shams University*

**Prof. Dr. Mohamed Abd El-
Motaleb Abd El-Rahman**

*Professor of Radiochemistry, Labeled
Compounds Department, Hot Laboratories
Center, Atomic Energy Authority*

**Ass. Prof. Ismail Taha
Ibrahim**

*Assistant professor of Pharmaceutical
chemistry, Labeled Compounds
Department, Hot Laboratories Center,
Atomic Energy Authority*

*Chemistry Department
Faculty of Science
Ain Shams University
2016*



Approval Sheet for submission Ph.D. Thesis

“Chromatographic Purification of Some Radiolabeled Photosensitizers of Expected Activity in Nuclear Medicine”

A Thesis Submitted By

Mohamed Ahmed Elwany El-Gizawy

M. Sc. of Science (Chemistry), 2013

Assistant Lecturer at Radioisotopes Production Facility (RPF)


Second Egyptian Research Reactor (ETRR-2) - Egyptian Atomic Energy Authority (EAEA)

Supervision Committee

<i>Supervisor name</i>	<i>Occupation</i>	<i>Signature</i>
Prof. Dr. Ebtisam Ahmed Saad	<i>Professor of Inorganic and Radiochemistry, Chemistry Department, Faculty of Science, Ain Shams University</i>	
Prof. Dr. Mohamed Abd El-Motaleb Abd El-Rahman	<i>Professor of Radiochemistry, Labeled Compounds Department, Hot Laboratories Center, Atomic Energy Authority</i>	
Ass. Prof. Ismail Taha Ibrahim	<i>Assistant professor of Pharmaceutical chemistry, Labeled Compounds Department, Hot Laboratories Center, Atomic Energy Authority</i>	

Prof. Dr. Hamed Ahmed Younes Derbala

*Head of Chemistry Department
Faculty of Science
Ain Shams University*



Dedicated to

My father and my mother

***My lovely wife and my sons
(Omar & Ahmed)***

My brother and my sister

And the rest of my family

ACKNOWLEDGEMENTS

Praise to Allah, the most gracious and the merciful who guides us to the right way. First of all I would like to thank Allah who helped me during my work and only by his will, this work was accomplished.

I would like to express my deep gratitude and appreciation to Prof. Dr. Ebtissam A. Saad, Professor of Inorganic and Radiochemistry, Chemistry Department, Faculty of Science, Ain Shams University; for kindly supervising this work, available help and careful revision of this work.

I owe a real debt of gratitude and appreciation to Prof. Dr. Mohamed Abd El-Motaleb Abd El-Rahman, Professor of Radiochemistry, Labeled Compounds Department, Hot Laboratories Center, Egyptian Atomic Energy Authority; for suggesting the topic of this thesis. As well as the valuable guidance, valuable discussions, constant encouragement before and during all stages of this work, providing the necessary facilities in order to bring this thesis to completion and finalizing the thesis in its present form.

I would like to express my deep gratitude to Ass. Prof. Ismail Taha Ibrahim Assistant Professor of Pharmaceutical chemistry, Labeled Compounds Department, Egyptian Atomic Energy Authority; for his great help and support, effective supervision, his kind assistance, continuous encouragement and careful revision of this work.

I wish also to express my deep thanks to all who supporting me during the study and the investigations of all the stages of the thesis specially Hassan Medhat, Ahmed Badr, Hesham Abd El-Aal, Waleed Hamouda, Adli Selim, Noha Anwar and Mona Sarhan; for their real help, moral support and continuous encouragement.

I would like to express my thanks and gratitude to all staff members of Radioisotope Production Facility and the Hot Laboratories Center, Egyptian Atomic Energy Authority, whose names are too numerous to mention; for their help in this work, their notes and additions which made this work more valuable.

I am sincerely grateful to my father, my mother, my wife, my sons, my brother, my sister and the rest of my family for their unlimited support and looking after me.

Finally, I really would like to thank those who helped me even with a word of support, those who really affected and still affecting my life everywhere.

Mohamed El-Gizawy

List of Tables

<i>Table number</i>	<i>Table title</i>	<i>page</i>
Chapter 1		
Introduction		
<i>Table (1.1)</i>	Physical characteristics of radionuclides used for SPECT imaging	9
<i>Table (1.2)</i>	Physical characteristics of radionuclides used for PET imaging	10
<i>Table (1.3)</i>	Physical characteristics of some therapeutic radionuclides	11
<i>Table (1.4)</i>	Principal nuclides of technetium	14
Chapter 3		
Results and Discussion		
<i>Table (3.1)</i>	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different concentrations of TFPP in SnLP	59
<i>Table (3.2)</i>	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different concentrations of TFPP in NaBH ₄ LP	61
<i>Table (3.3)</i>	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different Sn(II) concentrations	64
<i>Table (3.4)</i>	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different NaBH ₄ concentrations	67
<i>Table (3.5)</i>	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different pH values in SnLP	70
<i>Table (3.6)</i>	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different pH values in NaBH ₄ LP	72
<i>Table (3.7)</i>	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different reaction times in SnLP	75

Table (3.8)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different reaction times in NaBH_4LP	77
Table (3.9)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different reaction temperatures in SnLP	79
Table (3.10)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different reaction temperatures in NaBH_4LP	81
Table (3.11)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex <i>in-vitro</i> stability study in SnLP	84
Table (3.12)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex <i>in-vitro</i> stability study in NaBH_4LP	86
Table (3.13)	Optimum conditions for the preparation of ^{99m}Tc -TFPP	87
Table (3.14)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different concentrations of OEP in SnLP	89
Table (3.15)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different concentrations of OEP in NaBH_4LP	91
Table (3.16)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different Sn(II) concentrations	93
Table (3.17)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different NaBH_4 concentrations	95
Table (3.18)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different pH values in SnLP	97
Table (3.19)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different pH values in NaBH_4LP	99
Table (3.20)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -TFPP complex at different reaction times in SnLP	101
Table (3.21)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different reaction times in NaBH_4LP	103

Table (3.22)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different reaction temperatures in SnLP	105
Table (3.23)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex at different reaction temperatures in NaBH_4LP	107
Table (3.24)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex <i>in-vitro</i> stability study in SnLP	109
Table (3.25)	Analysis of variance of the percent radiochemical yield of ^{99m}Tc -OEP complex <i>in-vitro</i> stability study in NaBH_4LP	111
Table (3.26)	Optimum conditions for the preparation of ^{99m}Tc -OEP	112
Table (3.27)	Radiochromatographic behavior of different radiochemical species and their R_f values	119
Table (3.28)	<i>In-vivo</i> biodistribution study of ^{99m}Tc -TFPP in tumor bearing Albino mice at different time intervals P.I.	127
Table (3.29)	Analysis of variance of T/NT of ^{99m}Tc -TFPP at different time intervals p.i. in solid tumor bearing mice	129
Table (3.30)	<i>In-vivo</i> biodistribution study of ^{99m}Tc -OEP in tumor bearing Albino mice at different time intervals p.i.	131
Table (3.31)	Analysis of variance of T/NT of ^{99m}Tc -OEP at different time intervals p.i. in solid tumor bearing mice	133

List of Figures

<i>Figure number</i>	<i>Figure title</i>	<i>page</i>
Chapter 1		
Introduction		
<i>Figure (1.1)</i>	SPECT machine performing a total body bone scan.....	8
<i>Figure (1.2)</i>	A typical positron emission tomography (PET) facility...	9
<i>Figure (1.3)</i>	Pertechnetate anion.....	12
<i>Figure (1.4)</i>	Decay scheme of parent ^{99}Mo to stable ^{99}Ru	15
<i>Figure (1.5)</i>	Components of $^{99}\text{Mo}/^{99\text{m}}\text{Tc}$ generator system.....	17
<i>Figure (1.6)</i>	A diagram for the method of $^{99\text{m}}\text{Tc}$ incorporation in final product.....	18
<i>Figure (1.7)</i>	Components of a radio-high performance liquid chromatography system.....	28
<i>Figure (1.8)</i>	Electrophoresis apparatus.....	30
<i>Figure (1.9)</i>	A typical PDT-protocol.....	33
<i>Figure (1.10)</i>	Mechanism of PDT.....	34
<i>Figure (1.11)</i>	Type I and Type II mechanism in PDT.....	35
<i>Figure (1.12)</i>	Examples of porphyrin derivatives that occur in nature...	37
<i>Figure (1.13)</i>	Porphyrin macrocycle and the IUPAC numbering system.....	37
<i>Figure (1.14)</i>	Chemical structure of TFPP.....	42
<i>Figure (1.15)</i>	Chemical structure of OEP.....	43
Chapter 3		
Results and Discussion		
<i>Figure (3.1)</i>	Variation of the radiochemical yield of $^{99\text{m}}\text{Tc}$ -TFPP as a function of TFPP concentrations using stannous chloride reducing agent	58
<i>Figure (3.2)</i>	Variation of the radiochemical yield of $^{99\text{m}}\text{Tc}$ -TFPP as a function of TFPP concentrations using sodium borohydride reducing agent.....	60
<i>Figure (3.3)</i>	Variation of the radiochemical yield of $^{99\text{m}}\text{Tc}$ -TFPP as a function of Sn(II) concentrations	63
<i>Figure (3.4)</i>	Variation of the radiochemical yield of $^{99\text{m}}\text{Tc}$ -TFPP as a function of NaBH_4 concentrations	66

Figure (3.5)	Variation of the radiochemical yield of ^{99m}Tc -TFPP as a function of pH using stannous chloride reducing agent ..	69
Figure (3.6)	Variation of the radiochemical yield of ^{99m}Tc -TFPP as a function of pH using sodium borohydride reducing agent ..	71
Figure (3.7)	Variation of the radiochemical yield of ^{99m}Tc -TFPP as a function of reaction time using stannous chloride reducing agent ..	74
Figure (3.8)	Variation of the radiochemical yield of ^{99m}Tc -TFPP as a function of reaction time using sodium borohydride reducing agent ..	76
Figure (3.9)	Variation of the radiochemical yield of ^{99m}Tc -TFPP as a function of reaction temperature using stannous chloride reducing agent ..	78
Figure (3.10)	Variation of the radiochemical yield of ^{99m}Tc -TFPP as a function of reaction temperature using sodium borohydride reducing agent ..	80
Figure (3.11)	<i>In-vitro</i> stability test for ^{99m}Tc -TFPP using stannous chloride reducing agent ..	83
Figure (3.12)	<i>In-vitro</i> stability test for ^{99m}Tc -TFPP using sodium borohydride reducing agent ..	85
Figure (3.13)	Variation of the radiochemical yield of ^{99m}Tc -OEP as a function of OEP concentrations using stannous chloride reducing agent ..	88
Figure (3.14)	Variation of the radiochemical yield of ^{99m}Tc -OEP as a function of OEP concentrations using sodium borohydride reducing agent ..	90
Figure (3.15)	Variation of the radiochemical yield of ^{99m}Tc -OEP as a function of Sn(II) concentrations ..	92
Figure (3.16)	Variation of the radiochemical yield of ^{99m}Tc -OEP as a function of NaBH_4 concentrations ..	94
Figure (3.17)	Variation of the radiochemical yield of ^{99m}Tc -OEP as a function of pH using stannous chloride reducing agent ..	96
Figure (3.18)	Variation of the radiochemical yield of ^{99m}Tc -OEP as a function of pH using sodium borohydride reducing agent ..	98
Figure (3.19)	Variation of the radiochemical yield of ^{99m}Tc -OEP as a function of reaction time using stannous chloride reducing agent ..	100

Figure (3.20)	Variation of the radiochemical yield of $^{99m}\text{Tc-OEP}$ as a function of reaction time using sodium borohydride reducing agent	102
Figure (3.21)	Variation of the radiochemical yield of $^{99m}\text{Tc-OEP}$ as a function of reaction temperature using stannous chloride reducing agent	104
Figure (3.22)	Variation of the radiochemical yield of $^{99m}\text{Tc-OEP}$ as a function of reaction temperature using sodium borohydride reducing agent	106
Figure (3.23)	<i>In-vitro</i> stability test for $^{99m}\text{Tc-OEP}$ using stannous chloride reducing agent	108
Figure (3.24)	<i>In-vitro</i> stability test for $^{99m}\text{Tc-OEP}$ using sodium borohydride reducing agent	110
Figure (3.25)	Radiochromatographic behavior of ^{99m}Tc -ligand complex, free $^{99m}\text{TcO}_4^-$ and $\text{RH-}^{99m}\text{Tc}$ colloid with acetone as developing solvent	114
Figure (3.26)	Profile of free pertechnetate using chromatographic paper with acetone as developing solvent	114
Figure (3.27)	Profile of reduced hydrolyzed- ^{99m}Tc using chromatographic paper with acetone as developing solvent	115
Figure (3.28)	Radiochromatographic behavior of ^{99m}Tc -ligand complex, free $^{99m}\text{TcO}_4^-$ and $\text{RH-}^{99m}\text{Tc}$ colloid with saline as developing solvent	116
Figure (3.29)	Profile of reduced hydrolyzed- ^{99m}Tc using chromatographic paper with saline as developing solvent	116
Figure (3.30)	Profile of free pertechnetate using chromatographic paper with saline as developing solvent	117
Figure (3.31)	Radiochromatographic behavior of ^{99m}Tc -ligand complex and free $^{99m}\text{TcO}_4^-$ with acetone as developing solvent	118
Figure (3.32)	Paper electrophoresis radiochromatogram for ^{99m}Tc -ligand complex and free $^{99m}\text{TcO}_4^-$	120
Figure (3.33)	paper electrophoresis radiochromatogram of ^{99m}Tc -TFPP complex and free $^{99m}\text{TcO}_4^-$	121
Figure (3.34)	paper electrophoresis radiochromatogram of $^{99m}\text{Tc-OEP}$ complex and free $^{99m}\text{TcO}_4^-$	122
Figure (3.35)	HPLC radiochromatogram of $^{99m}\text{Tc-TFPP}$ and U.V profile of TFPP	124