



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

RELATIONSHIP BETWEEN SCHISTOSOMIASIS AND HEPATITIS C VIRUS INFECTIONS

Thesis

Submitted for partial fulfillment
for M.D. Degree of Parasitology

Presented by

Mona Mohamed Kamel El Sobky

M.B., B.Ch. Menoufiya University

M.Sc. Parasitology, Menoufiya University

Ass. Lecturer of parasitology

Faculty of Medicine, Menoufiya University

Supervised by

Prof. Dr.

Maimona El Sayed A. Bakr

Professor and Head of Parasitology

Department, Faculty of Medicine

Menoufiya University

Prof. Dr.

Ahmed Abbas Raouf

Professor and Head of Biochemistry

Department, and Dean of liver

Institute, Menoufiya University

Prof. Dr.

Hamed Mahmoud Khalil

Professor of Parasitology,

Faculty of Medicine

Ain Shams University

Prof. Dr.

Mohsen Mostafa Hassan

Professor of Parasitology,

Faculty of Medicine,

Zagazig University

Department of parasitology,

Faculty of Medicine,

Menoufiya University

1998



«قالوا سبحانك لا علم لنا إلا ما علمتنا
إنك أنت العزيز الحكيم»

"صدق الله العظيم"

«آية ٣٢» سورة البقرة




To

My father

To

My husband



لجنة الإشراف

- ١- أ.د. ميمونة السيد أحمد بكر
- ٢- أ.د. أحمد عباس رءوف
- ٣- أ.د. حامد محمود خليل
- ٤- أ.د. محسن مصطفى حسن

لجنة المناقشة

- ١- أ.د. ميمونة السيد أحمد بكر
- ٢- أ.د. سيدة على جعفر
- ٣- أ.د. بهاء الدين الأحمد اوى

ACKNOWLEDGEMENT

I would like to express my sincerest gratitude and deepest appreciation to *Prof. Dr. Maimona El Sayed Ahmed Bakr*, Professor and Head of Parasitology Department, Faculty of Medicine, Menoufiya University for her generous supervision, continuous encouragement, kind advice during the conduction of this work and without her help, this work could never been completed.

I am also much grateful to *Prof. Dr. Ahmed Abbas Raouf*, Professor and Head of Biochemistry Department and Dean of Liver Institute, Menoufiya University for his sincere devotion, valuable cooperation and honest guidance.

I am particularly indebted to *Prof. Dr. Hamed Mahmoud Khalil*, Professor of Parasitology, Faculty of Medicine, Ain Shams University for his continuous guidance, encouragement and helpful advice throughout this work.

No words can express my deep gratitude and appreciation to *Prof. Dr. Mohsen Mostafa Hassan*, Professor of Parasitology, Faculty of Medicine, Zagazig University for his generous supervision, scientific guidance, continuous support and follow up throughout this work.

I would like to offer my thanks to *Dr. Mohamed H.A. Hegab*, Lecturer of Parasitology, Faculty of Medicine, Zagazig University, *Dr. Osama A. Gaber*, Lecturer of Biochemistry, Faculty of Medicine, Zagazig University and *Dr. Hany Abdel Hay* Ass. Lecturer of Parasitology, Faculty of Medicine, Zagazig University for their help and cooperation during the conduction of this work.

Also, I would like to thank *Dr. Mohamed Shibl*, Lecturer of Community, Medicine, Menoufiya University for his help in computer analysis.

CONTENTS

	Page
1. INTRODUCTION	1
2. AIM OF THE WORK	3
3. REVIEW OF LITERATURE	4
* Schistosomiasis	5
Immunopathology of schistosomiasis	6
Diagnosis of schistosomiasis	25
* Hepatitis C virus	60
HCV genome variation	61
Biological differences between genotypes of HCV	67
Geographical distribution of HCV genotypes	71
Spread of hepatitis C	75
Laboratory detection of HCV infection	84
* HCV and schistosomiasis	95
4. PATIENTS AND METHODS	105
5. RESULTS	151
6. DISCUSSION	180
7. SUMMARY	202
8. CONCLUSION	209
9. RECOMMENDATIONS	210
10. REFERENCES	211
11. ARABIC SUMMARY	

"LIST OF TABLES

Review of literature & patients and methods

Table (1) :	Comparison of different classifications for HCV genotypes 65
Table (2) :	Preparation of resolving gel137
Table (3) :	Preparation of stacking gel138

Results

Table (4) :	Relationship between circulating schistosomal antigen positivity and age of patients157
Table (5) :	Relationship between positivity of IHA and age158
Table (6) :	Relationship between seropositivity of HCV and age159
Table (7) :	Relationship between seropositivity of CSAg, IHA and anti-HCV and sex :161
Table (8) :	Relationship between clinical presentation of schistosomiasis and intensity of infection162
Table (9) :	Relationship between mean antigen level and clinical presentation of schistosomiasis166
Table (10) :	Relationship between mean O.D reading of IgG measured by ELISA and mean titers of IHA with the clinical presentation of schistosomiasis167
Table (11) :	Relationship between liver function tests and clinical presentation of schistosomiasis169
Table (12) :	Relationship between HCV seropositivity and clinical presentation of schistosomiasis170
Table (13) :	Relationship between HCV seropositivity and schistosomiasis172
Table (14) :	Relationship between HCV seropositivity and schistosomal ascitic group173

Table (15) :	Relationship between parenteral exposure and anti-HCV positivity.174
Table (16) :	Relationship between blood transfusion and anti-HCV positivity174
Table (17) :	Relationship between previous anti-schistosomal treatment and sclerotherapy with anti-HCV positivity.....175
Table (18) :	Relationship between mean SGOT & SGPT activities and HCV with or without schistosomiasis176
Table (19) :	Sensitivity and specificity of ELISA for detecting circulating schistosomal antigen.....177
Table (20) :	Validity of CSAg test results as a screening test and rectal snip as a confirmatory test in ascitic cases177
Table (21) :	Relationship between percentage positivity of CSAg and intensity of infection178
Table (22) :	Sensitivity and specificity of IHA versus stool analysis179
Table (23) :	Sensitivity and specificity of ELISA versus stool analysis179

"LIST OF FIGURE"

Review of literature & patients and methods

Fig. (1) :	Structure and processing of the HCV polyprotein by cellular signal peptidases and virally encoded proteases.	62
Fig. (2) :	Phylogenetic analysis of nucleotide sequences in part of the HCV NS-5 region.	64
Fig. (3) :	Optimization of antigen concentration and serum dilution for use in the ELISA.	123
Fig. (4) :	Diagram of serum addition step.	123
Fig. (5) :	The indirect ELISA for antibody measurement	126
Fig. (6) :	Diagram of reference sera distribution in the plate during the test	128
Fig. (7) :	Procedure for circulating antigen detection by ELISA	143

Results

Fig. (8) :	Correlation between age and circulating schistosomal antigen (CSAg).	160
Fig. (9) :	Correlation between intensity of infection (EPG) and CSAg.	163
Fig. (10) :	Correlation between intensity of infection (EPG) and IHA titres.	164
Fig. (11) :	Correlation between intensity of infection (EPG) and O.D readings of ELISA for IgG.	165
Fig. (12) :	Relationship between mean antigen level and clinical presentation of schistosomiasis.	166
Fig. (13) :	Relationship between mean titers of IHA and clinical presentation of schistosomiasis.	167
Fig. (14) :	Relationship between mean O.D readings of IgG measured by ELISA and clinical presentation of schistosomiasis.	168
Fig. (15) :	Relationship between HCV seropositivity and clinical presentation of schistosomiasis.	171
Fig. (16) :	Relationship between percentage positivity of CSAg and intensity of infection.	178

"LIST OF FIGURE"

Review of literature & patients and methods

- | | |
|------------|--|
| Fig. (1) : | Structure and processing of the HCV polyprotein by cellular signal peptidases and virally encoded proteases. |
| Fig. (2) : | Phylogenetic analysis of nucleotide sequences in part of the HCV NS-5 region. |
| Fig. (3) : | Optimization of antigen concentration and serum dilution for use in the ELISA. |
| Fig. (4) : | Diagram of serum addition step. |
| Fig. (5) : | The indirect ELISA for antibody measurement |
| Fig. (6) : | Diagram of reference sera distribution in the plate during the test |
| Fig. (7) : | Procedure for circulating antigen detection by ELISA |

Results

- | | |
|-------------|---|
| Fig. (8) : | Correlation between age and circulating schistosomal antigen (CSAg). |
| Fig. (9) : | Correlation between intensity of infection (EPG) and CSAg. |
| Fig. (10) : | Correlation between intensity of infection (EPG) and IHA titres. |
| Fig. (11) : | Correlation between intensity of infection (EPG) and O.D readings of ELISA for IgG. |
| Fig. (12) : | Relationship between mean antigen level and clinical presentation of schistosomiasis. |
| Fig. (13) : | Relationship between mean titers of IHA and clinical presentation of schistosomiasis. |
| Fig. (14) : | Relationship between mean O.D readings of IgG measured by ELISA and clinical presentation of schistosomiasis. |
| Fig. (15) : | Relationship between HCV seropositivity and clinical presentation of schistosomiasis. |
| Fig. (16) : | Relationship between percentage positivity of CSAg and intensity of infection. |