# Open Mesh Versus Laparoscopic Mesh Repair of Inguinal Hernia

Thesis

Submitted for Partial Fulfillment of M.D. degree in General Surgery  $\mathcal{B}\gamma$ 

#### OSAMA MOHAMED MOHAMED ELKOMY

M.B. B.Ch. M Sc of G.S. Ain Shams University

Under Supervision of

#### Prof. Dr. ALI BAHGAT LASHEEN

Prof. of General Surgery
Faculty of Medicine -Ain Shams University

## Prof. Dr. ASHRAF FAROUK ABADEER

Prof. of General Surgery
Faculty of Medicine - Ain Shams University

#### Dr. KHALID HUSSEIN GAD

Lecturer of General Surgery
Faculty of Medicine
Ain Shams University

Faculty of medicine Ain Shams University For my mother, whose love and Encouragement made the beginning Possible, and For my sisters, wife and daughter Whose Support and affection make everything else possible

Osama El-Komy

#### Acknowledgement

I would like to express my deepest gratitude and sincere thanks to **Prof. Dr. Ali Bahgat Lasheen** for kindly accepting to supervise this work and for the valuable advice and encouragement he honestly offered throughout the course of this work.

Also, I would like to express my utmost gratitude and special grateful thanks and appreciation to **Dr. Ashraf Farouk Abadeer**, **Dr. Khalid Hussein** whose sincere continuous help, true advice, invaluable guidance, kind supervision and constant purposeful encouragement provided me all facilities during the conduction of this work.

Osama El-Komy

### **CONTENTS**

I.	Introduction	& Aim of W	ork		1			
II.	Review of Li	terature:						
•	Anatomy of g	groin hernias.			0			
•	Classification	of inguinal h	ernias		٠٠٠٢٠			
•	Diagnosis of	inguinal hern	_	_				
•	Open mes	-	of	inguinal	hernias			
•	Laparoscopic repair of inguinal hernias٨٤							
•	Percutaneous endoscopic external ring repair							
III.	Patients & M	Iethods	• • • • • • • • •		1٣٣			
	Results		• • • • • • • • • • • • • • • • • • • •	128				
V.	Discussion				104			
	Summary		& £	C	onclusion			
VII.	References				179			
VIII.	Arabic Sumr	marv						

## LIST OF TABLES

•	TABLE 1: Nyhus Classification of Groin Hernias
•	TABLE 7: Unified classification
•	TABLE ": Inguinal hernia repair procedures
•	TABLE 4: causes of recurrence after laparoscopic inguinal      hernia repair
•	TABLE : Types of inguinal hernia encountered in the study
•	TABLE 7: Duration of hospital stay in both techniques.

### **LIST OF FIGURES**

Figure 1:	Anatomy of the in	guinal region	0
Figure 7:	Hesselbach's triang	gle	٦
_	Route of an indired	_	
	Route of a direct h		
_	Route of a femoral		
Figure 7	: Global anatomy	y of the pelvi	s and inguinal
	laparoscopic anato		
peritoneal	covering		١١
Figure A	: laparoscopic an	atomy of the	inguinal region
	eritoneal covering		
Figure 4:	actual view-TAPP	Prepair RT side	with triangle of
doom den	nonstrated		١٧
_	·: actual view-T	•	
_	ernia		
_	: actual view-TAP	•	_
_	: actual view-TE	-	_
	1 m.		inguinal
			2
Figure	1 £:	Maydl's	hernia
strangulat	ion	£ £	
	Anti-mesenter		of the small
_	s incarcerated in the	-	

	intestinal obstruction may be absent, but gangrene of the
	bowel wall may occur
•	Figure 17: Gross specimen of Meckel's
	Diverticulum٤٦
•	Figure 'V: external oblique aponeurosis exposed in a Lt
	inguinal hernia repairo٩
•	Figure 14: dividing the external oblique aponeurosis in a Lt
	inguinal hernia repairº٩
•	Figure 19: dissection of the sac in a Lt inguinal hernia
	repair for clarity the fascial coverings of cord structures are
	not shown in this diagram
•	Figure *: applying the mesh in a Lt inguinal hernia repair
	with overlapping the lateral tails of the mesh to surround
	the cord
•	Figure 71: mesh completely fixed in a Rt inguinal hernia
	repair
•	Figure '': PerFix mesh plug
•	Figure "": PerFix mesh plug repair technique
•	Figure 7: Stoppa repair Giant Prosthetic Reinforcement of
	Visceral Sac
•	Figure 70: Prolene Hernia System ( 7-in-1 model)
•	Figure 77: Prolene Hernia System in practice
	۸۳
•	Figure TV: side view of the Prolene Hernia System
	applied
•	Figure **: operative set-up for laparoscopic repair of Rt.
	inguinal hernia
•	Figure 74: positioning of patient & surgeon, on the opposite
	side of the hernia, & assistant & trocars91

•	Figure ".: actual view of Trocars in place in Laparoscopic
	TAPP repair of Rt. Inguinal hernia
•	Figure "1: Rt. oblique inguinal hernia lateral to the inferior
	epigastric vessels
•	Figure "7: Lt. direct inguinal hernia medial to the inferior
	epigastric vessels
•	Figure "": peritoneal incision and flap created
•	Figure *: identifying the anatomical landmarks in
	dissection of the peritoneum
•	Figure ": actual view of the anatomical landmarks after
	dissection of the sac completed
•	Figure "7: Protack used in fixing the mesh in TAPI
	repair9c
•	Figure "". Mesh around the spermatic cord in Lt. inguina
	hernia TAPP repair93
•	Figure "A: Onlay placement of mesh in Lt. inguinal hernia
	TAPP repair93
•	Figure "4: size & site of mesh to be applied with marks
	showing the anatomical sites of potential inguino-femora
	herniation
•	Figure :: Mesh fixation using the Protack
•	Figure ? 1: dilating trocar introduced below rectus muscle in
	the preperitoneal space
•	Figure : dilating trocar used in TEP repair
•	Figure : Telescope introduced and balloon inflated 171
•	Figure 4: actual view via dilating balloon in a TEP repair
	of inguinal hernia
	177

•	Figure for creating the pneumo-preperitoneum
•	Figure 57: central, Lt. and Rt. Lateral views in TEI repair
•	Figure : V: inguinal hernia identified during laparoscopy without peritoneal sac
•	Figure : repair of the defect identified through TAPI approach
•	Figure ? position of the patient, surgeon, assistant and nurse in the TAPP technique
•	Figure : site of ports in case of TAPP repair for Lt inguinal hernia
•	Figure • 1: upper and lower flaps created, cooper's ligament and triangle of Doom identified with the sac completely dissected in TAPP repair
•	Figure or: mesh in place and fixed using Protack in TAPI repair
•	Figure or: mesh fixed in place continuously with its two
	tails overlapping and fixed lateral to the internal ring in
	Lichtenstein repair

#### **List of Charts**

•	Chart 1: Types of hernia according to No. of	
	encountered in both types of repair in the study	120
•	Chart 7: No. of complicated cases (in the form	n of
	irreducibility) encountered during the study	1 27
•	Chart ": No. of cases who had history of previous	intra-
	abdominal operation and subjected to TAPP repa	ir in
	relation to those who did not have any	.1 ٤٧
•	Chart : Operative time ranges in Lichtenstein and T	T <b>APP</b>
	repair	
•	Chart : Rate of intra-operative complications in procedures	
•	Chart 7: Persistent neuralgia encountered in	
•	techniques	
•	<i>Chart V</i> : Post-operative complications in	
	techniques	
•	Chart A: Percentage of discharged cases as recorded in	both
	techniques	.107

•	Chart	<b>9:</b> No	of cases di	sch	arged in	ı bc	oth te	chniques		.108
•	Chart	1 .: N	lo. of cases	and	percen	tage	e of r	ecurrence	e in	both
	technic	ques							<b></b> .	100
•	Chart	11:	Percentage	of	return	to	full	activity	in	both
	technic	jues								107

# INTRODUCTION AND AIM OF WORK

# REVIEW OF LITERATURE

## Anatomy of Groin Hernias

Classification of Inguinal Hernias

Diagnosis of Inguinal
Hernias &
Preoperative Assessment