



شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل



Alexandria University
Faculty of Agric. (Saba-Bacha)

**STUDIES ON SCALE INSECTS AND MEALY BUGS OF
DECIDUOUS AND EVERGREEN FRUIT TREES IN
NORTHERN WEST COAST OF EGYPT AND THEIR
NATURAL ENEMIES**

٤١٣٩
CP

BY

MARIAM ABD- ELAZIZ HAMAD BOULABIAD

A thesis submitted in partial fulfillment of the requirements
governing the award of the degree of

**DOCTOR OF PHILOSOPHY IN AGRICULTURAL
SCIENCES
(ENTOMOLOGY)**

**Department of Plant Protection
From
Alexandria University**

2010



Alexandria University
Faculty of Agric. (Saba-Bacha)

**STUDIES ON SCALE INSECTS AND MEALY BUGS OF
DECIDUOUS AND EVERGREEN FRUIT TREES IN
NORTHERN WEST COAST OF EGYPT AND THEIR
NATURAL ENEMIES**

Presented by
MARIAM ABD- ELAZIZ HAMAD BOULABIAD

For the degree of
DOCTOR OF PHILOSOPHY IN AGRICULTURAL SCIENCE
(ECONOMIC ENTOMOLOGY)

Examiner's Committee:

Prof. Dr. HASSAN ALI A. MESBAH
Emeritus Prof. of Entomology, Faculty of
Agriculture Saba Basha, Alexandria University

Prof. Dr. MOHAMED I. ABDELMAGEED
Emeritus Prof. of Pesticides Chemistry and Toxicology,
Faculty of Agriculture, Ain-Shams University.

Prof. Dr. HEDAYA HAMZA KARAM
Emeritus Prof. of Economic Entomology, Department of Applied
Entomology, Faculty of Agriculture, Alexandria University.

Prof. Dr. NAGDA A. EL-SAYED
Prof. of Economic Entomology and head of plant protection
Department, Faculty of Agriculture Saba Basha, Alexandria
University.

Dr. KHADIGA SAYED MOURSI
Emeritus Senior Researcher of scale insects and Mealybugs, plant
protection Research Institute, Agriculture Research Center.

Dr. SHAABAN MAHMOUD ABD-RABOU
Senior Researcher of Scale insects and Melybugs parasites,
Plant protection Research Institute, Agriculture Research Center

Approved:

H. A. Mesbah

M. I. Abdelmageed

H. edaya. H. Karam

Nagda. A. El-sayed

K. hadiga. S. Moursi

Shaban. M. Abd Rabou

SUPERVISION'S COMMITTEE

Prof. Dr. HASSAN ALI A. MESBAH

Emeritus Prof. of Entomology, Faculty of Agriculture
Saba Basha, Alexandria University.

H. A. Mesbah

Prof. Dr. NAGDA A. EL-SAYED

Prof. of Economic Entomology and head of plant protection
Department, Faculty of Agriculture Saba Basha, Alexandria
University.

Nagda A. El Sayed

Dr. KHADIGA SAYED MOURSI

Emeritus Senior Researcher of Scale insects and Melybugs,
Plant protection Research Institute, Agriculture Research
Center.

Khadiga S. Moursi

Dr. SHAABAN MAHMOUD ABD-RABOU

Senior Researcher of Scale insects and Melybugs Parasites,
Plant protection Research Institute, Agriculture Research
Center.

Shaaban M. Abd Rabou

CONTENS

	Page No.
CHAPTER 1:INTRODUCTION	1
CHAPTER 2: REVIEW OF LITERATURE	3
2.1. Survey of coccoid species on inspected fruit trees in the world from 1995-2009.	3
2.2. Survey of natural enemies on their hosts of coccoids in the world from 1995-2009	12
2.2.1. Parasitoid species	12
2.2.2. Predator species.	20
2.3. Ecological studies on some scale insects associated with olive and fig trees	23
2.3.1. <i>Hemiberlesia lataniae</i>	23
2.3.2. <i>Lepidosaphes conchiformis</i>	23
2.3.3. <i>Leucaspis riccae</i>	24
2.3.4. <i>Saissetia coffeae</i>	25
CHAPTER 3: MATERIALS AND MEDHODS	27
3.1. Locations of study	27
3.2. Inspected fruit trees	27
3.2.1. Family: Moraceae	27
3.2.1.1. Common fig, <i>Ficus carica</i> L.	27
3.2.1.2. White mulberry, <i>Morus alba</i> L.	27
3.2.2. Family: Myrtaceae	27
3.2.2.1. Apple guava, <i>Psidium guajava</i>	27
3.2.3. Family: Oleaceae	27
3.2.3.1. European olive, <i>Olea europea</i> L.	27
3.2.4. Family: Punicaceae	28
3.2.4.1. Pomegranates, <i>Punica granatum</i> L.	28
3.2.5. Family: Rosaceae	28
3.2.5.1. Apple, <i>Malus domestica</i> Borkh	28
3.2.5.2. Pears, <i>Pyrus communis</i> L.	28
3.2.5.3. Apricot, <i>Prunus armeniaca</i> L.	28
3.2.5.4. European plum, <i>Prunus domestica</i> L.	28
3.2.5.5. Peach, <i>Prunus persica</i> (L.) Batsch	28
3.2.5.6. Almond, <i>Prunus amygdalus</i> L.	29
3.3 Methods of surveying scale insects and mealy bugs and their natural enemies on deciduous and evergreen fruit trees.	29

3.4. Relationship between some weather factors and total count of some inspected scale insects.	29
CHAPTER 4: RESULTS AND DISCUSSION	38
4.1. Survey of scale insects and mealy bugs associated with eleven fruit trees in Western North Coast of Egypt.	38
4.1.1. Taxonomical list of scale insects and mealy bugs collected during the period of study infested eleven fruit trees.	38
4.1.2. Distribution and Percentage of infestation of the recorded scale insects and mealy bugs	41
4.2. Survey of natural enemies associated with the scale insects and mealy bugs infesting inspected fruit trees species in Northern Western Coast of Egypt (Dec., 2007- Nov. 2009).	76
4.2.1. The Hymenopterous parasitoids	76
4.2.2. The Predators	91
4.3. Bioecological and dynamical fluctuations of the occurring common scale insects populations on olive and fig trees at Western Northern Coast of Egypt	100
4.3.1. On olive trees	
4.3.1.1. Latania scale, <i>Hemiberlesia lataniae</i>	100
A- under rain-fed system	100
B- under irrigation system at El-Hammam area	102
4.3.1.2. The White olive scale, <i>Leucaspis riccae</i> Targ	116
4.3.1.3. Hemispherical soft scale, <i>Saissetia coffeae</i> (Walker)	129
A- under rain-fed system	129
B- under irrigation system at El-Hammam area	131
4.3.2. On fig trees	145
4.3.2.1. Latania scale, <i>Hemiberlesia lataniae</i>	145
4.3.2.2. The Mediterranean fig scale, <i>Lepidosaphes conchiformis</i> (Gmelin) ..	157
A- under rain-fed system	157
B- under irrigation at El-Hammam area	160
CHAPTER 5: SUMMARY	173
CHAPTER 6: REFFRENCES	180
CHAPTER 7: ARABIC SUMMARY	

LIST OF TABLES

Table No.	Title	page No.
1-	Monthly variations in four weather factors, daily mean temperature (C°), R.H. (%), wind speed (m/sec) and dew point (C°) in Alexandria district during the period of December 2007-Nov.2008.	30
2-	Monthly variations in four weather factors, daily mean temperature(C°), R.H. (%), wind speed (m/sec) and dew point (C°) in Alexandria district during the period of December 2008-Nov.2009.	30
3-	Monthly variations in four weather factors, daily mean temperature(C°), R.H. (%), wind speed (m/sec) and dew point (C°) at Mersa Matruh during the period of December 2007-Nov.2008.	31
4-	Monthly variations in four weather factors, daily mean temperature(C°), R.H. (%), wind speed (m/sec) and dew point (C°) at Mersa Matruh during the period of December 2008-Nov.2009	31
5-	Distribution of coccoid species associated with eleven fruit trees species during the period of December, 2007 till February, 2010 in the Western North Coast of Egypt	40
6-	Distribution of coccoid species on inspected host plant, plant part infested, localities and infested periods in the western north coast of Egypt (Dec.2007- Feb. 2010)	51
7-	The main scale insects infesting olive trees and their percentages of total coccoidal count during (2007-2008 &2008-2009) at Burg el-Arab and El-Hammam area	54
8-	The main scale insects and mealy bug infesting fig trees and their percentages of total coccoidal count during (2007-2008 &2008-2009) at Burg el-Arab and El-Hammam area	54
9-	Chalcidoid parasitoids recorded with scale insects infesting inspected fruit trees at Western Northern Coast of Egypt during December, 2007 to November, 2009	81
10-	The Predators recorded with scale insects and mealy bug infesting inspected fruit trees at Western Northern Coast of Egypt during December, 2007 to November, 2009	93
11-	Monthly calculated variations of total counted individuals / tree and population age structure of Latania scale <i>Hemiberlesia lataniae</i> infesting olive leaves and branches at Burg el-Arab area (December, 2007- November, 2008)	104
12-	Monthly calculated variations of total counted individuals /tree and population age structure of Latania scale <i>Hemiberlesia lataniae</i> infesting olive leaves and branches at Burg el-Arab area (December, 2008- November, 2009)	105
13-	Variations in seasonal occurrence of <i>H. lataniae</i> on olive trees at Burg el-Arab area (2007-2008& 2008-2009)	108
14-	Simple correlation (r) values between four abiotic factors with their significance levels on total count of <i>H. lataniae</i> on olive trees at Burg el-Arab area under rain-fed system in two growing seasons	110
15-	Monthly calculated variations of total counted individuals /tree and population age structure of Latania scale <i>Hemiberlesia lataniae</i> infesting olive leaves and branches at El-Hammam area (January, 2009 - December, 2009)	113
16-	Monthly calculated variations of total counted individuals / tree and population age structure of the white olive scale <i>Leucaspis riccae</i> infesting olive leaves at Burg el-Arab area (December, 2007- November, 2008)	120

17-	Monthly calculated variations of total counted individuals /tree and population age structure of the white olive scale <i>L. riccae</i> infesting olive leaves at Burg el-Arab area (December, 2008- November, 2009)	121
18-	Variations of seasonal occurrence of <i>L. riccae</i> on olive leaves at Burg el-Arab area (2007-2008& 2008-2009)	124
19-	Simple correlation (r) values between four abiotic factors with their significance levels on total count of <i>L. riccae</i> on olive trees at Burg el-Arab area under rain-fed system in two growing seasons	126
20-	Monthly calculated variations of total counted individuals / tree and population age structure of hemispherical soft scale <i>Saissetia coffeae</i> infesting olive leaves and branches at Burg el-Arab area (December, 2007- November, 2008)	133
21-	Monthly calculated variations of total counted individuals /tree and population age structure of hemispherical soft scale <i>S. coffeae</i> infesting olive leaves and branches at Burg el-Arab area (December, 2008- November, 2009)	134
22-	Variations of seasonal occurrence of <i>S. coffeae</i> on olive trees at Burg el-Arab area (2007-2008& 2008-2009)	137
23-	Simple correlation (r) values between four abiotic factors with their significance levels on total count of <i>S. coffeae</i> on olive trees at Burg el-Arab area under rain-fed system in two growing seasons	139
24-	Monthly calculated variations of total counted individuals /tree and population age structure of hemispherical soft scale <i>S. coffeae</i> infesting olive leaves and branches at El-Hammam area (January, 2009 - December, 2009)	142
25-	Monthly calculated variations of total counted individuals /tree and population age structure of latania scale <i>Hemiberlesia lataniae</i> infesting fig leaves and branches at Burg el-Arab area (December, 2007- November, 2008)	148
26-	Monthly calculated variations of total counted individuals / tree and population age structure of latania scale <i>H. lataniae</i> infesting fig leaves and branches at Burg el-Arab area (December, 2008- November, 2009)	149
27-	Variations of seasonal occurrence of <i>H. lataniae</i> on fig trees at Burg el-Arab area (2007-2008& 2008-2009)	152
28-	Simple correlation (r) values between four abiotic factors with their significance levels on total count of <i>H. lataniae</i> on fig trees at Burg el-Arab area under rain-fed system in two growing seasons	154
29-	Monthly calculated variations of total counted individuals /tree and population age structure of the mediterranean fig scale <i>Lepidosaphes conchiformis</i> infesting fig leaves and branches at Burg el-Arab area (December, 2007- November, 2008)	161
30-	Monthly calculated variations of total counted individuals /tree and population age structure of the mediterranean fig scale <i>L. conchiformis</i> infesting fig leaves and branches at Burg el-Arab area (December, 2008- November, 2009)	162
31-	Variations of seasonal occurrence of <i>L. conchiformis</i> on fig trees at Burg el-Arab area (2007-2008& 2008-2009)	165
32-	Simple correlation (r) values between four abiotic factors with their significance levels on total count of <i>L. conchiformis</i> on fig trees at Burg el-Arab area under rain-fed system in two growing seasons	167
33-	Monthly calculated variations of total counted individuals / tree and population age structure of the mediterranean fig scale <i>L. conchiformis</i> infesting fig leaves and branches at El-Hammam area (January, 2009 - December, 2009)	170