THE EFFICACY OF LOW LEVEL LASER THERAPY ON HERPES SIMPLEX LESIONS

A Thesis

Submitted in Partial Fulfillment of The requirement for the Master Degree in Physical Therapy

By

NESRIN AFIFY ABD-ELRASHID

B.Sc. In Physical Therapy
Department of Physical Therapy for Surgery
Cairo University

Supervisors

Prof. Dr. Wafaa Hussein Borhan

Prof. Dr. Hany M.Ez El-Din El-NazerProfessor of Dermatology and

Professor and Chairman of the Department of

Chairman of

Physical Therapy for Surgery,

The National Research Center

Faculty of Physical Therapy
Cairo University

Faculty of Physical Therapy, Cairo University 2009

بسم الله الرحمن الرحيم الرحيم

Dedication

This Study is Dedicated to My **Parents**, My **Sisters**, whole My **Family and** My Friends, with my Love and Respect.

Special Dedication to Every One Support and Help Me in this Study.

ACKNOWLEDGEMENT

First of all thanks is for my 'GOD" who provided me with essential power and patience for completion of this work.

I would like to express my deepest gratitude and deep thanks to Prof. Dr. Wafaa Hussein Borhan, Professor and Chairman of Department of Physical Therapy for Surgery, Faculty of Physical Therapy, Cairo University, for her sincere and thorough supervision and guidance throughout both practical procedures and theoretical synthesis of this study.

Warmest and deepest thanks to Prof. Dr. Hany
Mohamed Ez El-Din El-Nazer, Professor of Dermatology
and Chairman of the National Research Center, for his great help,
supervision and guidance throughout the procedures of the study.

Last but not least; special mention and warmest thanks to all members work in Kaser Al Aini Dermatological Clinic. Special thanks go also to all patients who participated in this study, and to my colleagues, for their support, encouragement and assistance throughout this study.

The efficacy of low level laser therapy on Herpes Simples Lesions, Prof. Dr. Wafaa Hussein Borhan; Chairman and Prof. of Physical Therapy, Department for Surgery, Faculty of Physical Therapy, Cairo University, Prof. Dr. Hany Mohamed Ez El-Din El Nazer, Prof. of Dermatology and Chairman of National Research Center, thesis 2009.

ABSTRACT

Purpose: To evaluate the efficacy of low level laser therapy in the treatment of recurrent herpes simplex (improving cutaneous manifestations and relieving pain). *Methods*: Forty patients with recurrent Herpes Simplex Type I (oral and perioral Herpes Simplex Type I) infection. The patients were randomly divided into two equal groups, study group (laser irradiation group) and control group. The VAS and Lab assessment (IgG, IgM, PCR) had been measured within 48 hours from the appearance of the cutaneous manifestations (pre), after 7 days (post 1), and after 14 days (post 2), from the beginning of treatment for all groups. For Group A (laser irradiation group); the Ga-As group was set for the treatment with; wavelength: 690 nm and a duration of treatment 10 minutes for each area, per day (1 cm²/day), daily, for two weeks. Also patients received medical care (Topical Acyclovir 5% cream). *Results*: The results showed that there were a significant decrease in pain, faster improvement of cutaneous manifestations and normalization of lab findings in group A patients (laser irradiation group), compared to the Group B patients (control group). Conclusion: Low level laser therapy was effective in treating patients with recurrent Herpes Simplex I.

Key words: (Herpes – Gallium Arsenide – IgG, IgM, PCR and HSV1).

List of Abbreviations

AIDS : Acquired Immune Deficiency Syndrome

ATP : Adenosine Triphosphate

C1 : Cytosine 1

Cm² : Centimeter Square.

CMV : Cytomegalo Virus

Cw : Continuing Wave

DNA : Deoxyribonucleic Acid

EBV : Epstein-Barr Virus.

ELISA : Enzyme-Linked Immuno-Sorbent Assays.

Eu/ml : ELISA unit/milliliter.

Fig. : Figure

Ga-As : Gallium Arsenide

HCVF : Host Cell Factor

HHV : Human Herpes Virus

HIV : Human Immunity Virus.

HSV-1 : Herpes Simplex Virus Type I

HSV-2 : Herpes Simplex Virus Type II

Hz : Hertz = Cycles / Second

IgG : Immunoglobulin G

IgM : Immunoglobulin M

J/cm2 : Joule Pre Centimeter Square.

LILT : Low intensity Laser Therapy.

LLLT : Low Level Laser Therapy

Min. : Minute

Mm² : Millimeter Square

Mw : Milliwatt.

nm : Nanometer.

No. : Number

Oct-1 : Octamer-1

PCR : Polymerase Chain Reaction

RNA : Ribonucleic Acid

VAS : Visual Analogue Scale.

VZV : Varicella Zoster Virus.

فاعلية العلاج بالليزر علي إصابات القوباء البسيطة

توطئة للحصول علي درجة الماجستير في العلاج الطبيعي

رسالة مقدمة من نسرين عفيفي عبد الرشيد عفيفي

هيئة الإشراف

أ.د. / وفاء حسين برهان
 أ.د. / هاني محمد عز الدين الناظر
 رئيس قسم العلاج الطبيعي والجراحة أستاذ الأمراض الجلدية ورئيس المركز
 كلية العلاج الطبيعي – جامعة القاهرة القومي للبحوث

كلية العلاج الطبيعي جامعة القاهرة ٢٠٠٩

المشرفون

أ.د. / وفاع حسين برهان أستاذ ورئيس قسم العلاج الطبيعي والجراحة كلية العلاج الطبيعي جامعة القاهرة

أ.د. / هاني محمد عز الدين الناظر أستاذ الأمراض الجلدية ورئيس المركز القومي للبحوث

المستخلص العربي

فاعلية العلاج بالليزر علي إصابات القوباء البسيطة.

في هذه الدراسة تم تقييم فاعلية العلاج بالليزر في إصابات القوباء البسيطة وقد قسمت العينة إلى مجموعتين: مجموعة العلاج بالليزر (مجموعة أ)، وقد تلقت العلاج بالليزر ولمدة ١٤ يوم + العلاج الدوائي (أسيكلو فير كريم ٥%) مرتين باليوم.

ومجموعة العلاج الدوائي (مجموعة ب) وقد تلقت العلاج الدوائي فقط (أسيكلوفير كريم ٥%) مرتين باليوم طوال فترة العلاج (١٤ يوم).

وقد تم تقييم التقدم في الحالات بواسطة استخدام (معدل قياس الألام) قبل البدء بالعلاج وبعد ٧ أيام وبعد ١٤ يوم وأيضاً بواسطة التحاليل الكيميائية لقياس استجابة جهاز المناعة للعلاج عن طريق قياس جلوبيولين المناعة جوجلوبيولين المناعة م، وقياس وجو الشرط الوراثي للفيروس، قبيل بداية العلاج وبعد ٧ أيام وبعد ١٤ يوم.

وقد أثبت الليزر فاعليته في تقليل وانعدام الألم واختفاء الأعراض الجلدية المصاحبة للقوباء البسيطة في وقت اقل من استخدام العلاج الدوائي وأيضاً تحسن في جلوبين المناعة ج، م مع انعدام وجود الشريط الوراثي للفيروس في الحالات المصابة والتي تم علاجها بواسطة الليزر في حين أن الحالات المعالجة بواسطة الدواء فقط لم يختفي الشريط الوراثي للفيرس الخاص بها.

List of Contents

Chapter I : Introduction		
- Introduction		
- Statement of the Problem	5	
- Purpose of the Study	6	
- Significance of the Study	6	
- Delimitations	7	
- Limitations	9	
- Hypothesis	10	
- Basic Assumptions	10	
- Definition of Terms		
Chapter II : Review of Related Literatures		
(A) Viruses	15	
(B) Herpes Simplex Viruses	25	
I. Anatomy of Herpes Simplex Virus DNA	28	
II. Herpes Simplex Virus Biology		
- Herpes Simplex Viruses Components		
Neurobiology of the Skin		
Incidence	54	
Types of Herpes Virus Infection	55	
Clinical Presentation	59	
Diagnosis	72	
Treatment Options	47	
Laser	91	
Low Level Laser Therapy	96	
Application of Lasers in Medicine	134	
Clinical Application of (LLLT)	136	
(D) Low Level Laser Therapy and Herpes Simplex		
Infection		
Chapter III: Subjects, Material and Methods		
(A) Subjects	180	

(B) Equipment:	182		
(C) Procedures:			
Measurement Procedures			
Treatment Procedures			
Statistical Procedures			
Chapter IV: Results			
Results			
Chapter V: Discussion			
Discussion	154		
Chapter VI: Summary, Conclusion,	270		
Recommendations			
References	275		
Appendices			
Arabic Summary			

List of Figures

Fig. No.	Title	Page
1	Diagrammatic representation of the structure of HSV-1 and DNA	29
2	HSV virion structure and genome organization.	33
3	The cycle of productive HSV replication in a cell	38
4	Diagram of HSV DNA replication	41
5	Stages of HSV infection	46
6	Human cervical, thoracic, lumbar and sacral dermatomes illustrate the segmental and bilateral symmetric structure of the peripheral sensory nervous system	68
7	Spontaneous emission occurs when a photon changes energy level	100
8	Absorption and emission of photons	101
9	Monochromaticity and wavelength	105
10	Coherence	106
11	Comparison of the effects of CW and pulsed lasers on tissue	121
12	Depth of penetration of LILT	125
13	Visual analogue scale (VAS) for pain assessment	183
14	Tools used to collect blood sample	184
15	State Fax-2100	185
16	Step one real time	186

17	The infrared (Ga-As) laser unit and the protection goggles	187
18	Laser application	193
19	Mean values of immunoglobulin G (IgG) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of Ga-As laser therapy (group A)	201
20	The mean values of immunoglobulin G (IgG) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of Ga-As laser therapy (group A)	202
21	Mean of values of immunoglobulin M (IgM) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of Gas-As laser therapy (Group A)	205
22	The mean values of immunoglobulin M (IgM) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of Ga-As laser therapy (group A)	206
23	Mean values of polymerase chain reaction (PCR) before initiation of treatment (pre), after one week (post-1) and after two weks (post-20 of application of Ga-As laer therapy (Group A)	209
24	The mean values of polymerase chain reaction (PCR) before initiation of treatment (pre), after one week post-1) and after two weeks (post-2) of application of Ga-As laser therapy (Group A)	210
25	Mean values of visual analogue scale (VAS) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of Ga-As laser therapy (Gropu A)	213

26	The mean values of visual analogue scale (VAS) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of Ga-As laser therapy (group A)	214
27	The mean values of immunoglobulin G (IgG) before, initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of topical acyclovir (Group B)	219
28	The mean values of immunoglobulin G (IgG) before initiation of treatment (pre), after one week (post 1), and after two weeks (post 2) of application of topical acyclovir (Group B)	220
29	Mean values of immunoglobulin M (IgM) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of topical acyclovir (group B)	223
30	The mean values of immunoglobulin M (IgM) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of topical acyclovir (group B)	224
31	Mean values of polymerase chain reaction (PCr) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of topical acyclovir (group B)	227
32	The mean values of polymerase chain reaction (PCr) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of topical acyclovir (group B)	228
33	Mean values o visual analogue scale (VAS) before initiation of treatment (pre), after one week (post-1) and after two weeks (post-2) of application of topical acyclovir (group B)	231