

**Comparison of Sonography,
Computed Tomography, Scintigraphy, ERCP
and PTC in the Evaluation of Patients
with Bile Ducts Obstruction**

Thesis

**Submitted in Partial Fulfillment of the
M.D. Degree in Radio-diagnosis**

By

Mostafa Abdell Aziz Hassaballa
(M.B.B.CH., M.Sc.)

Under Supervision of

Prof. Dr. Omar Hussein

Professor of Radio-diagnosis
Faculty of Medicine
Ain Shams University

**Faculty of Medicine
Ain Shams University
1999**





Acknowledgement

I do feel deeply indebted to my great

Prof. Dr. OMAR Hussein,

*Professor Of Radiodiagnosis, Ain Shams University,
for giving me the honour of working under his prolific
supervision. I would like to express my utmost gratitude and
appreciation for his continuous encouragement, generous help,
sound advice, and the meticulous review of this work. My
sincere thanks for offering me much of his precious attention
and valuable criticism to put this thesis in a more proper
presentation.*

*I am greatly acknowledged to his constructive support,
valuable suggestions and recommendations that helped me
throughout this work.*

List of Abbreviations

- * **α F.P:** - α Feto Protein
- * **AP:** - Alkaline Phosphatase
- * **CBD:** - Common Bile Duct
- * **CD:** - Cystic Duct
- * **CEA:** - Carcino Embryonic Antigen
- * **CT:** - Computed Tomography
- * **DISIDA:** - Diisopropyl IminoDiacetic Acid
- * **dl:-** deciliter
- * **ERCP:-** Endoscopic Retrograde Cholangio
Pancreatography
- * **EUS:** - Endoscopic Ultrasonography
- * **FN:** - False Negative
- * **FP:** - False Positive
- * **GB:** - Gall Bladder
- * **GN:** - Gallbladder Neck
- * **HA:** - Hepatic Artery
- * **Hb:** - Hemoglobin
- * **HCC:** - Hepatocellular Carcinoma
- * **HCV AB Igm:** Hepatitis C virus immunoglobulin M
antibody.
- * **HIDA:** - 2,6 dimethyl iminodiocetic acid

- * **IDA:** - Iminodiacetic Acid
- * **IU:** - International Unit
- * **LFT:** - Liver Function Test
- * **MRC:** - Magnetic Resonance Cholangiography
- * **MRCP:** - Magnetic Resonance Cholangio-pancreatography
- * **PCR:** Polymerase-chain reaction.
- * **PD:** - Pancreatic Duct
- * **PIPIDA:** - Paraisopropyl iminodiacetic Acid
- * **PT:** - prothrombin Time
- * **PTC:** - Percutaneous Transhepatic Cholangiography
- * **PV:** - Portal Vein
- * **RBC:** - Red Blood Cell
- * **RHA:** - Replaced Hepatic Artery
- * **RNA:** Ribonucleic acid
- * **SD:** - Standard Deviation
- * **SGOT:** - Serum Glutamic Oxaloacetic Transaminase
- * **SMA:** - Superior Mesenteric Artery
- * **SMV:** - Superior Mesenteric Vein
- * **SV:** - Splenic Vein
- * **Tc:** - Technetium
- * **TP:** - True Positive
- * **TN:** - True Negative

- * **UP:** - Uncinate Process of pancreas
- * **US:** - Ultrasonography
- * **WBC:** - White Blood Cell

List of Tables

No.	Item	Page
1	Composition of bile	31
2	Changes in bile composition in patients with gallstones	36
3	Differences between conjugated and unconjugated bilirubin	41
4	Causes of hyperbilirubinaemia	50
5	Clinical indications for Tc ^{99m} biliary scintigraphy	101
6	Serial numbers, sex, age and final diagnosis of all the cases.	124
7	Sex distribution in all the groups of patients	126
8	Age incidence in 80 cases	128
9	The incidence rates of the major symptoms in 80 cases	132
10	Total serum bilirubin	143
11	Serum direct bilirubin	145
12	Serum alkaline phosphatase levels	147
13	Serum glutamic oxaloacetic transaminase	150
14	Plasma albumin in all cases	151
15	Prolonged prothrombin time	152
16	Raised serum amylase	153

17	The original group A of 50 cases in whom US, CT and PTC were done	157
18	Indices of accuracy	160
19	Overall success rates of US in 80 patients	161
20	The sensitivity, specificity and overall success rates of US in the major aetiologic groups	164
21	Diagnostic success rates of US on the group A of 50 cases	166
22	Diagnostic success rates of CT in the group of 50 cases	168
23	The sensitivity, specificity and overall success rates of CT in the major subgroups of patients	169
24	Diagnostic success rates of PTC in the group A of 50 cases	170
25	Comparative success rates of US, CT and PTC	172
26	Diagnostic success rates of ERCP in 45 cases	175
27	Complications of ERCP in 45 cases	176
28	Success rates of US, CT, PTC and ERCP in detecting the causes of biliary obstruction in 24 cases	178
29	Incidence of weight loss in the present study compared to the literature	251