SERUM INHIBIN LEVELS IN CASES OF PREGNANCY INDUCED HYPERTENSION

THESIS

Submitted in Partial fulfillment of M.D Degree

W

(Obstetrics and Gynecology)

RY

HAMDY MOHAMAD EDRIES MOHAMAD

M.B.B, Ch. M.S (Obstet & Gynecol).

UNDER SUPERVISION OF

PROF. DR.

PROF. DR.

Mohamad Abdel Halim Mehanna

Ali Farid Mohamad Ali

Professor of Obstetrics and Gynecology

Professor of Obstetrics and Gynecology

Department of obstetrics and Gynecology

PROF. DR.

DR.

Ahmad Abdel Halim El Tawil

Hanaa El Tayb Nasser

Professor of Pathology

Assistant Professor of Biochemistry


Department of Obstetrics and Gynecology.


Faculty of Medicine

Ain shams university

1996







ACKNOWLEDGMENT

I wish to take opportunity to thank all those people who have assisted me during the period covered by this work. First and foremost of these is my supervisors. professor Dr. Mohamed Abd El- Halim Mehana professor of obstetrics and Gynecology, and professor Dr. Ali Farid Mohamed Ali professor of obstetrics and Gynecology, Faculty of Medicine, Ain shams university for their valuable help, suggestion, criticism, cooperation, advice, meticulous guidance, valuable supervision and continuous encouragement in the preparation of this thesis.

I express may sincere gratitude for professor Dr Ahmed Abdel Halim El-Tawil professor of pathology and Dr. Hanaa El- Tayb Nasser Assistant professor of Biochemistry, Faculty of Medicine, Ain shams university for providing me the chance to work within their laboratories and also for their continuous cardial encourgment, supervision, criticism and helpful suggestion.

I am greatly indebted to our patients who had tolerated my work.



Contents

subject	page
List of abbreviation	I
List of tables	//
List of figures	<i>VII</i>
Introduction	<i>I</i>
Aim of the work	3
Inhibin	4
Inhibin in PIH	47
Biochemical changes in PIH	48
Parameter used in evaluation cases ofPIH	75
Pathology of the placenta	90
Patients and Methods	109
Results	128
Discussion	185
Summary and Conclusions	195
References	199
Ain Shams Contribution in PIH	227
Arabic summary	



List of abbreviation

AII Angiotensin II

ADP Adenosine diphosphate

ALP Alkaline phosphatase

ANP Atrial natriuretic peptide

AT III Antithrombin III

CAMP Cyclic Adenosine monophosphate

CDNA Complementary Deoxyribonucleic acid

CNS Central nervous system

DIC Dessiminated intravascular Coagulopathy

FSH Follicle stimulating hormone
GNRH Gonado tropic releasing hormone
HCG Human chorionic gonadotropin

HCS Human chorionic Somatomammotropin.

HPL Human placental lactogen

IUGR Intra-uterine growth retardation

LDH Lactic dehydrogenase
LH Luteinizing hormone

KDa Kilodalton

MAP Mean arterial pressure

mRNA Messenger ribonucleic acid

PAII Plasminogen activator inhibitor 1

PCO Polycystic ovarian syndrome

PE Preeclampsia

PIH Pregnancy Induced Hypertension

PGI2 Prostaglandin I 2

PLAP Placental alkaline phosphatase

RIAs Radioimmuno assays

SGOT Serum glutamic oxalacetic Transaminase

SGPT Serum glutamic pyruvic transaminase

TGF_B Transforming growth factor - β

TXA2 Thromboxan A2



List of tables

		Page
Table	(1) Represents collected data of normal pregnancy (group I)	. 128
Table	(2) Represents collected data of Mild (Group II Subgroup A.)	. 131
Table	(3) Represents collected data of Severe PIH (Group II Subgroup B)	. 133
Table	(4): Represents serum inhibin level (ng/ml) in patients with normal pregnancy, mild and severe PIH	
Table	(5): Represents Comparison between serum inhibin level (ng/ml) in patients with Mild PIH versus normal pregnancy	. 135
Table	(6): Represents Comparison between serum inhibin level (ng/ml) in patients with, severe PIH versus normal pregnancy	
Table	• •	
Table	(8): Represents Serum human placental lactogen (HPL) level (ug/ml) in patients with normal pregnancy, mild and severe pregnancy induced hypertension	. 137
Table	(9): Represents Comparison between serum HPL level (ug/ml) in patients with mild PIH versus normal pregnancy	. 137
Table	(10): Represents Comparison between serum HPL level (ug/ml) in patients with severe PIH versus normal pregnancy	. 137
Table	(11): Represents Comparison between serum HPL level (ug/ml) in patients with mild versus severe P1H.	
Table	(12): Represents Serum alkaline phosphatase level (Iu/L) in patients with normal pregnancy, mild and severe pregnancy induced hypertension	. 139
Table	(13): Represents Comparison between serum alkaline phosphatase level (Iu/L) in patients with mild PIH versus normal pregnancy	

Table	(14): Represents comparison between serum alkaline phosphatase level (lu / L) in patients with
	severe PIH versus normal pregnancy
Table	(15): Represents Comparison between serum alkaline phosphatase level (lu/L) in patients with mild versus severe PIH
Table	(16): Represent placental thickness (cm) in patients with normal pregnancy, mild and severe PIH 141
Table	(17): Represent comparison between placental thickness (cm) in mild PIH versus normal pregnancy141
Table	(18): Represent comparison between placental thickness (cm) in severe P1H versus normal pregnancy141
Table	(19): Represent comparison between placental thickness (cm) in mild PIH versus severe PIH 142
Table	(20): Represents placental weight (gms) in patients with normal pregnancy, mild and severe PIH 143
Table	(21): Represents comparison between placental weight (gms) in patients with mild PIH versus normal pregnancy
Table	(22): Represents comparison between placental weight (gms) in patients with severe PIH versus normal pregnancy
Table	(23): represents comparison between placental weight (gms) in patients with mild PIH versus severe PIH
Table	(24): Represents comparison between previllous fibrin deposition in placenta of patients with mild PIH versus normal pregnancy
Table	(25): Represents comparison between previllous fibrin deposition in placenta of patients with severe, PIH versus normal pregnancy
Table	(26): Represents comparison between previllous fibrin deposition in the placenta of patients with mild versus severe PIH
Table	(27): Represents comparison between thrombosis in placenta of patients with mild PIH versus normal pregnancy

Table	(28):	Represents comparison between thrombosis in placenta of patients with severe PIH versus normal pregnancy	146
Table	(29):	Represents comparison between thrombosis in placenta of patients with mild versus severe PIH	
Table	(30):	Represents comparison between calcification in placenta of patients with mild PIH versus normal pregnancy	
Table	(31):	Represents comparison between calcification in placenta of patients with severe PIH versus normal pregnancy.	
Table	(32):	Represents comparison between calcification in placenta of patients with mild versus severe PIH	
Table	(33):	Represents comparison between infarction in placenta of the patients with mild PIH versus normal pregnancy	
Table	(34):	Represents comparison between infarction in placenta of the patients with severe PIH versus normal pregnancy	
Table	(35):	Represents comparison between infarction in placenta of patients with mild versus severe	. 148
Table	(36):	Represents comparison between fibromuscular sclerosis of the fetal stem vessels in the placenta of women with mild PIH verus normal pregnancy	
Table	(37):	Represents comparison between fibromuscular sclerosis of the fetal stem vessels in the placenta of patients with severe PIH versus. normal pregnancy	
Table	(38):	Represents comparison between fibromuscular sclerosis of the fetal stem vessels in the placenta of patients with mild versus severe PIH.	
Table	(39)	: Represents comparison between villous vessels in the placenta of patients with mild PIH. versus normal pregnancy	
		versus normai pregnancy	. オンひ

Table	(40): Represents comparison between villous vessels in the placenta of patients with severe PIH versus normal pregnancy
Table	(41): Represents comparison between villous vessels in the placenta of patients with mild versus severe PIH
Table	(42): Represents comparison between villous edema in the placenta of patients with mild PIH versus normal pregnancy
Table	(43): Represents comparison between villous edema in the placenta of patients with severe PIH versus normal pregnancy
Table	(44): Represents comparison between villous edema in the placenta of patients with mild versus severe PIH
Table	(45): Represents comparison between stromal fibrosis in placenta of the patients with mild PIH. versus normal pregnancy
Table	(46): Represents comparison between stromal fibrosis in placenta of the patients with severe PIH versus normal pregnancy
Table	(47): Represents comparison between stromal fibrosis in placenta of patients with mild versus severe PIH
Table	(48): Represents comparison between fibrinoid necrosis of the villi in the placenta of patients with mild PIH versus normal pregnancy
Table	(49): Represents comparison between fibrinoid necrosis of the villi in the placenta of patients with severe PIH versus normal pregnancy
Table	(50): Represents comparison between fibrinoid necrosis of the villi in the placenta of patients with mild versus severe PIH
Table	(51): Represents comparison between cytotrophoblastic hyperplasia in the placenta of patients with mild PIH versus normal pregnancy
Table	(52): Represents comparison between cytotrophyblastic hyperplasia in the placenta