COGITATION IN THE PROBLEM OF PRETERM RUPTURE OF MEMBRANES

Thesis

Submitted in Partial Fulfillment for the Requirement of the Degree of M.D. in Obstetrics and Gynaecology

 $\mathbf{B}\mathbf{v}$

Sherif Mahmoud Taha Mohammed M.B.B.Ch; MSc

Supervised By

61732

PROF. DR. MOHAMED NAGY ELMAKHZANGY

Professor of OBSTETRICS & GYNAECOLOGY

Faculty of Medicine Ain Shams University

PROF. DR. SAID MOHAMED TOHAMY

Professor of OBSTETRICS & GYNAECOLOGY

Faculty of Medicine Ain Shams University

DR. MONA OMAR ABBAS

Assistant Professor of MICROBIOLOGY &

IMMUNOLOGY

Faculty of Medicine Ain Shams University

FACULTY OF MEDICINE AIN SHAMS UNIVERSITY 1998



وَأَنْزَلَ لَكُم مِنَ الْأَنْعَم ثَهَ قُكُمُ فَيْ بُطُونِ أُمَّ هَٰتِكُمٌ خَلُقاً مِّ الْمُلُكُ لَا ٓ إِلَّهُ إِلَّا هُوَ فَأَنَّىٰ تُصُرَفُونَ)

ACKNOWLEDGEMENT

My deepest appreciation and utmost gratitude to Prof. MOHAMED NAGY ELMAKHZANGY, Professor of Obstetrics and Gynaecology, Faculty of Medicine, Ain Shams University, who suggested the subject of this thesis and who through his kind meticulous supervision through all steps of this work, valuable guidance, generous advice, and fruitful suggestions helped me to produce this work.

Also, sincere appreciation and gratitude to Prof . SAID MOHAMED TOHAMY , Professor of Obstetrics and Gynaecology , Faculty of Medicine , Ain Shams University , for his great help and unlimited support , patience and encouragement in initiating, advancement , and completing this work .

Great indebtedness to Dr. MONA OMAR ABBAS, Assistant Professor of MIGROBIOLOGY and IMMUNOLOGY, Faculty of Medicine, Ain Shams University, for her continuous supervision, sparing no time, experience, effort or help throughout the progress of this work.

Thanks to my patients, for without their help this work would not have come to light.

CONTENTS

** Introduction	1
** Aim of the work	4
** Review of literature	
 Development, Anatomy, and Histology of 	f Fetal
Membranes	5
• The pathobiology of Preterm PROM	8
Diagnosis of preterm PROM	47
Clinical Course and Fetal and Maternal consequ	ieces of
preterm PROM	51
• Antepartum Surveillance of cases of	preterm
PRÓM	68
Management of preterm PROM	90
** Patients and Methods	122
** Results	131
** Discussion	153
** Summary and conclusion	167
** References	172
** Arabia Cummara	

List of abbreviations

AF: Amniotic fluid.

AFP: Alpha-fetoprotein.

BPD: Bronchopulmonary dysplasia.

BPP: Biophysical profile.

CBC: Complete blood count.

CRP: C- reactive protien.

DAO: Diamino-oxidase.

DM: Diabetes mellitus.

GBS: Group B streptococcus.

G. vaginalis: Gardenerella vaginalis.

hCG: Human chorionic gonadotropin.

HFUPR: Hourly fetal urine production rate.

IAI: Intraamnjotic infection.

IGHBP-1: Insulin-like growth factor-binding protein – 1.

IL: Interleukin.

IQ: Intelligence quotient.

IUGR: Intrauterine growth retardation.

IVH: Intraventricular haemorrhage.

M.hominis: Mycoplasma hominis.

MMPs: Matrix metalloproteinases.

NEC: Necrotizing enterocolitis.

NPV: Negative predictive value

N. gonorrhea: Neisseria gonorrhea.

NIC: Neonatal intensive care.

NST: Nonstress test.

PDA: Patent ductus arteriosus.

pPROM: Preterm premature rupture of membranes.

PPV: Positive predictive value.

PROM: Premature rupture of membranes.

PSG: Prospectively studied group.

PTL: preterm lobor.

RDS: Respiratory distress syndrome.

ROM: Rupture of membranes.

ROP: Petinopathy of prematurity.

SP.: Species.

TG: Treatment group.

TIMPs: Tissue inhibitors of matrix metalloproteinases.

TNF: Tumor necrosis factor.

U.uealyticum: Ureaplasma urealyticum.

WBC: White blood cell count.

List of tables

Review of merature
Table 1. Definition of Normal and Abnormal BPP
Components81
**Results
Table (1) Comparison of sociodemographic variables among different groups in the PSG
Table (2) Previous gynecologic procedures among different groups in the PSG
Table (3) Gravidity and parity among different groups in the PSG
Table (4) Previous 2 nd trim. abortion and previous one elective abortion among different groups in the PSG133
Table (5) Previous recurrent (≥2) abortions and previous more than one elective abortion among different groups in the PSG
Table (6) Previous pPROM, PTL and last delivery < 1 year among different groups in the PSG
Table (7)Concurrent pregnancy events among different groups in the PSG
Table (8) Results of the 1st cervical culture among different groups in the PSG
Table (9) Results of the 2nd cervical culture among different groups in the PSG
Table (10) Prevalence of Mycoplasma sp. in the 1st cervical cultures among different groups of the PSG

Table (22) Comparison of the number of cases still not delivered
at > 2 days, ≥ 7 days, ≥ 10 days, and ≥ 14 days among different groups of the TG, excluding cases of premature catheter removal
Table (23): The number of cases in group I in whom the duration of catheter retention was > 2 days, ≥ 7 days, ≥ 10 days, and ≥ 14 days compared to the number of cases in groups II and III still not delivered at the same periods
Table (24) The number of cases in group I in whom the duration of catheter retention was > 2 days, ≥ 7 days, ≥ 10 days, and ≥ 14 days, excluding cases of premature catheter removal, compared to the number of cases in groups II and III still not delivered at the same periods
Table (25) Comparison of the mean gestational age at delivery among different groups of the TG148
Table (26) Comparison of the incidence of chorioamnionitis, abruptio placentae, fetal distress, and cesarean section among different groups of the TG
Table (27) Indications of cesarean sections149
Table (28) Comparison of the mean birthweights (grams) among neonates of the different groups of the TG150
Table (29) Neonatal outcome among infants of different groups of the TG
Table (30) Comparison of the mean stay (days) among infants of different groups discharged alive after admission to the NICU
Table (31)Concurrent events during management of group I