

*Role of Biplane Transoesophageal
Echocardiography In Adolescents and Adult
Patients With Congenital Heart disease*

Thesis

*Submitted for Partial Fulfillment of
M.D. Degree In Cardiology*

By

Azza Abdallah El-Fiky
M.B.B.Ch., M.S.

Supervised by

Prof. Dr. Mohamed K. Abdel Dayem
*Professor of Cardiology
Faculty of Medicine - Ain Shams University*

Dr. Ihab M. Attia
*Assistant Professor of Cardiology
Faculty of Medicine - Ain Shams University*

Dr. Maiy H. El-Sayed
*Lecturer of Cardiology
Faculty of Medicine - Ain Shams University*

**Faculty of Medicine
Ain Shams University**

1995





Acknowledgment

It is an honour to express my respect and love to my Prof. Dr. M. K. Abdel Dayem, professor of Cardiology, Ain Shams University, who has taught me a lot beyond the scope of Cardiology.

I like to express my gratitude to Dr. Ihab M. Attia, assistant professor of Cardiology, Ain Shams University, for his unlimited encouragement and help during the conduction of this research.

It is not enough to thank Dr. Maiy Hamdy El-Sayed, lecturer of Cardiology, Ain Shams University, for her stimulating advice and guidance throughout the steps of this work.

I am very grateful to Dr. Tarek El-Sayegh, assistant professor of Cardiac Surgery, Ain Shams University, because he was the main surgeon who operated upon my population study and has supplied me with the detailed intraoperative data.

Also, I thank Dr. M. Ayman M. Saleh, for his assistance in performing this work.

List of Tables

Page

Review of literature:

Table (I): Clinical usefulness of transoesophageal biplane imaging	82
Table (II): Hemodynamic studies in acyanotic (CHD).....	131
Table (III): Haemodynamic studies in cyanotic CHD.....	132

Results:

Table (1): Determination of atrial situs in the studied patients	181
Table (2): Determination of situs in surgically treated patients.....	181
Table (3): Type of AV connexion in the studied pts.....	182
Table (4) Type of AV connexion in surgically treated patients.....	183
Table (5): Mode of AV connexion in the studied pts	185
Table (6): Mode of AV connexion in surgically treated patients.....	186
Table (7): Ventricular morphology in the studied pts	187
Table (8): Ventricular morphology in surgically treated patients.....	188
Table (9): Type of VA connexion in the studied pts	189
Table (10): Type of VA connexion in surgically treated patients.....	189
Table (11): Mode of VA connexion in the studied pts	190

Table (12): Mode of VA connexion in surgically treated pts.....	193
Table (13): Infundibular septum in the studied patients.....	194
Table (14): Subarterial Infundibulum in surgically treated patients.....	195
Table (15): Pulmonary venous drainage in the studied patients	195
Table (16): Pulmonary venous drainage in surgically treated patients.....	196
Table (17): Systemic venous drainage in the studied pts.....	196
Table (18): Systemic venous drainage in surgically treated patients.....	197
Table (19): Arch and PDA in the studied patients	198
Table (20): Arch and PDA in surgically treated patients.....	199
Table (21): Interatrial septum in the studied patients	199
Table (22): Interatrial septum in surgically treated patients.....	201
Table (23): Interventricular septum in the studied patients.....	203
Table (24): Interventricular septum in surgically treated patients.....	203
Table (25): Proximal coronaries seen adequately to judge origin and initial course in the studied patients	204
Table (26): Proximal coronaries seen adequately to judge origin and initial course in surgically treated patients	204

Table (27): Number of leaflets seen in patients with Ebstien anomaly	205
Table (28): Number of abnormal leaflets in patients with Ebstien anomaly.....	205
Table (29): Overall involvement of different leaflets of TV by TTE versus TEE in patients with Ebstien anomaly	207
Table (30): Type of abnormalities in patients with Ebstien anomaly	207
Table (31): Degree of leaflet displacement in cm in patients with Ebstien anomaly	208
Table (32): Contractility of atrialized portion in patients with Ebstien anomaly.....	208
Table (33): SEC & thrombi in patients with Ebstien anomaly.....	208
Table (34): Associated anomaly	209
Table (35): Structures seen by transoesophageal but not with transthoracic echocardiography.....	210

List of Figures

Page

I. Figures:

Fig. (1):	Hydrogen inhalation curves from a tripolar catheter in a patient with PDA and PR	134
Fig. (2):	Indicator dilution curves in ASD.....	138
Fig. (3):	The use of intracardiac electrocardiography in localizing the site of oximetry sampling in complex congenital heart disease	142
Fig. (4):	Horizontal echocardiographic section at the level of the 10th or the 11th vertebra	150
Fig. (5):	Right isomerism	150
Fig. (6):	Left isomerism.....	151
Fig. (7):	Saggittal echocardiographic section demonstrating the hepatic viens draining directly into the RA	151
Fig. (8):	Parasternal short axis view at the level of mitral valve in diastole	153
Fig. (9):	Apical 4-chamber view showing the apical insertion of the tricuspid valve.....	154
Fig. (10):	Parasternal long axis view showing the morphologic characteristics of the LV and mitral valve with attachment of both leaflets to papillary muscles on free wall.....	155
Fig. (11):	The subcostal right oblique view showing the right ventricle giving origin to the pulmonary artery which is rapidly bifurcating great vessel.....	156
Fig. (12):	The subcostal left oblique view showing the LV giving origin to the aorta which is an arching non-rapidly bifurcating great vessel.....	156

Fig. (13): The subcostal right oblique view showing a normal subpulmonary infundibulum.....	158
Fig. (14): Saggittal subcostal view showing the hepatic veins opening into the IVC that opens into the RA.....	158
Fig. (15): The suprasternal view showing normal drainage of the 4 pulmonary veins into the LA.....	160
Fig. (16): Subcostal short axis view showing the two atria, interatrial septum and SVC draining into the RA	160
Fig. (17): A normal aortic arch and its branches in (A) a child, (B) an adult.....	162
Fig. (18): A diagramatic presentation of transverse plane of TEE. A basal short axis view showing the relation of RAA, SVC, RVOT, ascending Ao and LA.....	167
Fig. (19): A diagramatic presentation of longitudinal plane of TEE showing the RA, RAA, entrance of IVC, SVC, and LA	167
Fig. (20): A diagramatic presentation of transverse plane of TEE. A basal short axis view showing the LAA, pulmonary valve, ascen-ding aorta, left upper pulmonary vein and SVC.	168
Fig. (21): A diagramatic presentation of longitudinal plane of TEE at the level of LAA and mitral valve.....	168
Fig. (22): A diagramatic presentation of transverse plane of TEE showing the 4-chamber view proper	169
Fig. (23): A diagramatic presentation of longitudinal plane of TEE at the level of mitral valve and papillary muscles	170
Fig. (24): A diagramatic presentation of longitudinal plane of TEE; the LVOT view.....	172

Fig. (25): A diagramatic presentation of transverse plane of TEE. A basal short axis view showing the normal relation of RVOT to aortic valve and both atria.	172
Fig. (26): A diagramatic presentation of longitudinal plane of TEE showing the RVOT winding around the aortic root.....	173
Fig. (27): A diagramatic presentation of transverse plane of TEE 4-chamber view with some manipulation to include the left upper pulmonary vein.....	173
Fig. (28): A diagramatic presentation of aortic arch by the transverse plane of TEE.....	177
Fig. (29): Transverse plane 4-chamber view shows single atrium, common AV valve Rastelli type (A)	184
Fig. (30): Longitudinal plane at the level of LAA showed prolapsed anterior mitral leaflet.....	184
Fig. (31): Longitudinal plane at the level LVOT shows sub-aortic membrane attached to anterior mitral leaflet	191
Fig. (32): Longitudinal plane at the level of RVOT, shows dilated right ventricle, thickened pulmonary valve with marked post-stenotic dilatation of pulmonary artery and its two branches	191
Fig. (33): Longitudinal plane at the level of RVOT shows anteriorly deviated infundibular septum, thickened pulmonary valve.....	192
Fig. (34): Longitudinal plane at the level of LVOT shows a malalignment inlet outlet VSD with aortic overriding IVS by 50%.....	192
Fig. (35): Transverse plane at the level of aortic valve showing persistent left SVC	197

Fig. (36): Transverse plane 4-chamber view shows ostium primum ASD, secundum ASD, common AV valve and small restrictive VSD.....	200
Fig. (37): Transverse plane 4-chamber view shows a big ostium primum defect	200
Fig. (38): TTE apical 4-chamber view shows a 2.7 cm inlet VSD	202
Fig. (39): Transverse plane 4-chamber view shows double inlet left ventricle, AV discordance	202
Fig. (40): Transverse plane 4-chamber view shows displaced septal and anterior leaflet of tricuspid valve (Ebstein anomaly) and 2 secundum ASDs.....	206
Fig. (41): Transverse plane 4-chamber view shows Ebstein anomaly of the tricuspid valve, big RA thrombus in the RA and the atrialized portion of the RV	206

List of Abbreviations

AF	<i>Atrial fibrillation</i>
AML	<i>Anterior mitral leaflet</i>
Ao	<i>Aorta</i>
Ao.V.	<i>Aortic valve</i>
AR	<i>Aortic regurgitation</i>
AS	<i>Aortic stenosis</i>
ASD	<i>Atrial septal defect</i>
AV	<i>Atrioventricular</i>
Az. V.	<i>Azygous vein</i>
B/C	<i>Biventricular concordant</i>
B/D	<i>Biventricular discordant</i>
CFI	<i>Color flow imaging</i>
CFM	<i>Color flow mapping</i>
CHD	<i>Congenital heart disease</i>
CTR	<i>Cardiothoracic ratio</i>
CWD	<i>Continuous wave Doppler</i>
DILV	<i>Double inlet left ventricle</i>
DIRV	<i>Double inlet right ventricle</i>
DOLV	<i>Double outlet left ventricle</i>
DORV	<i>Double outlet right ventricle</i>
ESM	<i>Ejection systolic murmur</i>
H ₂	<i>Hydrogen</i>
I.C. EKG	<i>Intracardiac electrocardiography</i>
IAS	<i>Interatrial septum</i>
IVCD	<i>Intraventricular conduction defect</i>
IVP	<i>Tricuspid valve prolapse</i>
IVS	<i>Interventricular septum</i>
JVP	<i>Jugular venous pressure</i>
LA	<i>Left atrium</i>
LAA	<i>Left atrial appendage</i>
LAD	<i>Left anterior descending</i>
LAE	<i>Left atrial enlargement</i>
Left Cx	<i>Left circumflex</i>

LLPV	<i>Left lower pulmonary vein</i>
LMCA	<i>Left main coronary artery</i>
LPP	<i>Left parasternal pulsations</i>
LSB	<i>Left sternal border</i>
LSVC	<i>Left superior vena cava</i>
LUPV	<i>Left upper pulmonary vein</i>
LV	<i>Left ventricle</i>
LVH	<i>Left ventricular hypertrophy</i>
LVOT	<i>Left ventricular outflow tract</i>
MR	<i>Mitral regurgitation</i>
MS	<i>Mitral stenosis</i>
MV	<i>Mitral valve</i>
MVP	<i>Mitral valve prolapse</i>
NR	<i>Non restrictive</i>
O ₂	<i>Oxygen</i>
PA	<i>Pulmonary artery</i>
PDA	<i>Patent ductus arteriosus</i>
PML	<i>Posterior mitral leaflet</i>
PR	<i>Pulmonary regurgitation</i>
PS	<i>Pulmonary stenosis</i>
Pt	<i>Patient</i>
Pts	<i>Patients</i>
PV	<i>Pulmonary valve</i>
PVe	<i>Pulmonary vein</i>
PVD	<i>Pulmonary venous drainage</i>
PWD	<i>Pulsed wave Doppler</i>
RA	<i>Right atrium</i>
RAD	<i>Right axis deviation</i>
RAE	<i>Right atrial enlargement</i>
RBBB	<i>Right bundle branch block</i>
RCA	<i>Right coronary artery</i>
RLPV	<i>Right lower pulmonary vein</i>
RUPV	<i>Right upper pulmonary vein</i>
RV	<i>Right ventricle</i>

RVH	<i>Right ventricular hypertrophy</i>
RVOT	<i>Right ventricular outflow tract</i>
S ₂	<i>Second heart sound</i>
SEC	<i>Spontaneous echocontrast</i>
SVC	<i>Superior vena cava</i>
TEE	<i>Transesophageal echocardiography</i>
TGA	<i>Transposition of great arteries</i>
TR	<i>Tricuspid regurgitation</i>
TTE	<i>Transthoracic echocardiography</i>
TV	<i>Tricuspid valve</i>
VA	<i>Ventriculoarterial</i>
VSD	<i>Ventricular septal defect</i>
Ys	<i>Years</i>

Contents

	Page
⇒ Introduction	1
⇒ Aim of the work	5
⇒ Review of literature.....	6
• Potential longevity in unoperated adults with congenital heart disease.....	6
• Transthoracic echocardiography in evaluating adolescents & adults with congenital heart disease	40
• Biplane TEE	80
• TEE in congenital heart disease, in adolescents and adults	93
• TEE examination of the postoperative patient	119
• Cardiac catheterization of adolescent and adults with CHD	128
⇒ Subjects and Methods	147
⇒ Results	180
⇒ Discussion	211
⇒ Conclusion and recommendations.....	241
⇒ Summary	243
⇒ References.....	245
⇒ Appendix	264
⇒ Arabic Summary	