
Ain Shams University Faculty of Science.

# POLYAMINE AND AMINO ACID CONTENT IN SERUM OF DIABETIC AND HYPOGLYCEMIC TREATED PATIENTS



BY

الترض اليكووبيلم

GHADA ZAGHLOUL ABBAS SOLIMAN

574,19245 Gh.Z

SUPERVISORS

52105

### DR. ABDEL HALIM ABDEL HADI MOUSTAFA

PROFESSOR OF BIOCHEMISTRY
FACULTY OF SCIENCE,
AIN SHAMS UNIVERSITY

## DR. IBRAHIM HASSAN BORAEI

PROFESSOR OF BIOCHEMISTRY FACULTY OF SCIENCE, AIN SHMAS UNIVERSITY

### DR. SALWA AL-SAIED MUHAMMAD

Associate Professor of Nutrition.

Research and surveys Dep.

Programme manager and co-ordinator of Nutri/WHO Collaborating Centre for Regional Training Course In Nutrition Natrition Institute.

1995







# Ain shams Univeristy Faculty of Seience

#### THESIS

## SUBMITTED IN THE FULFILMENT OF THE REQUIREMENTS FOR THE MASTER DEGREE

In.Biochemistry:

BY

## GHADA ZAGHLOUL ABBAS SOLIMAN

TITL OF THE THESIS

# POLYAMINE AND AMINO ACID CONTENT IN SERUM OF DIABETIC AND HYPOGLYCEMIC TREATED PATIENTS

#### SUPERVISORS

DR. ABDEL HALIM ABDEL HADI MOUSTAFA ABOOL Hale PROFESSOR OF BIOCHEMISTRY

FACULTY OF SCIENCE, AIN SHAMS UNIVERSITY

DR. IBRAHIM HASSAN BORAEI

PROFESSOR OF BIOCHEMISTRY.

FACULTY OF SCIENCE, AIN SHAMS UNIVERSITY

DR. SALWA AL-SAIED MUHAMMAD

Associate Professor of Nutrition

Research and surveys Dep. Programme manager and co-ordinator of Nutri/WHO Collaborating Centre for Regional Training Course In Nutrition Natrition Institute.

## **ACKNOWLEDGEMENT**

I wish to express my deepest thanks and appreciation to Prof. Dr. Abdel Halim Abdel Hadi Moustafa, Professor Of Biochemistry, Faculty of Science, Ain Shams University, for his faithful supervision, thoughtful guidance and constructive criticism of this thesis.

I am grateful to **Dr. Ibrahim Hassan Boraei** Professor of Biochemistry, Faculty of Science, Ain Shams University, for his continuous support and valuable control

I would like to offer my thanks and gratitude to Dr. Salwa Al-Saied Muhammad Associate Professor of nutrition, research and surveys Dep., Programme manager and co-ordinator of Nutri/WHO Collaborating Centre for Regional Training Course in Nutrition, Nutrition Intitute, Cairo, for her generous help and sincere contribution throughout this research work.

# TO . .

## MY FATHER

Whom I wish if he was alive to see his wish come true

My Family

# **CONTENTS**

	Page
I- Introddction.	1
Aim of the work	2
II- Review of literatures	3
-Diabetes mellitus	3
- Polyamines	15
- Amino acids and proteins	18
- Lipids	33
III- Materials and methods	52
IV- Results.	95
V- Discussion	153
- Summary	187
- References	190
Archie Commany	

# LIST OF TABLES

Table number	Page
2-1- The characteristics of commercially available insulin	
preparations world wide.	11
2-2- Comparison between tolbutamide as first generation	
versus glibenclamide as second generation.	14
3-1- Distribution of subjects according to sex and type of	
diabetes mellitus.	53
3-2- Classification and characteistic of the studeid group.	54
3-3- Body mass index of the studied adult (>18y) groups	<b>57</b> .
3-4- Blood area, creatinine, alanine transaminase (sGPT)	
level of diabetic patients and control subjects at	
different age categories (Mean ± SEM).	58
4-1- Fasling and post-prandial blood glucose level of	
diabetic patients and control subjects at different age	
categories (Mean ± SEM).	96
4-2- Plasma level of branched chain amino acids (Valine,	
leucine, and isoleucine) of diabetic patients and	
control subjects at different age categories (Mean ±	
SEM).	98
4-3- Plasma level of the essential amino acids (threonine,	
histidine and lysine) of diabetic patients and control	
subjects at different age categories (Mean ± SEM).	101
4-4- Plasma level of methionine and phenylalanine of	
diabetic patients and control subjects at different age	
categories (Mean ± SEM).	103
4-5- Plasma level of the non essential amino acids (alanine	
glycine, proline and serine) diabetic patients and	
control subjects at different age categories (Mean ±	
SEM).	106
4-6 Plasma level of tyrosine, aspartic and glutamic	
amino acids of diabetic patients and control subjects	
at different age categories (Mean ± SEM).	107

4-7- Effect of group age on the affected amino acids.	11
4-8- Effect of sex or type of treatment on amino acid	
content.	11
4-9- Percentage increase of the essential amino acids (BCAA's	
and TBCAA').	11
4-10- Percentage decrease of the essential amino acids	
(threonine and arginine).	11.
4-11 Percentage decrease of the non essential amino	
acids (alanine and proline).	12
4-12 Mean level of spermidine, F.Bl.S., P.P.Bl.S. proline,	
arginine, and methionine concentration of diabetic	
patients and control subjects at different age	
categories (Mean ± SEM). Number, age and percent	
increase of spermidine of diabetic patients and control	
subjects.	123
4-13- Correlation coefficient of free spermidine with age,	
F.Bl.S., P.P.Bl. S., proline, arginine and methionine	125
4-14 Total Proteins, albumin, globulins level and A/G.	
ratio of diabetic patients and control subjects at	
different age categories (Mean ± SEM).	128
4-15-Percetage change of total proteins, albumin,, globulin and	
A/G.	134
4-16- Effect of group age on total protein, albumin,	
globulins and A/G.	136
4-17- Effect of sex or type of treatment on total protein,	
albumin, globulins and A/G.	140
4-18- Serum cholesterol HDL-C, LDL-C and VLDL-C level of	
diabetic patients and control subjects at different age	
categories (Mean ± SEM).	142
4-19- Serum triglycerides and phospholipids level of	
diabetic patients and control subjects at different age	
categories (Mean ± SEM).	147