Ultrasonography in Obstetric and Gynecologic **Emergencies**

Essay

Submitted in partial fulfillment of Master Degree (M.Sc.) of Radiodiaga

Presented By

Nevine Fekry Tewfik Iskand

(M.B., B.Ch.)

Supervised By

Assist. Prof. Dr. Mervat El Gohary 60083

Assistant Professor of Radiodiagnosis Faculty of Medicine Ain Shams University

Dr. Zenat Ahmed El Sabbagh

Lecturer of Radiodiagnosis Faculty of Medicine Ain Shams University

Faculty of Medicine Ain Shams University 1998

Acknowledgement

I am deeply indebted to Assist. Prof. Dr. Mervat El Gohary, Assistant Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University, for her indispensable guidance in choosing, initiating this work and for her kind supervision and her continuous support.

I would like to thank **Dr. Zenat Ahmed El Sabbagh**, Lecturer in Radiodiagnosis, Faculty of
Medicine, Ain Shams University, she devoted a lot of
her precious time for supervision, valuable guidance
and continuous encouragement in completing this
work.

My sincere gratitude for all my Professors and Collegues of Radiodiagnosis Departments, Faculty of Medicine, Ain Shams University for their kind help and support they offered.

Finally, no words can express the warmth of my feeling to my **Father**, **Mother**, **Sister** for their continuous encouragement and my **Husband** for his sincere help and also everyone involved in making contributions to this work.





Contents

Introduction and Aim of work	
Basic anatomy of the female pelvic Organs	1
Sonographic anatomy	9
Technique of ultrasound	25
Pathology of different obstetric and gynecologic	
emergenices	33
Sonographic manifestation of different obstetric and	
gynecologic emergencies with illustrative figures	58
Summary and Conclusion	105
Referneces	110
Arabic Summary	



List of Diagrams

Diag. 1	Describing the anteversion and the anteflexion	
	of the uterus	5
Diag. 2	Demonstrating the cycle changes of the normal	
	ovary	13
Diag. 3	Illustrating the endometrial changes through a	
	normal menstrual cycle	17
Diag. 4	Illustrating the intrauterine sonographic findings	
	that may be associated with ectopic pregnancy	60
Diag. 5	Illustrating the difference in location and	
	appearance of a true gestational sac compared	
	with a pseudogestational sac	61
Diag. 6	Illustrating the adnexal finding that may be	
	seen in a women with ectopic pregnancy	63
Diag. 7	Showing the classification of placental	
	location	79



List of Tables

Table. 1	Suggested algorithm for evaluating suspected	
	ectopic pregnancy ·····	65
Table 2	Typical clinical and sonographic findings of '	
	threatened abortion and abnormal intrauterine	
	preamancy	70



List of Figures

Fig. 1	Median sagittal section through the female	
	pelvis.	1
Fig. 2	The uterus, ovaries, different parts of uterine	
	tubes and supporting ligaments.	2
Fig. 3	TAS Longitudinal scan showing the uterus,	
	vagina and the cervix.	9
Fig. 4	TAS Longitudinal scan of the uterus showing	
	the longitudinal and the anteroposterior	
	measurements.	11
Fig. 5	TAS transverse scan of the uterus (u) and both	
	ovaries.	13
Fig. 6	TAS transverse scan of showing the relation	
	ship of the ovaries to the internal iliac artery.	14
Fig. 7	Longitudinal scan of the uterus. 1st day of the	
	menstrual cycle.	18
Fig. 8	TVS longitudinal scan of the uterus. 3rd day	
	of the menstrual cycle.	18
Fig. 9	TVS longitudinal scan of the uterus	
	demonstrating the three lines sign.	19
Fig. 10	TVS longitudinal scan of the endometrium	
	during the secretory phase.	19

Fig. 12 TVS of the right adnexa. 23 Fig. 13 TVS of the uterus with posterior angulation to best visualize the cervix and cul-de-sac. 23 Fig. 14 Showing the transducer position to image a transpelvic and an anteroposterior planes. 29 Fig. 15 Endometriosis. 36 Fig. 16 Leiomyomas. 40 Fig. 17 Carcinoma of the body of the uterus. 43 Fig. 18 Ruptured ectopic pregnancy. 45 Fig. 19 Gross appearance of hydatidiform mole. 48 Fig. 20 Choriocarcinoma of the uterus. 50 Fig. 21 Ruptured uterus. 54 Fig. 22 TVS showing the pseudosac. 61 Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the normal intrauterine pregnancy. 67	Fig. 11	TVS longitudinal scan of the ovary with the	
Fig. 13 TVS of the uterus with posterior angulation to best visualize the cervix and cul-de-sac. 23 Fig. 14 Showing the transducer position to image a transpelvic and an anteroposterior planes. 29 Fig. 15 Endometriosis. 36 Fig. 16 Leiomyomas. 40 Fig. 17 Carcinoma of the body of the uterus. 43 Fig. 18 Ruptured ectopic pregnancy. 45 Fig. 19 Gross appearance of hydatidiform mole. 48 Fig. 20 Choriocarcinoma of the uterus. 50 Fig. 21 Ruptured uterus. 50 Fig. 22 TVS showing the pseudosac. 61 Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the		internal iliac vessels posterior to it.	22
rig. 14 Showing the transducer position to image a transpelvic and an anteroposterior planes. Fig. 15 Endometriosis. Fig. 16 Leiomyomas. Fig. 17 Carcinoma of the body of the uterus. Fig. 18 Ruptured ectopic pregnancy. Fig. 19 Gross appearance of hydatidiform mole. Fig. 20 Choriocarcinoma of the uterus. Fig. 21 Ruptured uterus. Fig. 22 TVS showing the pseudosac. Fig. 23 TAS showing an early intrauterine pregnancy. Fig. 24 TVS of left adnexal region. Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 12	TVS of the right adnexa.	23
Fig. 14 Showing the transducer position to image a transpelvic and an anteroposterior planes. 29 Fig. 15 Endometriosis. 36 Fig. 16 Leiomyomas. 40 Fig. 17 Carcinoma of the body of the uterus. 43 Fig. 18 Ruptured ectopic pregnancy. 45 Fig. 19 Gross appearance of hydatidiform mole. 48 Fig. 20 Choriocarcinoma of the uterus. 50 Fig. 21 Ruptured uterus. 54 Fig. 22 TVS showing the pseudosac. 61 Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 13	TVS of the uterus with posterior angulation to be	est
transpelvic and an anteroposterior planes. Fig. 15 Endometriosis. Fig. 16 Leiomyomas. Fig. 17 Carcinoma of the body of the uterus. Fig. 18 Ruptured ectopic pregnancy. Fig. 19 Gross appearance of hydatidiform mole. Fig. 20 Choriocarcinoma of the uterus. Fig. 21 Ruptured uterus. Fig. 22 TVS showing the pseudosac. Fig. 23 TAS showing an early intrauterine pregnancy. Fig. 24 TVS of left adnexal region. Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the		visualize the cervix and cul-de-sac.	23
Fig. 15 Endometriosis. 36 Fig. 16 Leiomyomas. 40 Fig. 17 Carcinoma of the body of the uterus. 43 Fig. 18 Ruptured ectopic pregnancy. 45 Fig. 19 Gross appearance of hydatidiform mole. 48 Fig. 20 Choriocarcinoma of the uterus. 50 Fig. 21 Ruptured uterus. 54 Fig. 22 TVS showing the pseudosac. 61 Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 14	Showing the transducer position to image a	
Fig. 16 Leiomyomas. Fig. 17 Carcinoma of the body of the uterus. Fig. 18 Ruptured ectopic pregnancy. Fig. 19 Gross appearance of hydatidiform mole. Fig. 20 Choriocarcinoma of the uterus. Fig. 21 Ruptured uterus. Fig. 22 TVS showing the pseudosac. Fig. 23 TAS showing an early intrauterine pregnancy. Fig. 24 TVS of left adnexal region. Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. Fig. 26 TVS of the extrauterine gestational sac. Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the		transpelvic and an anteroposterior planes.	29
Fig. 17 Carcinoma of the body of the uterus. Fig. 18 Ruptured ectopic pregnancy. Fig. 19 Gross appearance of hydatidiform mole. Fig. 20 Choriocarcinoma of the uterus. Fig. 21 Ruptured uterus. Fig. 22 TVS showing the pseudosac. Fig. 23 TAS showing an early intrauterine pregnancy. Fig. 24 TVS of left adnexal region. Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. Fig. 26 TVS of the extrauterine gestational sac. Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 15	Endometriosis.	36
Fig. 18 Ruptured ectopic pregnancy. Fig. 19 Gross appearance of hydatidiform mole. 48 Fig. 20 Choriocarcinoma of the uterus. 50 Fig. 21 Ruptured uterus. 54 Fig. 22 TVS showing the pseudosac. 61 Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 16	Leiomyomas.	40
Fig. 19 Gross appearance of hydatidiform mole. 48 Fig. 20 Choriocarcinoma of the uterus. 50 Fig. 21 Ruptured uterus. 54 Fig. 22 TVS showing the pseudosac. 61 Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 17	Carcinoma of the body of the uterus.	43
Fig. 20 Choriocarcinoma of the uterus. 50 Fig. 21 Ruptured uterus. 54 Fig. 22 TVS showing the pseudosac. 61 Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 64 Fig. 26 TVS of the extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 18	Ruptured ectopic pregnancy.	45
Fig. 21 Ruptured uterus. 54 Fig. 22 TVS showing the pseudosac. 61 Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 64 Fig. 26 TVS of the extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 19	Gross appearance of hydatidiform mole.	48
 Fig. 22 TVS showing the pseudosac. Fig. 23 TAS showing an early intrauterine pregnancy. Fig. 24 TVS of left adnexal region. Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. Fig. 26 TVS of the extrauterine gestational sac. Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the 	Fig. 20	Choriocarcinoma of the uterus.	50
Fig. 23 TAS showing an early intrauterine pregnancy. 61 Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 64 Fig. 26 TVS of the extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 21	Ruptured uterus.	54
Fig. 24 TVS of left adnexal region. 64 Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 64 Fig. 26 TVS of the extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 22	TVS showing the pseudosac.	61
Fig. 25(A,B) TVS longitudinal and TAS transverse scan of extrauterine gestational sac. 64 Fig. 26 TVS of the extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 23	TAS showing an early intrauterine pregnancy.	61
of extrauterine gestational sac. 64 Fig. 26 TVS of the extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 24	TVS of left adnexal region.	64
Fig. 26 TVS of the extrauterine gestational sac. 65 Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 25(A	,B) TVS longitudinal and TAS transverse scan	
Fig. 27 Color Doppler mapping and duplex Doppler sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the		of extrauterine gestational sac.	64
sampling of pseudogestational sac. 67 Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 26	TVS of the extrauterine gestational sac.	65
Fig. 28 Color Doppler mapping and duplex Doppler sampling showing peritrophoblastic flow of the	Fig. 27	Color Doppler mapping and duplex Doppler	
sampling showing peritrophoblastic flow of the		sampling of pseudogestational sac.	67
	Fig. 28	Color Doppler mapping and duplex Doppler	
normal intrauterine pregnancy. 67		sampling showing peritrophoblastic flow of the	
		normal intrauterine pregnancy.	67

Fig.	29	Color Doppler sonography with flow sampling	
		showing the increased vascularity related to the	
		extrauterine gestational sac.	68
Fig.	30	TAS longitudinal scan of threatened abortion.	69
Fig.	31	TVS of complete abortion.	71
Fig.	32	TVS of incomplete abortion.	71
Fig.	33	TAS of complete abortion in progress.	72
Fig.	34	TVS of embryonic demise.	73
Fig.	35	TAS of blighted ovum.	74
Fig.	36	TVS of blighted ovum.	74
Fig.	37	Transvaginal color Doppler sonography of	
		incomplete abortion.	75
Fig.	38	Color Doppler mapping and duplex Doppler	
		of incomplete abortion.	76
Fig.	39	Corpus luteal flow in an ovary associated with	
		a very early intrauterine pregnancy.	76
Fig.	40	Ultrasound scan of complete vesicular mole.	77
Fig.	41	Ultrasound scan of partial vesicular mole.	77
Fig.	42 (A	A & B) Color flow mapping and Duplex Doppler	
		wave form of invasive trophoblastic disease.	78
Fig.	43	TAS longitudinal scan of total placenta previa.	79
Fig.	44 (A	A & B) TAS longitudinal scan of marginal placent	a
		previa and TAS transverse scan showing subamnie	otic
		fluid separating the placenta from the membranes.	80

٠.

Fig. 45	TVS of partial placenta previa.	80
Fig. 46	TAS transverse scan of the subchorioic	
	hemorrhage.	81
Fig. 47	TAS of retroplacental and marginal abruption.	82
Fig. 48	TAS transverse scan of intrauterine fetal death	
	with thickening of the placenta.	82
Fig. 49	TAS longitudinal scan of the post partum bulky	
	uterus with no evident cavity.	84
Fig. 50 (4	A&B) TAS longitudinal scan of the uterus showir	ıg
	minimal fluid in the endometrial cavity and TAS	3
	long-scan of irregular fluid collection with shage	ЗУ
	borders.	85
Fig. 51	TAS transverse scan showing retained placental	
	fragments.	86
Fig. 52	TAS longitudinal scan of rupture uterus.	87
Fig. 53	TVS of the uteirne tube with bilateral	
	hydrosalpinx.	90
Fig. 54	TAS longitudinal scan of tubo ovarian abcess.	90
Fig. 55	TAS transverse scan of the ovarian torsion.	90
Fig. 56	Transvaginal color Doppler sonogram of	
	ovarian torsion.	92
Fig. 57	TAS of right ovarian cyst.	93
Fig. 58 (A&B) TVS of hemorrhagic cysts. 94		
Fig. 59	TAS of infected ovarian cyst.	95
	•	

Fig.	60	TVS longitudinal scan of endometrioma.	96
Fig.	61	TAS longitudinal scan of cystic dermoid.	97
Fig.	62	TAS longitudinal scan of highly echogenic	
		demoid.	97
Fig.	63	TVS ovarian hyperstimulation syndrome.	98
Fig.	64 (<i>A</i>	A&B) Duplex Doppler images of ovarian	
		hyperstimulation.	99
Fig.	65	TAS transverse scan of degenerated fibroid.	100
Fig.	66	TAS longitudinal scan of submucous fibroid	
		enlarged with pregnancy.	101
Fig.	67	Transvaginal color Doppler sonogram of a	
		vascular intramural fibroid.	102
Fig.	68 (<i>A</i>	A&B) TAS longitudinal and transverse scan of	
		endometrial hyperplasia.	103
Fig.	69	TAS longitudinal scan of submucous fibroid.	103
Fig.	70	TAS longitudinal scan of endometrial	
		carcinoma.	104