

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

# الْحَمْدُ

لِلَّهِ الْحَمْدُ الَّذِي هَدَانَا لِهَذَا  
وَمَا كُنَّا لِنَهْتَدِيَ لَوْلَا  
رَحْمَتُهُ الْوَسِيلُ الْوَسِيلُ  
لَا يُولِي الْأَمْرَ إِلَّا هُوَ  
وَهُوَ الْعَلِيمُ الْحَكِيمُ  
الْحَمْدُ لِلَّهِ الَّذِي هَدَانَا  
لِهَذَا وَمَا كُنَّا لِنَهْتَدِيَ  
لَوْلَا رَحْمَتُهُ الْوَسِيلُ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

**ROLE OF CONTRAST ENHANCED MAGNETIC RESONANCE  
IMAGING IN THE DIAGNOSIS OF SPINAL TUMORS**

**THESIS**

SUBMITTED IN PARTIAL FULFILLMENT OF  
THE DOCTORAL DEGREE  
IN  
RADIODIAGNOSIS

**BY**

**KHALID ESMAT KHALID ALLAM**

MB.BCH. 1985  
MSc. 1989



**SUPERVISORS**

**PROF. YOUSSEF HAMED ZAKI**

DEPT.OF RADIODIAGNOSIS  
FACULTY OF MEDICINE  
AIN SHAMS UNIVERSITY

**ASSOC.PROF. GORDON SZE**

CHIEF OF NEURORADIOLOGY  
SCHOOL OF MEDICINE  
YALE UNIVERSITY, USA

**DR. SAAD ALI ABDRAHU**

DEPT.OF RADIODIAGNOSIS  
FACULTY OF MEDICINE  
AIN SHAMS UNIVERSITY

**DR. KHALED TAALAT KHAIRY**

DEPT.OF RADIODIAGNOSIS  
FACULTY OF MEDICINE  
AIN SHAMS UNIVERSITY

FACULTY OF MEDICINE  
AIN SHAMS UNIVERSITY

**1994**



*To*

*my wife & my children*

## *Acknowledgments*

I would like to express my sincere appreciation to all of my professors in the Department of Diagnostic Radiology at Ain Shams University, Faculty of Medicine, from whom I have had the privilege of learning, including Professor Zeinab Abd Allah, Head of the Department, Professor Nawal Zakaria, Professor Youssef Hamed Zaki, Dr. Saad Ali Abd Rabu, and Dr. Khaled Taalat Khairy. I thank all of them for inspiring me to pursue academic radiology.

I am particularly grateful to Associate Professor Gordon Sze, Chief of the Section of Neuroradiology, Yale University School of Medicine. His enthusiasm and hard work continues to set an example for me. I am indebted to Dr. Sze for helping me to understand MRI and for his continual support of my academic pursuits.

My appreciation is also extended to all of the neuroradiology professors, fellows, and MRI technologists at the Hospital of Yale University for their cooperation and encouragement.

I would like to thank Phyllis Festa for her outstanding secretarial support and for her saintly patience in deciphering my all-too-often unintelligible editorial scribbles.

Finally, I thank my wife Shereen for her love, understanding, patience and most of all for her unwavering support and tolerance during my long preoccupation with this task. Her constructive input has helped to improve the final result.

<u>TABLE OF CONTENTS</u>	<u>Page</u>
1- INTRODUCTION and AIM OF WORK	1
2- MRI ANATOMY OF THE SPINE	2-52
3- PATHOLOGY OF THE SPINAL TUMORS	53-85
4- MATERIALS AND METHODS	86-93
5- RESULTS	94-218
6- DISCUSSION	219-253
7- CONCLUSIONS	254-256
8- REFERENCES	257-276
9- Arabic summary	

<u><i>List of figures</i></u>	<u><i>Page</i></u>
Fig.1- Midline sagittal GRE of the normal cervical spine.	13
Fig.2- Sagittal T1-weighted MR image of the normal cervical spine.	14
Fig.3- Sagittal midline spin-density MR image of the normal cervical and upper thoracic spine.	15
Fig.4- Sagittal midline T2-weighted MR image of the normal cervical and upper thoracic spine.	16
Fig.5- Axial T1-weighted MR image at level of C4-5 shows the C5 ventral roots and the structures of the facet joints.	17
Fig.6- Axial T2-weighted MR image at the level of C4-5 of a cervical spine showing the nerve root ganglion, lateral nerve roots, the intermediate signal spinal cord and the ligamentum flavum.	18
Fig.7- Mid-sagittal T2-weighted of the spine. MR image demonstrates normal thoracic spinal cord and conus.	26
Fig.8- Axial T1-weighted MR image through the pedicles of T9 showing the rounded thoracic spinal cord surrounded by lower signal intensity from CSF.	27
Fig.9- Coronal T1-weighted MR image through the mid-plane of the spinal canal shows the spinal cord surrounded by the low signal CSF space.	28
Fig.10- Midline sagittal T1-weighted MR image of the normal lumbar spine, displays the spinal canal and the conus medullaris.	29

<u>List of figures</u>	<u>Page</u>
Fig.11- Sagittal spin-density and T2-weighted MR images of the normal lumbar spine.	31
Fig.12- Axial T1-weighted MR image through the level of L3/4 intervertebral disc.	33
Fig.13- Short TR sagittal MR images of the total spine in 5-month-old infant.	40
Fig.14- Long TR sagittal MR image of total spine in a 2-month-old infant.	42
Fig.15- Parasagittal T1-weighted MR image of the normal lumbar spine in a patient (a) prior to and (b) following intravenous injection of Gd-DTPA.	50 & 51
Fig.16- Axial T1-weighted MR image at L1-L2 level following intravenous injection of Gd-DTPA, showing enhancement of the right dorsal root ganglia.	52
Fig.17(a)- Astrocytoma of the thoracic cord. Pre-contrast sagittal T1-weighted image.	97
Fig.17(b)- Astrocytoma of the thoracic cord. Post-contrast sagittal T1-weighted image.	98
Fig.18(a)- Astrocytoma of the thoracic cord. Post-contrast sagittal T1-weighted images.	99
Fig.18(b)- Astrocytoma of the thoracic cord. Follow-up, post operatively, post-contrast sagittal T1-weighted image.	100
Fig.19(a)- Ependymoma of the cervical cord. Pre-contrast sagittal T1-weighted image.	102



<u><i>List of figures</i></u>	<u><i>Page</i></u>
Fig.19(b)- Ependymoma of the cervical cord. Post-contrast sagittal T1-weighted image.	103
Fig.19(c)- Ependymoma of the cervical cord. Post-contrast axial T1-weighted image.	104
Fig.20(a)- Hemangioblastoma of the cervical cord. Sagittal T1- and T2-weighted images.	105
Fig.20(b)- Hemangioblastoma of the cervical cord. Sagittal T1-weighted image pre-and post-contrast.	106
Fig.20(c)- Hemangioblastoma of the cervical cord. Axial post-contrast T1-weighted images.	107
Fig.21(a)- Astrocytoma of the conus medullaris. Coronal pre-contrast T1-weighted image.	109
Fig.21(b)- Astrocytoma of the conus medullaris. Coronal post-contrast T1-weighted image.	110
Fig.21(c)- Astrocytoma of the conus medullaris. Axial post-contrast T1-weighted image at the level of the nodule.	111
Fig.22(a)- Intramedullary metastasis in the cervical spinal cord. Sagittal pre-contrast T1-weighted image.	112
Fig.22(b)- Intramedullary metastasis in the cervical spinal cord. Sagittal post-contrast T1-weighted image.	113
Fig.23(a)- Intramedullary metastasis in the thoracic spinal cord. Post-contrast sagittal T1-weighted image.	115
Fig.23(b)- Intramedullary metastasis in the thoracic spinal cord. Sagittal proton density and T2-weighted images.	116

<u>List of figures</u>	<u>Page</u>
Fig.24(a)- Schwannoma. Sagittal pre-contrast T1-weighted image.	117
Fig.24(b)- Schwannoma. Sagittal T2-weighted image.	118
Fig.24(c)- Schwannoma. Sagittal post-contrast T1-weighted image.	119
Fig.25(a)- Neuroma. Sagittal pre-contrast T1-weighted images.	121
Fig.25(b)- Neuroma. Sagittal proton density and T2-weighted images.	122
Fig.25(c)- Neuroma. Sagittal post-contrast T1-weighted images.	123
Fig.25(d)- Neuroma. Axial post-contrast T1-weighted image.	124
Fig.26(a)- Neurofibroma. Sagittal pre-contrast T1-weighted image.	125
Fig.26(b)- Neurofibroma. Sagittal post-contrast T1-weighted image.	126
Fig.27(a)- Neurofibroma. Axial pre-contrast T1-weighted image.	128
Fig.27(b)- Neurofibroma. Axial post-contrast T1-weighted image.	129
Fig.28(a)- Neurofibroma. Sagittal post-contrast T1-weighted images.	130
Fig.28(b)- Neurofibroma. Axial pre-contrast T1-weighted image.	131
Fig.28(c)- Neurofibroma. Axial post-contrast T1-weighted image.	132
Fig.29(a)-Thoracic meningioma. Sagittal pre-contrast T1-weighted image.	134
Fig.29(b)-Thoracic meningioma. Sagittal post-contrast T1-weighted image.	135
Fig.30(a)-Thoracic meningioma. Sagittal pre-contrast T1-weighted T1-weighted image.	136
Fig.30(b)- Thoracic meningioma. Sagittal T2-weighted image.	137
Fig.30(c)-Thoracic meningioma. Sagittal post-contrast T1-weighted image.	138
Fig.30(d)-Thoracic meningioma. Axial post-contrast T1-weighted image.	139

<u><i>List of figures</i></u>	<u><i>Page</i></u>
Fig.31(a)- Thoracic meningioma. Sagittal non-contrast T1-weighted image.	141
Fig.31(b)- Thoracic meningioma. Sagittal T2-weighted image.	142
Fig.31(c)- Thoracic meningioma. Axial post-contrast T1-weighted image.	143
Fig.32(a)- Cervical meningioma. Sagittal pre-contrast T1-weighted image.	144
Fig.32(b)- Cervical meningioma. Sagittal post-contrast T1-weighted image.	145
Fig.32(c)- Cervical meningioma. Coronal post-contrast T1-weighted T1-weighted image.	146
Fig.33(a)- Lymphoma leptomeningeal spread. Sagittal pre-contrast T1-weighted image.	147
Fig.33(b)- Lymphoma leptomeningeal spread. Sagittal post-contrast T1-weighted images.	148
Fig.33(c)- Lymphoma leptomeningeal spread. Axial post-contrast T1-weighted image.	149
Fig.34(a)- Malignant melanoma intradural metastasis. Sagittal pre-contrast T1-weighted image.	151
Fig.34(b)- Malignant melanoma intradural metastasis. Sagittal post-contrast T1-weighted image.	152
Fig.34(c)- Malignant melanoma intradural metastases. Sagittal proton density and T2-weighted images.	153
Fig.34(d)- Malignant melanoma intradural metastasis. Axial pre- and post-contrast T1-weighted images.	154

<u>List of figures</u>	<u>Page</u>
Fig.35(a)- Subarachnoid carcinomatous process of unknown origin. Sagittal pre-contrast T1-weighted image.	155
Fig.35(b)- Subarachnoid carcinomatous process of unknown origin. Sagittal post-contrast T1-weighted image.	156
Fig.36(a)- Medulloblastoma subarachnoid spread. Sagittal pre-contrast T1-weighted image.	158
Fig.36(b)- Medulloblastoma subarachnoid spread. Sagittal post-contrast T1-weighted image.	159
Fig.37(a)- Duodenal carcinoma leptomeningeal spread. Sagittal pre- contrast T1-weighted image.	160
Fig.37(b)- Duodenal carcinoma leptomeningeal spread. Sagittal post- contrast T1-weighted image.	161
Fig.38(a)- Recurrent chordoma. Sagittal pre-contrast T1-weighted image.	163
Fig.38(b)- Recurrent chordoma. Sagittal T2-weighted image.	164
Fig.38(c)- Recurrent chordoma. Axial pre-contrast T1-weighted image.	165
Fig.38(d)- Recurrent chordoma. Axial post-contrast T1-weighted image.	166
Fig.38(e)- Recurrent chordoma. Sagittal post-contrast T1-weighted image.	167
Fig.38(f)- Follow up after surgery. Sagittal post-contrast T1-weighted image.	168
Fig.39(a)- Vertebral lymphoma. Sagittal proton density and T2-weighted T2-weighted images.	170
Fig.39(b)- Vertebral lymphoma. Axial pre-contrast T1-weighted image.	171
Fig.39(c)- Vertebral lymphoma. Axial post-contrast T1-weighted image.	172
Fig.40(a)- Extraosseous Ewing's sarcoma. Coronal pre-contrast T1- weighted image.	173

<u>List of figures</u>	<u>Page</u>
Fig.40(b)- Extraosseous Ewing's sarcoma. Coronal post-contrast T1-weighted image.	174
Fig.40(c)- Extraosseous Ewing's sarcoma. Axial pre-contrast T1-weighted image.	175
Fig.40(d)- Extraosseous Ewing's sarcoma. Axial post-contrast T1-weighted image.	176
Fig.41(a)- Epidural lipomatosis. Sagittal pre-contrast T1-weighted image.	178
Fig.41(b)- Epidural lipomatosis. Axial post-contrast T1-weighted image at T6 level.	179
Fig.41(c)- Epidural lipomatosis. Axial CT image at T6 level.	180
Fig.42(a)- Arachnoid cyst. Sagittal post-contrast T1-weighted image.	181
Fig.42(b)- Arachnoid cyst. Axial T1-weighted image at T5 level.	182
Fig.42(c)- Arachnoid cyst. Axial CT image at T5 level.	183
Fig.43(a)- Vertebral hemangioma with epidural extension. Sagittal pre-contrast T1-weighted images.	185
Fig.43(b)- Vertebral hemangioma with epidural extension. Sagittal proton density and T2-weighted images.	186
Fig.43(c)- Vertebral hemangioma with epidural extension. Sagittal post-contrast T1-weighted images.	187
Fig.43(d)- Vertebral hemangioma with epidural extension. Axial pre-contrast T1-weighted image.	188
Fig.43(e)- Vertebral hemangioma with epidural extension. Axial post-contrast T1-weighted image.	189

<b><u>List of figures</u></b>	<b><u>Page</u></b>
Fig.44(a)- Diffuse bony metastases with epidural extension. Sagittal pre-contrast T1-weighted images.	190
Fig.44(b)- Diffuse bony metastases with epidural extension. Sagittal post-contrast T1-weighted images.	191
Fig.45(a)- Breast carcinoma metastases. Sagittal pre-contrast T1-weighted images.	193
Fig.45(b)- Breast carcinoma metastases. Sagittal post-contrast T1-weighted image.	194
Fig.46(a)- Breast carcinoma metastases. Sagittal pre-contrast T1-weighted images.	195
Fig.46(b)- Breast carcinoma metastases. Sagittal proton density and T2-weighted images.	196
Fig.46(c)- Breast carcinoma metastases. Sagittal post-contrast T1-weighted images.	197
Fig.47(a)- Lymphoma metastases. Sagittal pre-contrast T1-weighted image.	199
Fig.47(b)- Lymphoma metastases. Sagittal T2-weighted image.	200
Fig.47(c)- Lymphoma metastases. Sagittal post-contrast T1-weighted image.	201
Fig.48(a)- L5 metastasis of unknown origin. Sagittal pre-contrast T1-weighted images.	202
Fig.48(b)- L5 metastasis of unknown origin. Sagittal proton density and T2-weighted images.	203

<u>List of figures</u>	<u>Page</u>
Fig.48(c)- L5 metastasis of unknown origin. Sagittal post-contrast T1-weighted images.	204
Fig.49(a)- Testicular carcinoma metastases. Sagittal pre-contrast T1-weighted images.	206
Fig.49(b)- Testicular carcinoma metastases. Sagittal proton density and T2-weighted images.	207
Fig.49(c)- Testicular carcinoma metastases. Sagittal post-contrast T1-weighted images.	208
Fig.50(a)- Prostatic carcinoma metastases. Sagittal pre-contrast T1-weighted images.	209
Fig.50(b)- Prostatic carcinoma metastases. Sagittal post-contrast T1-weighted images.	210
Fig.51(a)- Breast carcinoma metastases. Sagittal pre-contrast T1-weighted images.	212
Fig.51(b)- Breast carcinoma metastases. Sagittal T2-weighted images.	213
Fig.51(c)- Breast carcinoma metastases. Sagittal post-contrast T1-weighted images.	214
Fig.52(a)- Epidural Angiolipoma. Sagittal proton density and T2-weighted images.	215
Fig.52(b)- Epidural Angiolipoma. Sagittal post-contrast T1-weighted image.	216
Fig.52(c)- Epidural Angiolipoma. Axial post-contrast T1-weighted image at T6-7 level.	217