

**Ecological And Phytochemical
Studies On *Erodium arborescens*
(Desf.) Willd.**



By

Fatma Aly Ahmed Aly
B.Sc. in Botany (1985)
M.Sc. in Botany (1991)

581072
F.A.

Thesis

Submitted for the Degree of
Doctor of Philosophy
IN
(BOTANY)

42154



Botany Department,
Faculty of Girls,
Ain Shams University

1994

APPROVAL SHEET

Title of thesis: Ecological and phytochemical studies on
Erodium arborescens (Desf.) Willd.

Thesis advisors:

Approved

Prof. Dr. Mahmoud Ahmed Nosseir

.....

Prof. Dr. Adel Kamel Youssef

.....

Assist. Prof. Dr. Inas Abd El-Moati Mohamed

.....



Acknowledgement

I feel great pleasure to express my deep gratitude and appreciation to Prof. Dr. Mahmoud Ahmed Nosseir; Botany Department; Faculty of Girls, Ain Shams University, Prof. Dr. Adel Kamel Youssef; Phytochemistry Unit, Desert Research Center, Mataria, Cairo and To Assist. Prof. Dr. Inas Abd El-Moati Mohamed; Phytochemistry Unit, Desert Research Center, Mataria, Cairo, for suggesting the subject of the thesis, supervising the work, valuable criticism and continuous guidance.

I would like to express my deep thanks to Assist. Prof. Dr. Tahani A. Hathout, Botany Department; Faculty of Girls, Ain Shams University, for her help, advice and guidance throughout this investigation.

I am also deeply indebted to Dr. Ahmed Mahmoud Abd El-Hafiez Souliman, Lecturer of Applied Organic Chemistry, National Research Center (N.R.C.), Cairo, for the facilities provided.

Thanks are also extended to President of Desert Research Center and to all the staff members of Desert Research Center for their kind help and the facilities provided.

CONTENTS

	Page
INTRODUCTION	1
REVIEW OF LITERATURE	13
MATERIALS AND METHODS	17
RESULTS	53
PART I ECOLOGICAL STUDIES	
- Phenology	53
1. Environmental conditions	57
A. Climatic factors	57
B. Edaphic factors	61
1. Physical properties of the soil (Granulometric analysis)	61
a. Soil texture	61
b. Soil moisture content	64
2. Chemical properties of the soil	69
a. Organic matter	69
b. Total soluble salts (T.S.S.)	73
Ion contents of the soil other than NaCl	76
c. Cation contents	76
i. Calcium	76
ii. Magnesium	76
iii. Potassium	76
d. Anion contents	78
i. Sulphates	78
ii. Carbonate and bicarbonate	78
e. pH-value and electrical conductivity	78
3. Vegetation (community) analysis	79
PART II ECO-PHYSIOLOGICAL STUDIES	
1. Water content	82

2. Metabolic products	86
a. Carbohydrates	86
b. Nitrogenous compounds	90
c. Ash content	91

PART III

PHYTOCHEMICAL STUDIES

1. Phytochemical screening of <i>Erodium arborescens</i>	94
2. The pharmacopoeial constants of <i>Erodium arborescens</i>	96
3. Extraction with successive selective organic solvents	102
4. Extraction with selective solvents	104
5. Investigation of carbohydrates	104
a. Contents of total, soluble and insoluble carbohydrates	104
b. Free sugars	107
c. Combined sugars	126
6. Contents of nitrogenous compounds	143
a. Total nitrogen	143
b. Free amino acids	144
c. Protein amino acids	148
7. Contents of the lipid fractions	159
a. Total lipid content	159
b. Physical and chemical analysis of lipids	162
1. Physical properties	162
2. Fundamental chemical properties	162
c. Contents of unsaponifiable matter fraction by Gas-Liquid Chromatography (G.L.C.)	165
d. Contents of saponifiable fraction of the lipids by Gas-Liquid Chromatography (G.L.C.)	184
8. Contents of flavonoids	204
- Isolation and identification of the phenolic constituents of <i>Erodium arborescens</i> (Geraniaceae)	204
A. Extraction	204
B. Chromatography	204
i. Paper chromatographic investigation	204

ii. Column chromatographic investigation	205
- Fraction I	207
a. Isolation of gallic acid	207
b. Identification of component (a)	207
1. R _f -values and UV spectral data	210
2. ¹ H-NMR spectral data	210
3. ¹³ C-NMR spectral data	210
- Fraction II	211
a. Isolation and identification of ellagic acid	211
1. FAB-MS data	212
2. IR spectral data	212
3. ¹ H-NMR spectral data	212
4. ¹³ C-NMR spectra	212
- Chemical reaction	217
Enzymatic hydrolysis	217
GENERAL DISCUSSION	218
SUMMARY	244
REFERENCES	247
ARABIC SUMMARY	

LIST OF TABLES

Tab. No.	Title	Page
1	Mean values of the average heights of <i>Erodium arborescens</i> (Desf.) Willd. of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	55
2	Mean values of climatic particulars for Wadi-Sudr at km 62 during the period of ten years from 1979-1988 obtained from the Meteorological Department of Egypt	58
3	Mean values of climatic particulars for El-Hassana at km 127 during the period of ten years from 1979-1988 obtained from the Meteorological Department of Egypt	60
4	Granulometric analysis of the soil supporting <i>Erodium arborescens</i> at Ras-Sudr (km 62) and El-Hassana road (km 127).	62
5	Mean values of soil moisture contents of <i>Erodium arborescens</i> (Desf.) Willd. of two successive seasons (1992-1993) at Ras-Sudr (km 62) and El-Hassana road (km 127)	66
6	Mean values of the organic matter contents in the soil associated <i>Erodium arborescens</i> (Desf.) Willd. of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	71
7	Mean values of the total soluble salts (T.S.S.) in the soil associated <i>Erodium arborescens</i> (Desf.) Willd. of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	74
8	Chemical analysis of the soil associated with <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr (km 62) and El-Hassana habitat (km 127)	77
9	Floristic composition of a stand of 20 quadrates (10x10m) representing <i>Erodium arborescens</i> community studied in the km 62 of Ras-Sudr of two successive seasons (1992-1993) (Transect "A")	80

10	Floristic composition of a stand of 20 quadrates (10x10m) representing <i>Erodium arborescens</i> community studied in the km 62 of Ras-Sudr of two successive seasons (1992-1993) (Transect "B")	81
11	Mean values of plant water contents of <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	84
12	Mean values of total and soluble carbohydrates, total nitrogen and total ash in <i>Erodium arborescens</i> growing in the two habitat during the period of investigation (1992-1993)	87
13	Preliminary phytochemical screening of <i>Erodium arborescens</i> (Desf.) Willd.	95
14	Certain pharmacopoeial constants of <i>Erodium arborescens</i> during the period of investigation (1992-1993) at Ras-Sudr and El-Hassana habitat	97
15	Percentages of residues of different extracts from <i>Erodium arborescens</i> using successive selective organic solvents	103
16	Percentages of residues of different extracts from <i>Erodium arborescens</i> using different selective organic solvents	105
17	The total, soluble and insoluble carbohydrates of <i>Erodium arborescens</i> during the period of investigation (1992-1993) in Ras-Sudr and El-Hassana habitat	106
18	Retention times and percentages of free sugars of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during winter	108
18b	Retention times of the authentic sugars	110
19	Retention times and percentages of free sugars of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during winter	112
20	Retention times and percentages of free sugars of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during winter	114
21	Retention times and percentages of free sugars of <i>Erodium arborescens</i> roots at El-Hassana habitat, during winter	116
22	Retention times and percentages of free sugars of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during summer	118

23	Retention times and percentages of free sugars of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during summer	120
24	Retention times and percentages of free sugars of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during summer	122
25	Retention times and percentages of free sugars of <i>Erodium arborescens</i> roots at El-Hassana habitat, during summer	124
26	Retention times and percentages of sugars arising from combined fractions of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during winter	127
27	Retention times and percentages of sugars arising from combined fractions of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during winter	129
28	Retention times and percentages of sugars arising from combined fractions of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during winter	131
29	Retention times and percentages of sugars arising from combined fractions of <i>Erodium arborescens</i> roots at El-Hassana habitat, during winter	133
30	Retention times and percentages of sugars arising from combined fractions of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during summer	135
31	Retention times and percentages of sugars arising from combined fractions of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during summer	137
32	Retention times and percentages of sugars arising from combined fractions of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during summer	139
33	Retention times and percentages of sugars arising from combined fractions of <i>Erodium arborescens</i> roots at El-Hassana habitat, during summer	141
34	Distribution of the free amino acids of <i>Erodium arborescens</i> at the two studied areas during winter	146

35	Distribution of the free amino acids of <i>Erodium arborescens</i> at the two studied areas during summer	147
36	Protein-amino acids of <i>Erodium arborescens</i> at the two studied areas during winter using Amino Acid Analyzer	149
37	Protein-amino acids of <i>Erodium arborescens</i> at the two studied areas during summer using Amino Acid Analyzer	154
38	Mean values of total lipids contents of <i>Erodium arborescens</i> of two successive seasons (1992-1993) in the two studied habitat	160
39	Acid, Iodine, Ester and saponification values of Lipids of <i>Erodium arborescens</i> in the two habitat	163
40	G.L.C. of hydrocarbons and sterols of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during winter	166
40b	G.I.C. of the authentics of hydrocarbons and sterols	168
41	G.L.C. of hydrocarbons and sterols of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during winter	170
42	G.L.C. of hydrocarbons and sterols of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during winter	172
43	G.L.C. of hydrocarbons and sterols of <i>Erodium arborescens</i> roots at El-Hassana habitat, during winter	174
44	G.L.C. of hydrocarbons and sterols of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during summer	176
45	G.L.C. of hydrocarbons and sterols of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during summer	178
46	G.L.C. of hydrocarbons and sterols of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during summer	180
47	G.L.C. of hydrocarbons and sterols of <i>Erodium arborescens</i> roots at El-Hassana habitat, during summer	182
48	G.L.C. of fatty acids of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during winter	186
48b	G.L.C. of the authentics fatty acids	188

49	G.L.C. of fatty acids of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during winter	190
50	G.L.C. of fatty acids of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during winter	192
51	G.L.C. of fatty acids of <i>Erodium arborescens</i> roots at El-Hassana habitat, during winter	194
52	G.L.C. of fatty acids of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during summer	196
53	G.L.C. of fatty acids of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during summer	198
54	G.L.C. of fatty acids of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during summer	200
55	G.L.C. of fatty acids of <i>Erodium arborescens</i> roots at El-hassana habitat, during summer	202
56	The investigated fractions (I-II) to isolate some of their phenolic constituents	206
57	R _f -values and UV spectral data of component (a)	210
58	R _f -values and UV spectral data of component (b)	211

LIST OF FIGURES

Fig. No.	Title	Page
1	Mean values of the average heights of <i>Erodium arborescens</i> (Desf.) Willd. of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	56
2	Mean values of soil moisture content of <i>Erodium arborescens</i> (Desf.)Willd. of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat. A-(0-20cm) surface	67
3	Mean values of soil moisture content <i>Erodium arborescens</i> (Desf.)Willd. of two successive seasons (1992-1993)at Ras-Sudr &El-Hassana habitat. B-(20-40cm) deep	68
4	Mean values of the organic matter content of <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	72
5	Mean values of the total soluble salts (T.S.S.) of <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	75
6	Mean values of plant water content of <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	85
7	Mean values of the total carbohydrates of <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	88
8	Mean values of soluble carbohydrates of <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	89
9	Mean values of total nitrogen of <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	92

10	Mean values of total ash of <i>Erodium arborescens</i> of two successive seasons (1992-1933) at Ras-Sudr and El-Hassana habitat	93
11	Mean values of acid insoluble ash of <i>Erodium arborescens</i> of two successive seasons (1992-1933) at Ras-Sudr and El-Hassana habitat	98
12	Mean values of water insoluble ash of <i>Erodium arborescens</i> of two successive seasons (1992-1933) at Ras-Sudr and El-Hassana habitat	99
13	Mean values of crude fibres content of <i>Erodium arborescens</i> of two successive seasons (1992-1933) at Ras-Sudr and El-Hassana habitat	101
14	G.L.C. of free sugars of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during winter	109
14b	G.L.C. of the authentic sugars	111
15	G.L.C. of free sugars of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during winter	113
16	G.L.C. of free sugars of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during winter	115
17	G.L.C. of free sugars of <i>Erodium arborescens</i> roots at El-Hassana habitat, during winter	117
18	G.L.C. of free sugars of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during summer	119
19	G.L.C. of free sugars of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during summer	121
20	G.L.C. of free sugars of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during summer	123
21	G.L.C. of free sugars of <i>Erodium arborescens</i> roots at El-Hassana habitat, during summer	125
22	G.L.C. of combined sugars of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during winter	128
23	G.L.C. of combined sugars of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during winter	130

24	G.L.C. of combined sugars of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during winter	132
25	G.L.C. of combined sugars of <i>Erodium arborescens</i> roots at El-Hassana habitat, during winter	134
26	G.L.C. of combined sugars of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during summer	136
27	G.L.C. of combined sugars of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during summer	138
28	G.L.C. of combined sugars of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during summer	140
29	G.L.C. of combined sugars of <i>Erodium arborescens</i> roots at El-Hassana habitat, during summer	142
30	Amino acid analysis of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during winter	150
31	Amino acid analysis of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during winter	151
32	Amino acid analysis of <i>Erodium arborescens</i> shoots at Ras-El-Hassana, during winter	152
33	Amino acid analysis of <i>Erodium arborescens</i> roots at El-Hassana habitat, during winter	153
34	Amino acid analysis of <i>Erodium arborescens</i> shoots at Ras-Sudr habitat, during summer	155
35	Amino acid analysis of <i>Erodium arborescens</i> roots at Ras-Sudr habitat, during summer	156
36	Amino acid analysis of <i>Erodium arborescens</i> shoots at El-Hassana habitat, during summer	157
37	Amino acid analysis of <i>Erodium arborescens</i> roots at El-Hassana habitat, during summer	158
38	Mean values of total lipids of <i>Erodium arborescens</i> of two successive seasons (1992-1993) at Ras-Sudr and El-Hassana habitat	161
39	Acid, iodine, ester and saponification values of lipids of <i>Erodium arborescens</i> at Ras-Sudr and El-Hassana habitat	164