


ROLE OF MAGNETIC RESONANCE IMAGING IN CERVICAL DISC LESIONS

35

Essay

Submitted for Partial
fulfillment of master
degree in Radiodiagnosis

16. 07. 48
11



By

Wael Mohamed Fathy El-Shawaf

M. B, B. CH

Supervised by

Prof. Dr. Salwa T. Ahmadi Ismail

*Prof. of Radiodiagnosis
Faculty of Medicine
Ain Shams University*

17. 02. 8

FACULTY OF MEDICINE

AIN SHAMS UNIVERSITY



1993



ACKNOWLEDGEMENT

My deepest gratitude and most sincere thanks are deserved to Prof. Dr. SALWA T. AHMED ISMAIL Professor of Radiodiagnosis, Ain Shams University, for suggesting the problem, planning the study, his kind supervision, and valuable guidance throughout this work.

My great appreciation to staff members and residents in the Department of Radiodiagnosis, Ain Shams University and Maddi Military Hospital for their continuous help.

Finally, no words can express the warmth of my feelings to my family for their understanding and patience.

CONTENTS

	Page
* Introduction and aim of the work	1
* Anatomical Consideration:	
i. Gross anatomy	3
ii. MR anatomy	17
* Pathology of cervical disc lesions	24
* Clinical presentation	38
* Technical consideration of MR of cervical spines	45
* Magnetic Resonance manifestation of Cervical Disc Lesions	63
* Illustrative cases	80
* Summary & Conclusion	111
* References	116
* Arabic Summary	

LIST OF FIGURES

	Page
Fig. (1) : Superior aspect of Typical cervical vertebrae	2
Fig. (2) : Superior aspect of Atlas	5
Fig. (3) : Anterior aspect of axis	5
Diag. (1) : Layers of annulus Fibrosis	8
Fig. (4) : Osseous structures of cervical intervertebral foramen	11
Fig. (5) : T ₁ W midline sagittal image of cervical spine	16
Fig. (6) : T ₁ W anterior coronal of cervical spine	16
Fig. (7) : T ₂ W midline sagittal image of cervical spine	18
Fig. (8) : GRASS axial image through the C ₃ -C ₄ level	20
Fig. (9) : GRASS axial image through the C ₄ -C ₅ level	20
Fig. (10) : T ₁ W Lateral sagittal image of the cervical spine	21
Diag. (2) : Even pressure on the vertebral end-plate the manner in which this force is borne	23
Fig. (11) : Disc changes with aging and degeneration	25
Fig. (12) : Sections of intervertebral disc at different ages	25
Diag. (3) : As the intervertebral discs narrow, the vertebral bodies approach one another	27
Fig. (13) : Diagrammatic representation of cervical disc herniation	30
Diag. (4) : Types of soft-disc protrusion	34
Fig. (14) : (1.5) Tesla MRI unit	44
Fig. (15) : Example of surface coil	48
Fig. (16) : Sagittal view of cervical spine using body and surface coils	50

	Page
Fig. (17) : Axial MR of the spinal cord	52
Fig. (18) : CSF gated acquisition in axial cervical spine	54
Fig. (19) : Effect of flow compensation on T ₂ -weighted sagittal image of cervical spine	56
Fig. (20) : GRASS midline sagittal image of the cervical spine	59
Fig. (21) : Small cervical disc herniation	67
Fig. (22) : Degenerative cervical disc herniation	69
Fig. (23) : Cervical disc with Gd-DTPA	69
Fig. (24) : Cervical disc herniation	71
Fig. (25) : Dilated epidural venous plexus	73
Fig. (26) : Posterolateral cervical disc herniation	73
Fig. (27) : Sagittal oblique T ₁ W scans in the cervical region	75
Fig. (28) : Cervical disc herniation at C ₅ -C ₆ and C ₆ -C ₇ levels	77
Fig. (29) : A case of herniated intervertebral disc at C ₅ -C ₆ level	79
Fig. (30) : A case of disc degeneration associated with disc space narrowing at C ₄ -C ₅ , C ₅ -C ₆ and C ₆ -C ₇ levels	81
Fig. (31) : A case of degenerative disc disease at C ₅ -C ₆ and posterior osteophytes.	83
Fig. (32) : A case of left C ₆ -C ₇ level herniated nucleus pulposus	85
Fig. (33) : A case of subligamentous disc herniation	87
Fig. (34) : A case of herniated disc at the level of C ₅ -C ₆ .	89

	Page
Fig. (35) : A case of central herniated nucleus pulposus and surrounding osteophytic spur at C5-C6	91
Fig. (36) : A case of cervical disc herniation	93
Fig. (37) : A case of disc herniation with suggested rupture through annulus and posterior longitudinal ligament	95
Fig. (38) : A case of myelopathy following cervical spine Trauma	97
Fig. (39) : A case of herniated disc with cord injury	99
Fig. (40) : A case of herniated cervical disc	101
Fig. (41) : A case of cervical disc at level of C6-C7	103
Fig. (42) : A case of subtle cervical disc herniation	105
Fig. (43) : A case of cervical disc herniation at C5-C6 and C6-C7 levels	107
Fig. (44) : A case of degenerative cervical disc herniation	109
Fig. (45) : Lateral plane Films of cervical spine	111

INTRODUCTION AND AIM OF THE WORK

