

ON SOME METABOLIC ACTIVITIES OF FEMALE RATS

THESIS

Submitted to the Faculty of Science, Ain Shams University For the Award of the M. Sc. Degree In Zoology



Ву

Gamal Ramadan Shebl

(B.Sc., 1988)


Demonstrator of Zoology,
Faculty of Science-Ain Shams University



Nowhard Beile Al

Zoology Department Faculty of Science Ain Shams University

1994





ON SOME METABOLIC ACTIVITIES OF FEMALE RATS

By:	
Gamal Ramadan Shebl	
Supervised by:	
Prof. Dr. Nadia Mohamed El-Beih	
	Date / / 1994

BIOGRAPHY

Name : Gamal Ramadan Shebl

Date and place of birth : 1967, Cairo

Degree awarded : B.Sc., Zoology, 1988

Present position : Demonstrator, Department of

Zoology, Faculty of Science,

Ain Shams University

Date of registration : December 10th, 1990

Note

The present thesis is submitted to Ain Shams University in partial fulfillment of the requirements for the Degree of Master of Science in Physiology.

Besides the research work materialized in this thesis, the candidate has attended five graduate courses for one year in the following topics:

- Endocrinology
- Enzymology
- Haematology
- Statistics
- English language

He has successfully passed the final examinations in these courses.

Prof. Dr. Abdalla M. Ibrahim

Head of Zoology Dept.,
Ain Shams University

ACKNOWLEDGEMENT

I would like to express my gratitude and indebtedness to Prof. Dr. Nadia El-Beih, Prof. of Physiology, Department of Zoology, Faculty of Science, Ain Shams University, for suggesting the subject of this work, direct supervision of the practical work and advice regarding theoretical informations in different fields related to this research. Prof. Dr. Nadia El-Beih is also thanked for providing me with important literatures, valuable criticism and continuous supply with advice concerning technical work. I have been followed by Prof. Dr. Nadia El-Beih throughout this work with great encouragement in the way of handling the thesis in particular.

Thanks are also due to Head and all staff members of Zoology Department, Faculty of Science, Ain Shams University, for continuous encouragement throughout this work.

CONTENTS

P	age
Acknowledgement	
Introduction	1
Historical review	3
Material and methods	32
Results	55
Discussion	178
Summary	198
References	202
Arabic summary	248

List of tables

			Page
Table	1:	Body weight gain (gm/kg of initial body	
		weight) of adult female wistar albino	
		rats (Rattus norvegicus) treated with	
		Anovlar-1, Primovlar and Nordette for	
		45 days	56
Table	2:	Body weight gain (gm/kg of initial body	
		weight) of adult female wistar albino	
		rats (<u>Rattus</u> <u>norvegicus</u>) treated with	
		Primovlar for 90 days	58
Table	٦.	Serum total lipids level (mg%) of adult	
I CONTE	٥.	female wistar albino rats (Rattus	
		norvegicus) treated with Anovlar-1,	
		Primovlar and Nordette for 45 days	61
Table	4 :	Serum total lipids level (mg%) of adult	
		female wistar albino rats (<u>Rattus</u>	
		norvegicus) treated with Primovlar for	
		90 days	63
Table	5.	Serum total cholesterol level (mg%) of	
Table	٠.	adult female wistar albino rats (Rattus	
		addic remare arbear arbino race (Naccus	

			Page
		norvegicus) treated with Anovlar-1,	
		Primovlar and Nordette for 45 days	66
Table	6:	Serum total cholesterol level (mg%) of	
		adult female wistar albino rats (Rattus	
		norvegicus) treated with Primovlar for	
		90 days	68
Table	7 :	Serum phospholipids level (mg%) of	
		adult female wistar albino rats (<u>Rattus</u>	
		norvegicus) treated with Anovlar-1,	
		Primovlar and Nordette for 45 days	71
Table	8:	Serum phospholipids level (mg%) of	
		adult female wistar albino rats (Rattus	
		norvegicus) treated with Primovlar for	
		90 days	73
Table	9:	Serum triglycerides level (mg%) of	
		adult female wistar albino rats (<u>Rattus</u>	
		norvegicus) treated with Anovlar-1,	
		Primovlar and Nordette for 45 days	76
Table	10:	Serum triglycerides level (mg%) of	
		adult female wistar albino rats (Rattus	

	Pa	ge
norvegicus) treated with Pr	imovlar for	
90 days		78
Table 11: Serum HDL cholesterol leve	l (mg%) of	
adult female wistar albino r	ats (<u>Rattus</u>	
norvegicus) treated with	Anovlar-1,	
Primovlar and Nordette for 4	5 days	87
Table 12: Serum HDL cholesterol leve	l (mg%) of	
adult female wistar albino r	ats (<u>Rattus</u>	
norvegicus) treated with Pr	imovlar for	
90 days		89
Table 13: Serum total cholesterol/HDL	cholesterol	
ratio of adult female wis	tar albino	
rats (<u>Rattus norvegicus</u>) t	reated with	
Anovlar-1, Primovlar and N	lordette for	
45 days		92
Table 14: Serum total cholesterol/HDL	cholesterol	
ratio of adult female wis	star albino	
rats (<u>Rattus norvegicus</u>) t	reated with	
Primovlar for 90 days		94

		Page
Table 15:	Serum LDL cholesterol level (mg%) of	
	adult female wistar albino rats (Rattus	
	norvegicus) treated with Anovlar-1,	
	Primovlar and Nordette for 45 days	97
Table 16:	Serum LDL cholesterol level (mg%) of	
	adult female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Primovlar for	
	90 days	99
Table 17:	Serum LDL cholesterol/HDL cholesterol	
	ratio of adult female wistar albino	
	rats (Rattus norvegicus) treated with	
	Anovlar-1, Primovlar and Nordette for	
	45 days	102
Table 18:	Serum LDL cholesterol/HDL cholesterol	
	ratio of adult female wistar albino	
	rats (<u>Rattus norvegicus</u>) treated with	
	Primovlar for 90 days	104
Table 19:	Serum total protein level (gm%) of	
	adult female wistar albino rats (Rattus	
	norvegicus) treated with Anovlar-1,	
	Primovlar and Nordette for 45 days	107

		Page
Table 20:	Serum total protein level (gm%) of	
	adult female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Primovlar for	
	90 days	109
Table 21:	Serum albumin level (gm%) of adult	
	female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Anovlar-1,	
	Primovlar and Nordette for 45 days	112
Table 22:	: Serum albumin level (gm%) of adult	
	female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Primovlar for	
	90 days	114
Table 23	: Serum globulins level (gm%) of adult	
	female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Anovlar-1,	
	Primovlar and Nordette for 45 days	117
Table 24	: Serum globulins level (gm%) of adult	
	female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Primovlar for	
	90 days	119

		Page
Table 25:	Serum albumin/globulins ratio of adult	
	female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Anovlar-1,	
	Primovlar and Nordette for 45 days	123
Table 26:	Serum albumin/globulins ratio of adult	
	female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Primovlar for	
	90 days	125
Table 27:	Serum glucose level (mg%) of adult	
	female wistar albino rats (Rattus	
	norvegicus) treated with Anovlar-1,	
	Primovlar and Nordette for 45 days	134
Table 28:	Serum glucose level (mg%) of adult	
	female wistar albino rats (<u>Rattus</u>	
	norvegicus) treated with Primovlar for	
	90 days	136
Table 29:	Serum creatinine level (mg%) of adult	
	female wistar albino rats (<u>Rattus</u>	
	<pre>norvegicus) treated with Anovlar-1,</pre>	
	Primovlar and Nordette for 45 days	139

Page			
	Serum creatinine level (mg%) of adult	30:	Table
	female wistar albino rats (Rattus		
	norvegicus) treated with Primovlar for		
1 41	90 days		
	Serum urea level (mg%) of adult female	31:	Table
	wistar albino rats (Rattus norvegicus)		
	treated with Anovlar-1, Primovlar and		
144	Nordette for 45 days		
	Serum urea level (mg%) of adult female	32:	Table
	wistar albino rats (Rattus norvegicus)		
146	treated with Primovlar for 90 days		
	Serum total bilirubin level (mg%) of	33;	Table
	adult female wistar albino rats (<u>Rattus</u>		
	<pre>norvegicus) treated with Anovlar-1,</pre>		
149	Primovlar and Nordette for 45 days		
	Serum total bilirubin level (mg%) of	34:	Table
	adult female wistar albino rats (<u>Rattus</u>		
	<pre>norvegicus) treated with Primovlar for</pre>		
15	0.0 days		