HEMATEMESIS IN THE PEDIATRIC AGE GROUP: A RETROSPECTIVE STUDY

Thesis Submitted For Partial Fulfillment Of Master Degree In Pediatrics By

> **Ebtisam Fikry Mohamed** M.B., B.Ch.

Under Supervision Of Dr. Tawhida Yassin Abd El Ghaffar

Faculty of Medicine

A 2 15 F Ain Shams University Assist. Prof. Of Pediatrics


Dr. Heba Hassan El Sedfy


Lecturer Of Pediatrics Faculty Of Medicine Ain Shams University

Faculty Of Medicine Ain Shams University 1996

tomera = C. Kin







ACKNOWLEDGMENT

First, thanks are all to God for blessing this study until it has reached its end as a little part of his generous help throughout my life.

I would like to express my deepest gratitude and extreme thankfulness to Assist. Prof. Dr. Tawhida Yassin Abd El Ghaffar, Assistant Professor of Pediatrics, Faculty of Medicine Ain Shams University for her generous help, guidance, kind encouragement and great fruitful advice during supervision of this work.

I am greatly honoured to express my sincere thanks to Dr. Heba Hassan El Sedfy, Lecturer of Pediatrics, Faculty of Medicine, Ain Shams University by whom I was very much impressed for her sincere guidance and great help. She provided much of her time and offered me valuable assistance and sincere help.

Ebtisam Fikry Mohamed



CONTENTS

	<u>Page</u>
INTRODUCTION AND AIM OF THE WORK	1
REVIEW OF LITERATURE	
*Upper Gastrointestinal bleeding	3
*Etiology of hematemesis	11
-Portal hypertension	12
-Bleeding tendency	44
Platelet disorders	44
Coagulation disorders	58
-Inflammatory disorders	76
Disorders of the stomach	76
Drug induced hematemesis	90
Esophageal disorders	94
-Gastrointestinal hemorrhage of unknown origin	100
SUBJECTS AND METHODS	105
RESULTS	107
DISCUSSION	148
CONCLUSION AND RECOMMENDATIONS	164
SUMMARY	. 167
	169
REFERENCES	
ARABIC SUMMARY	



LIST OF TABLES

	<u>Page</u>
Table (1): Drug-induced immune thrombocytopenic purpura	55
Table (2): Typical initial doses of replacement therapy	62
Table (3): Clinical classification of hemophilia B	65
Table (4): Laboratory tests in vWD	70
Table (5): Potential causes of bleeding of obscure source	100
Table (6): Distribution of cases of hematemesis over four and half years	107
Table (7): Etiology of hematemesis in the study groups	108
Table (8): Frequency of different studied parameters of all the patients with hematemesis included in the study	111
Table (9): Age and laboratory parameters of all the patients with hematemesis included in the study	113
Table(10): Seasonal distribution of hematemesis admissions	115
Table(11): Frequency of different studied parameters of the 4 groups	116

Table(12): Age and laboratory parameters of the 4 studied groups	123
Table(13): Comparison between the different epidemiological parameters in the group portal hypertension	125
Table(14): Comparison between the different epidemiological parameters in the group of bleeding tendency	126
Table(15): Comparison between the different epidemiological parameters in the group of inflammation	128
Table(16): Comparison between the different epidemiological parameters in the group of hematemesis for investigation	129
Table(17): Comparison between different outcomes as regards epidemiological parameters, clinical findings and diagnosis	130
Table(18): Comparison between different outcomes as regards age and laboratory arameters	132
Fable(19) : Comparison between portal hypertension and other groups of hematemesis as regards epidemiological parameters, clinical findings and outcome	133
(Table(20): Comparison between portal hypertension and other groups of hematemesis as regards age and laboratory parameter.	140

LIST OF FIGURES

	<u>page</u>
Fig.(1): Etic the	ology of hematemesis in patients included in study 110
Fig.(2): Sea	dishibution in the four groups of the study 118
Fig.(3): Re	sidence of patients (urban - rural - niurban) in the four groups of the study 119
Fig.(4): Se stu	asonal incidence in the four groups of the idy 120
Fig.(5): Inc. gr	cidence of rebleeding in patients in the four oups of the study 121
Fig.(6): O	utcome in the four groups of the study 122
Fig.(7): th	e mean age of patients in the four groups of e study 124
G (/	esidence of patients (urban - rural and emiurban) in the group of portal hypertension ompared to other groups of hematemesis 135
h	easonal variations in the group of portal ypertension compared to other groups of ematemesis
ŀ	Clinical data of patients in the group of portal hypertension compared to other groups of hematemesis

Fig.(11): Incidence of rebleeding in the group of portal hypertension compared to other groups of hematemesis
Fig.(12): Outcome in the group of portal hypertension compared to the other groups of hematemesis 139
Fig.(13): Mean age in the group of portal hypertension compared to other groups of hematemesis 142
Fig.(14): White blood cell (WBCs) count (X10 ³) in the group of portal hypertension compared to other groups of hematemesis
Fig.(15): Red blood cell (RBCs)count (X10 ⁶) in the group of portal hypertension compared to other groups of hematemesis
Fig.(16): Total bilirubin in the group of portal hypertension compared to other groups of hematemesis
Fig.(17): Mean level of albumin in the group of portal hypertension compared to other groups of hematemesis
Fig.(18): Mean level of SGOT in the group of portal hypertension compared to other groups of hematemesis