ok on Dish

### A Comprehensive Evaluation Of Nocturnal Polysomnographic Recording in Epileptic Patients

Thesis

Submitted for partial folfillment of M.D. in Neurology

By

Naglaa Mohamed El-Khayat

M.B., B.ch., M.Sc.

Supervised by

Prof. Hamed Mahmoud Shatla

Professor of Pediatric Medicine

& Dean of Faculty of Medicine

Ain Shams University

Prof. Mohamed Anwar El Etribi

Professor of Neuropsychiatry &

Head of Neurology Department

Ain Shams University

Prof. Mona Abdel Hamid Raafat Prof. Amira Ahmed Zaki Dewidar

Professor of Neuropsychiatry

Ain Shams University

Professor of Neuropsychiatry
Ain Shams University

Faculty of Medicine

Aiu Shams University 1999







To
My Mother
and My Father



#### Contents

Subjects Acknowledgment	_
Abstract	I
List of Tables	ii
List of graphs	iv
List of figures	vi
List of abbreviations	vii
Definitions of sleep parameters	ix
Introduction and Aim of The Work	1
Review of The Literature	4-7
Anatomy & Physiology of sleep	4
Normal EEG in Children	7
Normal Sleep in Children	11
Polysomnography	12
Respiratory events, sleep, and epilepsy	14
Epilepsy in Children	15
a) International Classification of Epilepsy	15
b)ldiopathic epileptic syndromes in childhood	16
c) Clinical Presentations, and EEG criteria of epileptic syndromes	16
Neurotransmitters and Epilepsy	36
Neurotransmitters and Sleep	43
- Sleep and Idiopathic Childhood Epilepsy	54
a) Effects of Sleep on Epilepsy	57
b) Effects of Epilepsy on Sleep	68
Antiepileptic Drugs, Sleep and epilepsy	71
Aim of The Work	77
Subjects and Procedures	78
Results	84
Discussion	146
Summary and Conclusion	16
Recommendation	170
References	17
Appendix	1-1



## Acknowledgment

All due thanks to God who enabled me to complete this work.

I would like to express my deep appreciation to Prof. Hamed Shatla, professor of pediatrics Ain Shams University and Dean of Faculty of Medicine, whose enthusiasm and encouragement helped the start of polysomnography in our department, he really honored me by accepting to supervise my humble work.

I am profoundly grateful to Professor M. Anwar El-Etribi for his unlimited and continuous support, enthusiasm and encouragement throughout this work, and supply of essential references, he encouraged the establishment of the sleep laboratory in the Neurology department and gave me the honor of having the first thesis conducted in this fabulous laboratory, all without which it would not be completed.

I wish to express my great thanks and sincere appreciation to Professor Amira Ahmed Zaki, professor of Neurology Ain Shams University, for her continuous supply of patients, guidance, and meticulous valuable advises.

I would like to express my sincere gratitude to Prof. Mona Abdel Hamid Raafat, professor of Neurology, Ain Shams University, for her help and Fruitful supervision of this thesis, constructive criticism without which this work would have not been accomplished. I find it essential to thank every and each patient and person who participated or shared with me the all the procedures of this study and also colleagues who supported me.

I wish to extend my deepest gratitude to Prof. Ayman Emant, Ass. Professor of Neurology, Ain Shams University, For his supply of recent literature, as well as Dr. Nahed Salah El-din Lecturer of Neurology, Ain Shams University, for her scientific guidance and support throughout this work. My great thanks also goes to Prof. Tarek Asaad, Ass prof. of psychiatry for his help.

Lastly, may words allow me to express my everlasting thanks to all members of my family whom were of more than great support and help throughout my life, and I owe to them all my achievements.

#### **ABSTRACT**

A polysomnographic study of a group of cases consisted of 96 patients with idiopathic epileptic syndromes and a group of 50 healthy controls within the childhood age group was done, to study the sleep patterns among this sample of egyptian patients, and to study the relation of respiratory events to their epilepsy. These cases and controls were subjected to a sleep disorders and epilepsy questionnaires, laboratory tests, conventional EEG study, and a CT brain scan in addition to the polysomnographic studies, including sleep EEG recording done at the start of the study and six months later after control of seizures for the patients who were recently diagnosed or partially controlled on medication.

No abnormal sleeping pattern was found among patients nor controls, with a special similarities in sleeping patterns of more than one epileptic syndrome included in the study.

No relationship was found between respiratory events and epilepsy of the selected cases.

Different effects of drugs used on polysomnographic patterns of patients of different clinical syndromes of idiopathic epilepsy were shown.

Candidate: Naglaa Mohamed El-Khayat.

Tl: A Comprehensive Evaluation Of Nocturnal

Polysomnographic Recording in Epileptic

Patients.

In: Ain Shams University. Neurology Department.

Key Words: Polysomnographic study - Epilepsy- Nocturnal

recording- sleep patterns.



## List of Tables

Table	Title of the table	Pone			
No.	Title of the table	age			
Table of Review					
1	Neurotransmitters and epilepsy	52			
2	Neurotransmitters and sleep	53			
Table of Results					
1	Comparison of age and sex in epileptic patients and				
	controls	86			
2	Age distribution among patients of different groups.	88			
3	Comparison of sleep parameters among epileptic and				
	control groups	89			
4	Comparison of sleep parameters between group 1				
	and group 2 (BECT)	91			
5	Comparison of sleep parameters between group 4				
	and group 5 (BPE). Timing of seizure occurrence of				
	all cases	92			
6	Comparison of sleep parameters between group 7				
	and group 8 (GAE). Mode of therapy intake	93			
7	Comparison of sleep parameters between group 10				
	and group 11 (GA-GTCE). Different types of drug				
	treatment	94			
8	Comparison of sleep parameters between group 13				
	and group 14 (GTCE).Patients' compliance to drug				
	treatment	95			
9	Comparison of sleep parameters between groups of				
	untreated and treated with partial control of				
	epilepsy, and control group. Control of fits of all				
	patients	96			
10	Comparison of sleep parameters between groups of				
	treated with complete control of epilepsy, of				
	different diagnoses and control group	102			
11	Comparison of sleep parameters of (BECT): at the				
	start of the study and after six months of drug				

Table No.	Title of the table	Page.
	treatment or modification of drugs used	108
12	Comparison of sleep parameters of (BPE): at the	
	start of the study and after six months of drug	
	treatment or modification of drugs used	110
13	Comparison of sleep parameters of (GAE): at the	
	start of the study and after six months of drug	
	treatment or modification of drugs used	112
14	Comparison of sleep parameters of (GA-GTCE): at	
	the start of the study and after six months of drug	
	treatment or modification of drugs used	114
15	Comparison of sleep parameters of (GTCE): at the	
	start of the study and after six months of drug	
	treatment or modification of drugs used	116
16	Timing of seizure occurrence of all cases	118
17	Comparison of types of drug treatment in untreated	
	and treated with partial control of fits at the start of	
	the study and after six months	119
18	Type of therapy in all cases of patients group	120
19	Conventional EEG findings in patients group	121
20	Sleep EEG findings patients group	121
21	Compliance of patients to drug treatment at the start	
	of the study	122
22	Control of fits in all cases of patients group at the	
	start of the study	122
23	Drug of therapy in all cases of patients group	123
24	Type of therapy in all cases of patients group	123
25	Time of seizure occurrence in all cases of patients	
	group	124
26	Conventional EEG findings in patients group	125
27	Sleep EEG findings in patients group	126
28	Conventional EEG versus sleep EEG in epileptic	
	group	127
29	Analysis of variance of different groups	128

# List of Graphs

Graph No.	Tide A	Page
1	Comparison of age in epileptic patients and controls	87
2	Comparison of sex in epileptic patients and controls	87
3	Comparison of sleep parameters among epileptic and	
	control groups	90
4	Comparison of sleep parameters between BECT	
	(G1) controls	97
5	Comparison of sleep parameters between BPE (G4)	
	and controls	98
6	Comparison of sleep parameters between GAE (G7)	
	and controls	99
7	Comparison of sleep parameters between GA-GTCE	
	(G10) and controls	100
8	Comparison of sleep parameters between GTCE	
	(G13) and controls.	101
9	Comparison of sleep parameters between BECT	
	(G2) and controls	103
10	Comparison of sleep parameters between BPE (G5)	
	and controls	104
11	Comparison of sleep parameters between GAE (G8)	
	and controls	105
12	Comparison of sleep parameters between GA-GTCE	
	(G11) and controls	106
13	Comparison of sleep parameters between GTCE	
	(G14) and controls	107

Graph No.	Title	Page
14	Comparison of sleep parameters of BECT cases	
	before and after treatment	109
15	Comparison of sleep parameters of BPE before and	
	after treatment	111
16	Comparison of sleep parameters of GAE before and	
	after treatment and controls	113
17	Comparison of sleep parameters of GA-GTCE	
	before and after treatment	115
18	Comparison of sleep parameters of GTCE before	
	and after treatment	117