



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

ECOLOGICAL STUDIES ON SOME IMPORTANT SUGAR BEET PESTS AND NATURAL ENEMIES AND THEIR CONTROL

B 6942

By

Gamal Abd El-Gawad Mahmoud Shalaby

B.Sc., Economic Entomology, Tanta University, 1982

M.Sc., Economic Entomology, Zagazig University, 1996

Thesis

Submitted in Partial Fulfillment
of the Requirements for the Degree
of
Doctor of Philosophy

In

ECONOMIC ENTOMOLOGY

Department of Economic Entomology

Faculty of Agriculture

Kafr El-Sheikh

Tanta University

2001

Approval Sheet

Title of Thesis : Ecological studies on some important sugar beet pests and natural enemies and their control

Name of Student : Gamal Abd El-Gawad Mahmoud Shalaby

Approved by:

Prof. Dr. F. M. El-Agamy

Prof. Dr. S. S. Awadallah

Prof. Dr. S. M. Z. Metwally

Prof. Dr. I. I. Mesbah

(Committee in Charge)

Date: / / 2001

ACKNOWLEDGEMENT

*The author wishes to express his deep gratitude to his supervisors: **Dr. Shawky M.I. Metwally**, Prof. Econ. Entmol. and Dean of Fac. Agric., Kafr El-Sheikh, Tanta Univ., **Dr. Ahmed M. Bassyouni**, Head of Sugar Crops Res. Dept., Sakha Agric. Res. Stn., **Dr. Ibrahim I. Mesbah**, Prof. Econ. Entomol., Kafr El-Sheikh, and **Dr. Fayez A. Abo Attia**, Associate Prof. Econ. Entomol., same Faculty. The supervisors are highly appreciated for suggesting the problem, valuable supervision, constructive criticism, and sincere advice throughout the course of study*

*The author is also grateful to **Dr. Mahmoud R. Sherif**, Head of Entomology Dept., Rice Research and Training Center, Sakha, Agric. Res. Center, and **Dr. Ahmed El-Sesi**, Head of Research , Central Agricultural Pesticides Laboratory, Agric. Res. Center. Both Professors provided important materials, and helped in preparing the manuscript.*

Thanks are also due to staff members of Sugar Crops Res. Institute Sakha & Giza), Agric. Res. Center. The author thanks also staff members of Econ. Entomol., Dept., Fac. Agric., Kafr El-Sheikh, Tanta Univ.

CONTENTS

	Page
INTRODUCTION	1
REVIEW OF LITERATURE	3
A. Ecological studies	3
1. Survey of insect pests and their natural enemies in sugar-beet fields	3
2. Population fluctuation of major insect pests in the Egyptian sugar-beet fields	3
3. Population fluctuation of insect predators in the Egyptian sugar-beet fields	11
4. Monitoring of insects and associated natural enemies by coloured sticky traps	13
5. Monitoring of some lepidopterous insect pests by pheromone traps	14
B. Some controlling methods	16
1. Role of the egg-parasitoid, <i>Trichogramma</i> spp. in reducing some lepidopterous insect populations	16
2. Effect of insect pathogens in reducing insect populations:	17
2.1. <i>Beauveria bassiana</i> (Balsamo)	17
2.2. <i>Bacillus thuringiensis</i>	20
3. Effect of plant extracts in reducing insect populations	22
4. Effect of chemical applications in reducing insect populations:	24
4.1. Seed dressing	24
4.2. Field spraying	26
5. The European corn borer, <i>Ostrinia nubilalis</i> Hubn.	28
MATERIALS AND METHODS	29
A. Ecological studies	29
1. Survey of insect pests and natural enemies in sugar-beet fields	29

2. Population fluctuation of main sugar-beet insect pests and associated predators	29
3. Monitoring of sugar-beet insect pests and associated predators by coloured sticky traps.....	30
4. Monitoring of cotton leafworm, <i>Spodoptera littoralis</i> in sugar-beet fields by pheromone traps.....	31
B. Some controlling methods	32
1. Role of the egg-parasitoid, <i>Trichogramma evanescens</i> in reducing some of lepidopterous insect populations	32
2. Effect of insect pathogens in reducing sugar-beet insect populations	33
3. Effect of seed dressing and soil treatments with insecticides on sugar-beet insect populations	34
3.1. First test (insecticides applied at planting)	35
3.2. Second test (insecticides applied at third irrigation)	35
4. Efficacy of certain chemicals against sugar-beet insects and associated predators	36
C. The European corn borer, <i>Ostrinia nubilalis</i> a new insect pest in sugar-beet fields.....	38
1. Field studies	38
1.1. Population fluctuation.....	38
1.2. Sugar-beet in preference to maize for the European corn borer.....	38
2. Laboratory studies	39
RESULTS AND DISCUSSION.....	40
A. Ecological studies	40
1. Survey of insect pests and natural enemies in the sugar-beet fields	40

2. Population fluctuation of main sugar-beet insects and associated predators	45
2.1. Insect pests.....	45
2.1.1. The tortoise beetle, <i>Cassida vittata</i> Vill.....	46
2.1.2. The sugar-beet fly, <i>Pegomyia mixta</i> Vill.....	46
2.1.3. The beet moth, <i>Scrobipalpa ocellatella</i> Boyd.....	51
2.1.4. The cotton leafworm, <i>Spodoptera littoralis</i> (Boisd.)	51
2.2. Natural predators.....	59
2.2.1. Coccinellids.....	59
2.2.2. Rove beetle, <i>Paederus alfieri</i>	62
2.2.3. Lacewing, <i>Chrysoperla carnea</i>	62
2.2.4. True spiders.....	62
3. Monitoring of sugar-beet insects and associated predators by coloured sticky traps	69
3.1. Insect pests.....	69
3.1.1. Tortoise beetle, <i>Cassida vittata</i>	73
3.1.2. Sugar-beet fly, <i>Pegomyia mixta</i>	73
3.1.3. Sugar-beet moth, <i>Scrobipalpa ocellatella</i>	73
3.1.4. Cotton leafworm, <i>Spodoptera littoralis</i>	74
3.1.5. Jassids, <i>Empoasca</i> spp.	74
3.2. Natural predators.....	76
3.2.1. The rove beetle, <i>Paederus alfieri</i>	76
3.2.2. True spiders.....	76
3.2.3. The lacewing, <i>Chrysoperla carnea</i>	76
3.2.4. Coccinellids.....	78
4. Monitoring of cotton leafworm, <i>Spodoptera littoralis</i> adult in sugar-beet fields by pheromone traps.....	78
B. Some controlling methods	83

1. Role of the egg-parasitoid, <i>Trichogramma evanescens</i> in reducing some lepidopterous insect populations.....	83
1.1. The beet moth, <i>Scrobipalpa ocellatella</i>	83
1.2. The European corn borer, <i>Ostrinia nubilalis</i>	85
2. Effect of insect pathogens in reducing insect populations.....	86
2.1. <i>Bacillus thuringiensis</i>	86
2.2. <i>Beauveria bassiana</i>	88
3. Effect of seed dressing and soil treatments with insecticides on sugar-beet insects	89
4. Efficacy of certain chemicals against sugar-beet insects and associated predators	94
4.1. Tortoise beetle, <i>Cassida vittata</i>	95
4.2. Beet moth, <i>Scrobipalpa ocellatella</i>	95
4.3. Beet fly, <i>Pegomyia mixta</i>	98
4.4. Rove beetle, <i>Paederus alfieri</i>	100
4.5. Lacewing, <i>Chrysoperla carnea</i>	102
4.6. Coccinellids.....	102
4.7. True spiders	105
C. The European corn borer, <i>Ostrinia nubilalis</i> : A new insect pest for sugar-beet in Egypt and the world	107
1. Field studies	107
1.1. Symptoms and nature of damage	107
1.2. Population fluctuation.....	109
1.3. Insect preference between sugar-beet and maize.....	109
2. Laboratory studies.....	114
SUMMARY	117
REFERENCES.....	128
ARABIC SUMMARY	