

CS 2
2940

A STUDY OF CREEP OF LOCAL MATERIALS

1.9 sub 911111c

A Thesis
submitted to
the Faculty of Engineering,
Ain Shams University,
Cairo

for the
M.Sc. Degree
in
Structural Engineering

by :
AHMED OMRAN AKLE

620.1123
A.O

6085

1974

Approved by: M. E. L. Said

A. Kering Ata

ACKNOWLEDGEMENT

The author wishes to express his gratitude and indebtedness to Dr. Abdel Kerim Atta, Professor of Strength of Materials, Faculty of Engineering, Ain Shams University, and Dr. Aly Shorif Salah El Din, Lecturer, Structural Engineering Department, Faculty of Engineering, Ain Shams University, for their constant advice and guidance which have rendered this work successful.

The author also wishes to thank the personnel of the Materials Testing Laboratory, Ain Shams University.

Thanks are also due to all those colleagues who participated in the experimental work.



LIST OF CONTENTS

	Page
LIST OF FIGURES	I
LIST OF TABLES	VIII
INTRODUCTION	1
CHAPTER I	1
1.1. Definition	1
1.2. Creep Stages	1
1.3. Creep Mechanism	5
1.4. Factors affecting Creep	13
1.5. Significance of Creep	29
CHAPTER II	34
2.1. Experimental Investigations	34
2.2. Theoretical Investigations	39
2.3. Provision for Creep Prediction in Different Codes	60
2.4. Comments	64
CHAPTER III	68
3.1. Objectives of Study	68
3.2. Proposed Finite Element Approach for Prediction of Creep of Con- crete	70
3.3. Experimental Creep Tests on Local Materials	88
CHAPTER IV	119
4.1. Properties of Concrete Materials	119
4.2. Properties of Fiberboards and Timber	133
4.3. Pieces and Equipment	138

	Page
CHAPTER V	140
5.1. Uniaxial Compression Creep	140
5.2. Flexural Creep	162
CHAPTER VI	215
6.1. The Flexural Creep of Timber and Fiberboards	215
6.2. The effect of Wetting on Flexural Creep of Timber and Fiberboards	223
6.3. Effect of Flexural Creep on the Strength of Timber and Fiberboards	239
CONCLUSIONS	241
REFERENCES	249
APPENDIX	255

LIST OF FIGURES

1

Page

1-1	General form of strain time curve	3
1-2	Schematic representation of types of metal curve	3
1-3	Primary and secondary creep curves of concrete.	3
1-4	Creep curves for polymer	4
1-5	Creep curve for wood	4
1-6	Effect of cement and water/cement ratio on creep of concrete	15
1-7	Relation between ultimate specific creep of concrete and modulus of elasticity of aggregate	15
1-8	Effect of fineness of cement on creep of concrete	17
1-9	Influence of the age at loading on creep of concrete	17
1-10	The effect of chemical composition of steel on creep	18
1-11	Types of point defects on crystalline solid	18
1-12	The effect of composition of polymer on creep	20
1-13	The effect of relative humidity on creep of concrete.	21
1-14	The effect of ambient relative humidity on creep of concrete	21
1-15	The strain energy release rate for white pine wood.	23
1-16	Effect of humidity on creep of polymer.	23
1-17	Effect of temperature on creep of metals.	25
1-18	Effect of temperature and water on creep of polymer	25
1-19	Effect of stress on creep of concrete	26

1-10	Effect of stress on creep of concrete	26
1-11	Effect of porosity on the ratio of creep of concrete	28
1-20	Effect of size of specimen on creep of concrete	28
2-	Tension and compression creep of concrete	30
2-2	Specific creep of mass concrete in tension and compression	36
2-3	Specific creep of mass concrete in tension and compression	38
2-4	Creep of moist cured concrete in tension and compression	38
2-5	Creep in tension and compression of concrete	38
2-6	Creep in tension for different stress/strength	40
2-7	Deflection creep of concrete beam at early hours	40
2-8	Creep in flexure of concrete beam	40
2-9	Kelvin and Maxwell model	42
2-10	Ross model	47
2-11	Flügge's model	47
2-12	Hanson's model	47
2-13	Stress-distribution of Counto model	52
2-14	Comparison between Counto's theory and experimental	52
2-15	England solid model	54
2-16	Comparison between England theory and experimental	54
2-17	Solid model for hardened cement paste	57
2-18	Solid model for mortar	57
2-19	Solid model for concrete	57

Figure of Codes	62
3-1 Idealization of concrete model	73
3-2 Equilibrium of the triangular element	73
3-3 Idealization of normal concrete beam	86
3-4 Idealization of prepacked concrete beam	87
3-5 Flow diagram for the finite element method	89
3-6 Plain concrete cylinders	91
3-7 Cylindrical steel form	91
3-8 Schedule of uniaxial compression tests	92
3-9 Schedule of tests of free shrinkage	93
3-10(a) Counto model of basalt and limestone core	95
3-10(b) Counto model of natural gravel core	95
3-11 Cylindrical specimen under creep test	98
3-12(a) Plain concrete and mortar specimens shrinkage test	99
3-12(b) Measuring shrinkage strains	99
3-13 Detail of special head for testing machine	100
3-14 Flexural creep test of mortar beam on steel frame	103
3-15 Flexural creep test of mortar beam on 30 ton testing machine	103
3-16 System of loading and type of support	104
3-17 Schedule of tests of mortar beams	106
3-18 Schedule of test pieces of flexural creep test of concrete	109
3-19 Flexural creep test of plain concrete beams	110
3-20 Flexural creep test of plain concrete beams	111

	IV	Page
3-21	Berry type extensometer	112
3-22	Type of loading of timber and fiberboard creep test	115
3-23	Timber and fiberboard specimens	115
3-24	Creep testing of timber and fiberboard	116
3-25	Measuring of deflection creep for timber and fiberboard	116
3-26	Schedule and test specimens of timber and fiberboard	118
4-1	Grading curve of sand	120
4-2	Grading curve of coarse aggregate	122
4-3	Stress-strain curve for limestone specimen in compression	123
4-4	Stress-strain curve for basalt specimen in compression	124
4-5	Stress-strain curve for mortar specimen in compression	125
4-6	Load-deflection for mortar beam	128
4-7	Stress-strain diagram for basalt and gravel concrete under compression	130
4-8	Fiberboard-tension test specimen	134
4-9	Fiberboard bending test specimen	134
4-10	Mosky and latazana bending test specimen	134
4-11	Basalt or limestone specimen	139
4-12	Direct reading measuring bridge	139
4-13	Load-deflection for mosky, latazana and fiberboard	136

5-1	Time-creep strain for mortar specimen in compression	143
5-2	Displaced shape of concrete model	145
5-3	Distribution of normal stresses of three concrete models	146
5-4	Time specific creep in compression for basalt, gravel and lime-stone plain concretes (theoretically predicted by the finite element method). . .	147
5-5	Time-specific creep for basalt plain concrete, counts and theoretical calculations	150
5-6	Time-specific creep for gravel plain concrete, counts and theoretical calculations	151
5-7	Time-specific creep for limestone plain concrete, counts and theoretical calculations	152
5-8	Time-specific flexural creep curves for basalt, gravel and limestone	155
5-9	Specific creep - modulus of elasticity for concrete in axial compression	158
5-10	Time-shrinkage curve for gravel, basalt and limestone plain concretes	159
5-11	Shrinkage-modulus of elasticity for concrete . . .	160
5-12	Time-strain distribution for basalt, gravel and limestone plain concrete first idealization . . .	170
5-13	Time-strain distribution for basalt, gravel and limestone plain concrete second idealization . . .	171
5-14	Time-strain distribution for both ordinary and prepack concrete predicted by the finite element method	172
5-15	Creep curve for scaled mortar beam	178
5-16	Creep curve for free drying mortar beam on partially fixed support	179
5-17	Creep curve for free drying mortar beam on free support	180

5-18	Time-shrinkage for sealed and unsealed concrete specimen	185
5-19	System of loading	189
5-20	Type of support	189
5-21	Time-flexure creep curve partially fixed . .	190
5-22	Time-flexure creep curve partially fixed . .	191
5-23	Time-flexure creep curve for freely drying partially fixed mortar beam sustained stress 40	195
5-24	Time-shrinkage curves for loaded and unloaded mortar beam at different stresses	197
5-25	Time-shrinkage curves for loaded and unloaded beams at different supports and stresses . .	198
5-26	Time flexure deformation curves for sealed and unsealed partially and freely supported mortar beams according to the proposed method	200
5-27	Time-flexural deformation for basalt concrete beam experimentally and theoretically	203
5-28	Time-flexural deformation for gravel concrete beam experimentally and theoretically	204
5-29	Time-flexural deformation for limestone concrete beam experimentally and theoretically .	205
5-30	Flexural experimental and theoretical creep curves for limestone, gravel and basalt concretes	206
5-31	Time-shrinkage curve for gravel, basalt and limestone plain concretes	209
5-32	Experimental time-strain distribution for gravel, basalt and limestone	210
5-33	Specific creep - modulus of elasticity of aggregate for plain concrete beams in bending	211
5-34	Effect of type of aggregate on creep rate . .	213

5-35	Comparison between flexural creep strains of plain concrete according to type of aggregate	214
6-1	Time-deflection curves for mosky specimens under different stresses	219
6-2	Time-deflection curves for latazana specimens under different stresses	220
6-3	Time-deflection curves for fiberboard specimens under different stresses	221
6-4	Time-deflection curves for mosky and latazana after immersion 3 hours in water	227
6-5	Time-deflection curves for fiberboard specimens after immersion 3 hours in water	232
6-6	Effect of sustained stress on strength	233
6-7	Load-deflection for virgin and creep tested mosky specimens under various stresses	234
6-8	Load-deflection for virgin and creep tested latazana specimens under various stresses	235
6-9	Load-deflection for virgin and creep tested fiberboard specimens under various stresses	236
6-10	Comparison between bending strength before and after creep tests for mosky, latazana and fiberboard specimens	237
6-11	Comparison between modulus of elasticities before and after creep tests	238

LIST OF TABLES

VIII

	Page
4-1 Sand grading	126
4-2 Coarse aggregate grading	126
4-3 Stress-strain test for basalt and limestone .	129
4-4 Properties of coarse aggregates	132
4-5 Stress-strain for mortar cylindrical specimen	132
4-6 Load-deflection results for mortar beams . . .	131
4-7 Stress-strain results for basalt, gravel and limestone.	131
4-8 Load-deflection test results for mosky, lata-zana and fiberboard virgin specimen	137
5-1 Time-compression strains for mortar specimen .	142
5-2 Time-theoretical and experimental creep of basalt, gravel and limestone concretes and Counto model in compression	149
5-3 Time-shrinkage for basalt, gravel and limestone plain concrete for control specimens	157
5-4 Time-strain for basalt plain concrete, first idealization	164
5-5 Time-strain for gravel plain concrete, first idealization	165
5-6 Time-strain for limestone plain concrete, first idealization	166
5-7 Time-strain for basalt plain concrete, second idealization	167
5-8 Time-strain for gravel plain concrete, second idealization	168

5-9	Time-strain for limestone plain concrete, second idealization	170
5-10	Time-flexural unit deformation for sealed mortar beam on free support	175
5-11	Time-flexure unit deformations of free drying mortar beam on partially fixed support	176
5-12	Time-flexural unit deformation for free dry- ing mortar beam freely supported	177
5-13	Time-shrinkage deformation for control speci- mens sealed and unsealed	182
5-14	Time-flexural strain for sealed and unsealed mortar beam	186
5-15	Time-strain for mortar beam partially fixed (sustained stress 14 kg/cm^2)	187
5-16	Time-deformation for mortar beam partially fixed (sustained stress 20 kg/cm^2)	188
5-17	Time-deformation for mortar beam partially fixed (sustained stress 40 kg/cm^2)	193
5-18	Time-shrinkage for mortar beam control speci- men	194
5-19	Time-specific creep records for basalt, gravel and limestone concretes in bending	202
5-20	Shrinkage records for basalt, gravel and limestone plain concretes during bending	208
6-1	Time-deflection for mosky wood specimens at different stresses	216
6-2	Time-deflection for latazana wood specimens at different stresses	217
6-3	Time-deflection for fiberboard wood specimens at different stresses	218

	X	Page
6-4	Time-deflection for mosky wood specimens after immersion in water for 3 hours	224
6-5	Time-deflection for latazana wood specimens after immersion in water for 3 hours	225
6-6	Time-deflection for fiberboard wood specimens after immersion in water for 3 hours	226
6-7	Effect of sustained stress on the strength of specimens	227
6-8	Load-deflection test results for mosky specimens after creep test for a period of 21 days	228
6-9	Load-deflection test results for latazana specimens after creep test for a period of 21 days	229
6-10	Load-deflection for fiberboard creep tested for 21 days sustained stress 89 kg/cm ²	230
6-11	Bending strength and modulus of elasticity of latazana and mosky specimens before and after creep tests for various sustained stresses . . .	231
6-12	Bending strength and modulus of elasticity of fiberboard specimen before and after creep tests for sustained stress 89 kg/cm ²	231