A COMPANATIVE STUDY ON GROWTH AND MEAT PRODUCTION AMONG NATIVE AND FOREIGN BEEEDS OF CHICKENS

AND THEIR CROSSES

FAROUK HASSAN ABDOU

B.Sc. (Agric.), Alexandria University, 1959.

M.Sc. (Agric.), Alexandria University, 1964.

## Thesis

Submitted in partial fulfilment of the requirements

for the Degree of

"DOCTOR OF PHILOSOPHY"

in

Poultry Production

Faculty of Agriculture Ain-Shams University

1970

Approved

( Committee in charge)

Date:

## ACKNOWLEDGEMENT

The writer wishes to express his deepest appreciations to Prof. S.S. Khishin, Head of the Anim. Prod. Dept., Ain Shams University for his supervision and execuragement.

I feel greatly indebted to Dr. H.F. Issawi, Prof. of Poultry Breiding for suggesting the problem, and his most helpful supervision.

I wish to express my deep sense of gratitude to Dr. M.F. Amer, Assistant Prof. of Poultry Production and Dr. M. Afifi, Assistant Prof. of Poultry Nutrition for their supervision and their valuable comments in the various phases of this work.

Thanks are also due to Dr. S. Galal, Lecturerof Amimal Brecaing for his assistance and valuable criticism.

Special thanks are extended to Prof. M.E. Lasheen, Dean of Haculty of Agric., Ain Shams University, Shebin H1-Kom, for his encouragement and providing the necessary facilities.

## C O N T E N T S

	Page
INTRODUCTION	1
REVIEW OF LITERATURE	3
I- BODY WEIGHT AND RATE OF GROWTH:	
a) Effect of Crossbreeding on Body Weight and Rate of Growth	3
b) Seasonal Effect on Body Weight	10
II- CARCASS STUDIES:	
a) Meat Yields	11
b) Offals! Weights	19
III- PHENOTYPIC CORRELATIONS	26
IV- FEED EFFICIENCY	29
MATERIAL AND METHODS	<b>3</b> 6
RESULTS AND DISCUSSION	42
I- BODY WEIGHTS:	
1- Body Weight at 8 Weeks of Age	42
2- Body Weight at 12 Weeks of Age	44
3- Body Weight At 16 Weeks of Age	48
4- Seasonal Variations in Live Body Weight	52
II- RATE OF GROWTH :	
a) Effect of Crossbreeding on Growth Rate	55
b) Seasonal Effect on Rate of Growth	57

P	age
III- MEAT YIELD	59
1) Carcass Studies	
a) Effect of Crossbreeding on Carcass Weight	50
at 12 Works of 18e	59
b) Effect of Crossbreeding on Carcass Weight	c <b>7</b>
at 16 Weeks of Age	63
c) Seasonal Variations in Carcass Weight at	- =
12 and 16 Weeks of Age	67
2) Eviscerated Studies	
a) Effect of Crossbreeding on Eviscerated	
Weight at 12 Weeks of Age	69
b) Effect of Crossbreeding on Eviscerated	
Weight at 16 Weeks of Age	71
c) Seasonal Variations in Eviscerated Weight	
at 12 and 16 Weeks of Age	74
3) Offals' Weights	
a) Blood Weights	76
b) Feather Weights	$\sim$
c) Shank Weights	
4) Potence Ratio	50
5) Nichols Studies	
IV- HYBRID VIGOR ETGENT THE WEIGHT AND M	EAT
V- PHENOTYPIC CORRELLTIONS BETWEEN LIVE WEIGHT AND M	
YIELD	• )

		Page
VT.	EFFECT OF CROSSBREEDING ON FEED EFFICIENCY	98
V	Practical Application	102
	Summary and Conclusions	104
	Tables	113
	Literature Cited	209
	Arabic Summary	

## List of Tables

able	No.	Page
	Number of chicks and season of hatch for the experimental birds.	113
2	Number of slaughtered chickens for all the experimental birds.	114
3	Means of live body weights, in grams, of different breeds and crosses at eight weeks of age. (Weighted means of males and females at different seasons).	115
I i	Analysis of variance of live body weight at 8 weeks of age during different seasons.	116
5	Comparisons between every two means of live body weights of the experimental chickens at eight weeks of age by Duncan's new multiple range test at different seasons.	117
6	Means of live body weights, in grams, of different breeds and crosses at eight weeks of age. (Males; at different seasons).	118
7	Means of live body weights, in grams, of different breeds and crosses at eight weeks of age. (Memales; at different seasons).	119
8	Mean weights of live body and different parts of the body in grams at 12 weeks of age (lst year-averages).	120
9	Comparisons between every two means of live body, carcass and eviscerated weights at 12 weeks of age by Duncan's new multiple range test. (lst year-averages).	121
10	Percentage of different parts of the body in relation to live body weight at 12 weeks of age. (lst year-average).	122

able	No.	Page
11	Analysis of variance of body weight and different parts of the body at 12 weeks of age (lst year 1966).	123
12	Analysis of variance of relative weights of different body parts at 12 weeks of age (lst year 1966).	124
13	Means of live weight and different parts of the body at 12 weeks of age. (Males : spring season 1967).	125
1.4	Percentage of different parts of the body in relation to live body weight at 12 weeks of age. (Males: Spring season 1967).	126
15	Means of live weight and different parts of the body in grams, at 12 weeks of age. (Fenales, Spring season 1967).	127
16	Percentage of different parts of the body in relation to live body weight at 12 weeks of age. (Females, Spring season 1967).	128
17	Means of live weights and different parts of the body at 12 weeks of age in grams. (Spring season 1967).	129
18	Comparisons between every two means of live body, carcass, and eviscerated weights at live weeks of age by Duncan's new multiple range test. (Spring season 1967).	e 2 9 130
19	Hercentage of different parts of the body in relation to live body weight at 12 wells of age. (Spring season 1967).	131
20	Analysis of variance of body weight and different parts of the body at 12 weeks of age (Spring season 1967).	132
21	Analysis of variance of relative weights of different body parts at 12 weeks of age (Spring season 1967).	133

Table	No.	Page
22	Mean weights of live body and different parts of the body in grams at 16 weeks of age. (lst year-averages).	134
23	Comparisons between every two means of live body, carcass and eviscerated weights at 16 weeks of age by Duncan's new multiple range test (lst. year-averages).	135
24	Mean weights of live body and different parts of the body in grams at 16 weeks of age. (1st year-averages).	136
25	Analysis of variance of body weight and different parts of the body at 16 weeks of age (lst year 1966).	137
26	Analysis of variance of relative weights of different body parts at 16 weeks of age (1st year 1966).	138
27	Mean weights of live body and different parts of the body in grams at 16 weeks of age. (Males; 2nd year averages).	139
28	Percentages of different parts of the body in relation to live body weight at 16 weeks of age. (Males; 2nd year-average)	s).140
29	Mean weights of live body and different parts of the body in grams at 16 weeks of age. (Nemales; 2nd year-averages).	141
30	Percentages of different parts of the bod in relation to live body weight at 16 weeks of age. (Females; 2nd year-averages	
31		143
32	· A -two on oxoxy two means of li	.ve 144

Table		<u>Page</u>
33	Percentages of the different parts of the body in relation to live body weight at 16 weeks of age. (Females; 2nd year-averages).	145
34	Analysis of variance of body weight and different parts of the body at 16 weeks of age (2nd year 1967).	146
35	Analysis of variance of relative weights of different body parts at 16 weeks of age (2nd year 1967).	147
36	Mean weights of live body and different parts of the body in grams at 12 weeks of age. (Winter season 1966).	148
37	Comparisons between every two means of live body; carcass and eviscerated weights at 12 weeks of age by Duncan's new multiple range test (Winter season 1966).	149
<i>3</i> 8	Percentages of different parts of the body in relation to live body weight at 12 weeks of age. (Winter season 1966).	150
39	Analysis of variance of body weight and different parts of the body at 12 weeks of age (Winter season 1966).	151
40	Analysis of relative weights of different body parts at 12 weeks of age (Winter season 1966).	152
41	Mean weights of live body and different parts of the body in grams at 12 weeks of age. (Spring season 1966).	153
42	Comparisons between every two means of live body, carcass and eviscerated weights at 12 weeks of age by Duncan's new multiple range test, (Spring season 1966).	154
43	Percentages of different parts of the body in relation to live body weight at 12 weeks of age, (Spring season 1966).	155

Pable	Eo,	Page
44	Analysis of variance of body weight and different parts of the body at 12 weeks of age (Spring season 1966).	156
45	Lialysis of variance of relative weights of different body parts at 12 weeks of age (Spring season 1966),	157
46	Mean weights of live body and different pasts of the body in grams at 16 weeks of age, (Winter season 1966),	158
47	Comparisons between every two means of live body, carcass and eviscerated weights at 16 weeks of age by Duncan's new multiple range test. (Winter season 1966).	<b>1</b> 59
48	Percentages of different parts of the body in relation to live body weight at 16 weeks of age. (Winter season 1966).	160
449	Analysis of variance of body weight and different parts of body at 16 weeks of age (Winter season 1966).	161
50	Analysis of variance of relative weights of different body parts at 16 weeks of age (Winter season 1966).	162
5 <b>1</b>	Mean weights of live body and different parts of the body in grams at 16 weeks of age, (Spring season 1966).	163
52	Comparisons between every two means of live body, carcass and eviscerated weights at 15 weeks of age by Duncan's new multiple range test. (Spring season 1966).	164
53	Percentages of different parts of the body in relation to live body weight at 1.6 weeks of age. (Spring season 1966).	<b>1</b> 65
54	Analysis of variance of body weight and different parts of the body at 16 weeks of age (Spring season 1966).	166

Table	10.	Page
<del>5</del> 5	Analysis of variance of relative weights of different body parts at 16 weeks of age. (Spring season 1966).	167
56	Mean weights of live body and different parts of the body in grams at 16 weeks of age. (Males; Winter season 1967).	168
§ <b>7</b>	Percentages of different parts of the body in relation to live body weight at 16 weeks of age. (Males; Winter seasons 1967).	169
58	Mean weights of live body and different parts of the body in grans at 16 weeks of age (Females: Winter season 1967).	170
59	Percentages of different parts of the body in relation to live body weight at 16 weeks of age. (Females; Winter season 1967).	171
50	Mean weights of live body and different parts of the body in grams at 16 weeks of age (Winter season1967).	172
61	Comparison between every two means of live body, carcass and eviscerated weights at 16 weeks of age by Duncan's new multiple range test. (Winter season 1967).	173
52	Percentages of different parts of the body in relation to live body at 16 weeks of age. (Winter season 1967).	174
5 <b>3</b>	Analysis of variance of body weight and different parts of the body at 16 weeks of age (Winter season 1967).	175
54	Analysis of variance of relative weights of different body parts at 16 weeks of age (Winter season 1967).	176
65	Means of live weight, and different parts of the body at 16 weeks of age in grams (Males; Spring season 1967).	177

lablo	50.	Page
96	Percentages of different parts of the body in relation to live body weight at 16 weeks of age. (Malcs; Spring season 1967).	178
<i>5</i> 7	Means of live weight, and different parts of the body at 16 weeks of age in grams (Females; Spring season 1967).	179
58	Percentages of different parts of the body in relation to live body weight at 16 weeks of age. (Temales; Spring season 1967).	180
69	Means of live weights, and different parts of the body at 16 weeks of age in grams. (Spring season 1967).	181
70	Comparisons between every two means of live body, carcass and eviscerated weights at 16 weeks of age by Duncan's new multiple range test. (Spring season 1967).	182
71	Percentages of different parts of the body in relation to live body weight at 16 weeks of age. (Spring season 1967).	183
72	Analysis of variance of body weight and different parts of the body at 16 weeks of age (Spring season 1967).	<b>1</b> 84
73	Analysis of variance of relative weights of different body parts at 16 weeks of age (Spring season 1967).	<b>1</b> 85
F 21	Means of live weight, and different parts of the body in grams of Nichols' chickens at different ages. (Winter season 1966).	186
75	Percentages of different parts of the body in relation to live body weight of Nichols at different ages. (Winter season 1966).	187
76	Late of growth of the chickens of l <u>st.</u> year 1966.	183
77	Rate of growth of the chickens of Winter season 1966.	189

<u> 1859le</u>	* <u>CO</u>	Page
76	Rate of growth of the chickens of the Spring season 1956.	190
79	Hate of growth of the chickens of 2nd year 1967.	191
80	Rate of growth of the male chickens of 2nd year 1967.	192
31	Rate of growth of the female chickens of 2nd year 1967.	193
32	Rate of growth of the chickens of Winter season 1967.	194
3 <b>3</b>	Rate of growth of the male chickens of Tinter season 1967.	195
84	Rate of growth of the female chickens of Wintor season 1967.	196
ੇ5	Rate of growth of the chickens of Spring season 1967.	197
86	Rate of growth of the male chickens of Spring 1967.	198
87	Rate of growth of the female chickens of Spring 1967.	199
88	Hybrid vigor in the crossbred chickens of the second year 1967.	200
89	Potence ratio of the crossbred chickens of the second year 1967.	501
90	Feed efficiency of different breeds. (lst year 1966).	202
91	Feed efficiency of different breeds. (Winter season 1966).	203
92	Teed efficiency of different breeds. (Spring season 1966).	204

Table	No.	Page
93	Reed officiency of different breeds and their crosses. (2nd year 1967).	205
144.	reed efficiency of different breads and their crosses. (Winter season 1967).	206
95	Feed efficiency of different breeds and their crosses. (Spring season 1967).	207
96	Analysis of variance of feed efficiency. (Spring season 1966).	208
97	Analysis of variance of feed efficiency (Winter season 1967).	208
98	Analysis of variance of feed efficiency (Spring season 1967).	208