## NOISE-INDUCED HEARING LOSS IN WORKERS

## IN CAIRO INTERNATIONAL AIRPORT

#### Thesis

Submitted in partial fulfillment of the requirements for

#### **MASTER DEGREE**

Of Industrial Medicine and Occupational Diseases

By SHERMINE SAMIR ABOU-BAKR ABOU-ALAZM

(M. B., B.ch.)

Specialist at occupational health department in The Ministry of Health and Population

616.9803

Supervisors

Professor of Industrial Medicine and Occupational Diseases

Faculty of Medicine, Cairo University

Prof. HOSSAM EL-DIN EL ANWAR AMIN ABDEL LATIF

Professor of Industrial Medicine and Occupational Diseases
Faculty of Medicine, Cairo University

A. Prof. NABIL ABD EL-MAKSOUD

Assistant Professor of Industrial Medicine and Occupational Diseases
Faculty of Medicine, Cairo University

Faculty of Medicine Cairo University 1999

Cairo Universit

64613



## ACKNOWLEDGMENT

I would like to express my sincere gratitude to Professor GAMAL HOSNY EL-SAMRA, Professor of Industrial Medicine and Occupational Diseases, Faculty of Medicine, Cairo University, to whom no words can express my deepest thanks for his continuous supervision and co-operation, as well as his precious remarks, which are inscribed in this work.

I am greatly obliged to-Professor HOSSAM EL-DIN EL ANWAR, Professor of Industrial Medicine and Occupational Diseases, Faculty of Medicine, Cairo University for his care, supervision and co-operation in conducting this work.

My sincere appreciation should also be expressed to A. Professor NABIL ABD EL-MAKSOUD, Assistant professor of Industrial Medicine and Occupational Diseases, Faculty of Medicine, Cairo University, for his assistance and valuable guidance in this work.

I am grateful to Dr. Zeinab Youssef, General Director of Occupational Health Department in the Ministry of Health & Population, for her continuous help and assistance during the performance of this work. I would like, also to thank my colleagues for their assistance.

My thanks extend to Dr. Eng. Mostafa El-sayd Aly, and all the staff members of Cairo International Airport, for their major help and guidance to perform the practical work at the airport.

Last, but not least, I am profoundly grateful to my parents and my brother for their constant encouragement and overwhelming support.

الطبية/ شرمين سميرأبو بكر أبو المزم توطئة للحصول على درجة الكامجهتير / الدكتسرواة في طب المناءات والأمراض المهنية Noise- induced hearing loss in workers تحت عنوان: باللغة الانجليزية: . \_\_\_\_ in Cairo International Airport. بنا على موافقة الجامعة بتاريخ ١٢ / ١٠ / ١٩٩٩ تم تشكيل لجنة العُمس والمناقشة للرسسسيالة المذكورة أعسلاه على النحسر الثالي :- ١) الزُستاذ الدكتور/ جمال حسنى السعره . عن اليشـــرفين ٧ ) اللِّستاذ الدكتور / فردريك برج انانيان . ــــ متحن داخلی 🦫 ٣) الأستاذ الدكتور/ على عبد الهادي مسعود . متحن خارجيٌ بعد فحص الرسالة بتواسطة كل عضومنفردا وكتابة تقارير منفردة لكل منهم المعقدت اللجنة مجتمعية فسيسيس يوم اللَّثنين \_\_\_\_يتاريخ ٢٢ / ١١ / ٩٩ مِهم مركز التعليم الطبور مدَّن قاعة (١) قدم بكلية الطب - جامعة القاهرة وذلك لمناقشة الطالب في جلسة علنية في موضوع الرسالة والنتائج التي توسيسل إليها وكذلك الأمس العلية التي قام عليها البحث • رار اللجنبة: <u>فيول الرسالية</u> تونيمات أعضام اللجنسة : ــ البشرف الهبتحسن

أجتباع لجنة الحكم على الرسسالة البندسة سيسين

جامعة القاهرة / كلية الطب القسر الميسستي

### **Abstract**

This study was conducted on 100 workers occupationally exposed to noise from the airline maintenance, ground staff, loading and catering workers in Cairo International Airport. A non-exposed control group of 50 employees at the Ministry of Health and Population were also studied. The most significant result was hearing affection of the exposed workers, which started at higher frequencies ranging from 3000 Hz to 6000 Hz due to exposure to loud noise without using personal hearing protectors. This was followed by the affection of the speech frequencies ranging from 500 Hz to 2000 Hz.

## **LIST OF ABBREVIATIONS**

1) NIHL: Noise-induced hearing loss

2) NIOSH: National Institute for Occupational Safety and Health.

3) REL: Recommended exposure limit

4) TWA: Time-weighted average

5) OSHA: Occupational Safety and Health Administration

6) ICAO: International Civil Aviation Organization

8) APU: Auxiliary Power Unite

9) AAOO: American Academy of Ophthalmology and Otolaryngology

## **Key Words**

- \*\* Recommended exposure limit
- \*\* Time-weighted average
- \*\* Auxiliary Power Unite

### LIST OF TABLES

- Table (1): Age distribution among exposed and control groups.
- Table (2): Comparison of smoking habits in exposed and control groups
- Table (3): Symptoms in the exposed and control groups
- Table (4): Hypertension among exposed and control groups
- Table (5): Relevant past history in exposed and control groups
- Table (6): Numbers and percentage of subjects with hearing affection among exposed and control groups in the right and left ears at different frequencies (more than 15 dB hearing loss)
- Table (7): Correlation between years of employment and hearing threshold at different frequencies among exposed subjects
- Table (8): Degree of severity of hearing loss in exposed and control groups at the speech frequencies (500,1000,2000 Hz)
- Table (9): Degree of severity of hearing loss in exposed and control groups at the frequency 3000 Hz
- Table (10): Degree of severity of hearing loss in exposed and control groups at the frequency 4000 Hz
- Table (11): Degree of severity of hearing loss in exposed and control groups at the frequency 6000 Hz
- Table (12): Degree of severity of hearing loss in exposed and control groups at the high frequencies (3000,4000,6000 Hz)
- Table (13): Group average hearing loss among exposed and control groups at the speech frequencies (500,1000,2000 HZ)


### **LIST OF FIGUERS**


- Fig.(1): Pathway of sound reception
- Fig.(2): Cross section of cochlea
- Fig.(3): Transmission of vibration from drum through the cochlea
- Fig.(4): Transmission of sound across cochlea duct stimulating hair cells
- Fig.(5): Different activities of exposed workers at Cairo International
  Airport
- Fig.(6): Illustration of air-conduction earphone
- Fig.(7): Illustration of bone- conduction vibrator.
- Fig.(8): Percentage of aircraft models using Cairo International Airport
- Fig.(9): Frequency band analysis of the noise emitted from the engines of aircraft (A300)
- Fig.(10): Frequency band analysis of the noise emitted from the APU of aircraft (A300)
- Fig.(11): Frequency band analysis of the noise emitted from the engines of aircraft (B737)
- Fig.(12): Frequency band analysis of the noise emitted from the engines of aircraft (B737)
- Fig.(13): Frequency band analysis of the noise emitted from the engines of aircraft (A320)
- Fig.(14): Frequency band analysis of the noise emitted from the APU of aircraft (A320)
- Fig.(15): Frequency band analysis of the noise emitted from the engines of aircraft (B747)
- Fig.(16): Frequency band analysis of the noise emitted from the APU of aircraft (B747)

- Fig.(17): Frequency band analysis of the noise emitted from the engines of aircraft (B767)
- Fig.(18): Frequency band analysis of the noise emitted from the APU of aircraft (B767)
- Fig.(19): Symptoms in the exposed and control groups
- Fig.(20): Percentage of relevant past history among exposed and control groups
- Fig.(21): Percentage of subjects with hearing affection of the right ear among exposed and control groups
- Fig.(22):Percentage of subjects with hearing affection of the left ear among exposed and control groups
- Fig.(23): Exposed group men hearing loss of the right ear at different frequencies according to duration of occupational exposure
- Fig.(24): Exposed group hearing loss of left ear at different frequencies according to duration of occupational exposure

## **CONTENTS**

|   | Page |
|---|------|
| 1- Introduction and Aim of the Study                        | 1    |
| 2- Review of Literature:                                    | 3    |
| <ul><li>Anatomy of the Ear</li></ul>                        | 4    |
| ❖ The Hearing Process                                       | 10   |
| ❖ Physical Properties of Sound                              | 12   |
| ❖ Noise in Airports   | 14   |
| <ul> <li>Mechanism of Noise-Induced Hearing Loss</li> </ul> | 15   |
| ❖ Threshold Of Hearing                                      | 16   |
| Non- auditory Physiological Effects of Noise                | 17   |
| 3- Materials & Methods                                      | 19   |
| 4- Results:   | 25   |
| ❖ Environmental measurements                                | 26   |
| ❖ Medical Studies   | 50   |
| ❖ Audiometric measurements                                  | 58   |
| 5- Discussion   | 74   |
| 6- Summary  | 79   |
| 7- Recommendations  | 82   |
| 8- References   | 85   |
| 9- Annex  | 89   |
| 10- Arabic summary  | 92   |





# INTRODUCTION



# AIM OF THE STUDY

