

ASSESSMENT OF THE TRICUSPID VALVE IN EGYPTIAN PATIENTS WITH CHRONIC RHEUMATIC HEART DISEASE

Thesis

Submitted for partial fulfillment of the Master Degree of Cardiology

By

Wael Mostafa El-Nammas,

M.B.B.Ch. Faculty of medicine, Ain Shams University

Supervised By

Prof. Dr. Amal Ayoub

Professor of Cardiology

Faculty of Medicine-Ain Shams University

Dr. Mohamed Gamal Abdel Barr

Assistant Professor of Cardiology

Faculty of Medicine-Ain Shams University

Dr. Azza Abdallah El Fiky

Lecturer of Cardiology

Faculty of Medicine-Ain Shams University

Faculty of Medicine - Ain Shams University

1999



بسم الله الرحمن الرحيم

"قالوا سبحانك لا علم لنا إلا

ما علمتنا إنك أنت العليم

الحكيم"

صدق الله العظيم

سورة البقرة

آية ٣٢

ACKNOWLEDGMENT

I would like to express my deepest thanks and profound gratitude to Professor Doctor Amal Ayoub, Professor of Cardiology, Ain Shams University. It was such a great honor to work under her kind guidance. Her continuous help, combined with her sincere support obliged me to bear the responsibility towards this study.

I am sincerely thankful to Assistant Professor Doctor Mohamed Gamal Abd El Bar, Assistant Professor of Cardiology, Ain Shams University for sharing his expertise and valuable time, for his helpful suggestions and continuous interest throughout the course of this work,

I am greatly indebted to Doctor Azza El Feky, Lecturer of Cardiology, Ain Shams University. To her, I owe much more than I could express and much less than I could repay except in part by the satisfaction of seeing this thesis come true.

Finally, I would like to convey my warmest gratitude to my professors, my colleagues, my patients, their families and the nursing staff of the Cardiology Clinic, Ain Shams University for their thankful cooperation.

TABLE OF CONTENTS

	Page
Chapter 1: Introduction -----	1
Chapter 2: Aim of the work-----	3
Chapter 3: Review of Literature-----	5
Chapter 4: Subjects and methods -----	53
Chapter 5: Results -----	65
Chapter 6: Discussion -----	95
Chapter 7: Conclusion & recommendations-----	101
Chapter 8: Summary -----	103
Chapter 9: References-----	105
Arabic summary	

LIST OF ABBREVIATIONS

2D	Two dimensional
AF	Atrial fibrillation
AR	Aortic regurgitation
AS	Aortic stenosis
AV	Atrioventricular
AVD	Aortic valve disease
cm	Centimeters
CW	Continuous wave
ECG	Electrocardiogram
EF	Ejection fraction
GIT	Gastrointestinal tract
Hg	Mercury
INR	International normalized ratio
JVP	Jugular venous pressure
LA	Left atrium
LV	Left ventricle
m	Meter
MHz	Mega Hertz
mm	Millimeter
MR	Mitral regurgitation
MS	Mitral stenosis
MVD	Mitral valve disease

v

List of Abbreviations

No.	Number
NYHA	New York Heart Association
OS	Opening snap
P₂	Pulmonary component of second sound
PASP	Pulmonary artery systolic pressure
PG	Pressure gradient
PM	Post-mortem
PW	Pulsed wave
RA	Right atrium
RV	Right ventricle
S₁	First heart sound
SD	Standard deviation
Sec	Second
SR	Sinus rhythm
TR	Tricuspid regurgitation
TS	Tricuspid stenosis
TV	Tricuspid valve
TVD	Tricuspid valve disease

LIST OF TABLES

	Page
Table 1 Baseline characteristics of the study populations	71
Table 2 Echo-cardiographic findings in the study population	72
Table 3 Association of the severity of TR with PASP	73
Table 4 Association of the severity of TR with RV ejection fraction	74
Table 5 Association of the severity of TR with TV annular diameter	75
Table 6 Association of organic tricuspid stenosis with the severity of TR	76
Table 7 Association of organic Tricuspid valve disease with RV ejection fraction	77
Table 8 Association of organic tricuspid valve disease with RV dilatation	77
Table 9 Association of organic tricuspid valve disease with RA dilatation	77
Table 10 Association of pulmonary hypertension with RV ejection fraction	78
Table 11 Association of organic tricuspid stenosis with mitral valve disease	78
Table 12 Association of organic TS with aortic valve disease	78

List of Tables

	Page
Table 13 Association of significant tricuspid regurgitation with AF	79
Table 14 Association of organic tricuspid stenosis with AF	79

LIST OF FIGURES

	Page
Figure 1	Parasternal long axis recording of a normal TV during systole and diastole. 62
Figure 2	Apical four-chamber view of a normal TV during systole and diastole. 63
Figure 3	Method for quantitating TR jet area. 64
Figure 4	Association of the severity of TR with PASP. 73
Figure 5	Association of the severity of TR with RV ejection fraction. 74
Figure 6	Association of the severity of TR with TV annular diameter. 75
Figure 7	Association of organic tricuspid stenosis with the severity of TR. 76
Figure 8	Association of significant tricuspid regurgitation with AF. 79
Figure 9	Normal TV, closed; parasternal long-axis view of the RV inflow tract (case 42). 80
Figure 10	Normal TV, open; parasternal long-axis view of the RV inflow tract (case 42). 81
Figure 11	Thickened TV that domes during diastole parasternal long-axis view of the RV inflow tract (case 58). 82
Figure 12	Thickened TV that domes during diastole; parasternal long-axis view of the RV inflow tract (case 39). 83

ix

List of Figures

	Page
Figure 13 TV annular diameter; parasternal long-axis view of the RV inflow tract (case 39).	84
Figure 14 TV annular diameter; apical and chamber view of the RV inflow tract (case 59).	85
Figure 15 TV annular diameter; parasternal long-axis view of the RV inflow tract (case 59).	86
Figure 16 Hugely dilated RA in a patient with severe tricuspid regurgitation; parasternal long-axis view of the RV inflow tract (case 59).	87
Figure 17 CW Doppler tracing across the TV apical and chamber view showing tricuspid regurgitation.	88
Figure 18 CW Doppler tracing across the TV in apical and chamber view showing tricuspid regurgitation flow. Note variable signal intensity from beat to beat in this patient with atrial fibrillation (case 59).	89
Figure 19 CW Doppler tracing across the TV in apical and chamber view showing tricuspid regurgitation (case 61).	90
Figure 20 CW Doppler tracing across the TV in apical and chamber view in a patient with rheumatic tricuspid stenosis (case 58).	91
Figure 21 CW Doppler tracing across the TV in apical and chamber view in a patient with tricuspid stenosis.	92
Figure 22 Apical and chamber view showing an aneurysmally dilated RA in a patient with organic TV disease (case 24)	93